


Residential and Commercial
Architectural Ironmongery

2023



CARLISLE BRASS

EUROLITE EUROSPEC SEROZZETTA MANITAL

“Quality Architectural Ironmongery”

Certificate Number: 7287

Certificate Number: EN 1165



Manital Range **6**



European Collection **18**



SZM and ZIN Range **28**



SZC Range **40**



SZR Range **46**



Traditional Handles **52**



Mortice Knobs **60**



Pull Handles & Push Plates **70**



Art Deco **80**



Residential Hinges **84**




Black Antique **88**



External Door Furniture **106**



Window Fittings **118**



Accessories **130**



Cabinet Hardware **142**



Bathroom Accessories **192**



Grade 4 BSEN1906

206



Grade 316 Stainless Steel

212



Stainless Steel Levers on Screw on Rose

216



Stainless Steel Levers on Square Rose

224



Stainless Steel Levers on Slim Rose

228



Stainless Steel Levers on Rose

232



Stainless Steel Levers on Backplate

238



Stainless Steel Pull Handles

246



Stainless Steel Accessories

256



Stainless Steel External Door Furniture

270



Aluminium Collection

274



High Specification Hinges

286



CEAM Hinges

304



Door Controls

310



Locks & Latches

328



Cylinders

362



Outdoor Security

390



Panic & Emergency Exit Hardware

400



Intumescent Fire Protection & Acoustic Sealing Systems

406

Follow our sustainability journey

In recent months, we've started working on the following initiatives:

- Launching a packaging project to eliminate plastic, improve recyclability, and reduce packaging sizes. In turn reducing the number of containers we ship.
- Migrating our company vehicles to EV and hybrid models, as well as installing on-site charging points.
- Switching to North West Recycling we are diverting the majority of our waste from landfill.
- Switching carriers to DPD, who are committed to rolling out all-electric delivery vehicles in 30 UK cities by the end of 2023.
- Optimising our website performance to reduce the amount of CO2 emissions per-click.
- We have joined Planet Mark. Certification is only the very beginning of our journey. Planet Mark is a sustainability certification that verifies and measures carbon and social data to reduce emissions and achieve the UN Sustainable Development Goals.

carlislebrass.com/sustainability

Empowering *CHANGE* for a brighter future

PlanetMark

MANITAL

MADE IN
ITALY



SX5

- **Designed with luxury in mind**
- **One of the UK's most sought-after brands**
- **Made in Italy**
- **Premium quality products and finishes**
- **Other levers and finishes available as special order**






SCAN ME

MANITAL

Scan to see our extended Manital Range




New

SX5
Syntax


CP MB SB SC


25 YEAR











Matching Escutcheons EUL001 & EUL002 on page 25


ARTSY40
Turn & Release

CP MB SB SC

25 YEAR

New








MADE IN ITALY

AQ1
Astro

CP PB SC






FD30/60 TIMBER
10 YEAR

AQ2
Studio H

PB






FD30/60 TIMBER
10 YEAR

AQ3
Apollo

CP PB SC






FD30/60 TIMBER
10 YEAR

AQ4
Calla

CP PB SC






FD30/60 TIMBER
10 YEAR

GI5
Giava

CP PB SC





FD30/60 TIMBER
10 YEAR




AA0
Blank Escutcheon


CP PB



AA1
Euro Escutcheon

CP PB SC SN








AA3
Lock Escutcheon

CP PB SC SN








AA12
Thumbturn & Release

CP PB SC

AA12L
Long Spindle Variation Available

CP PB SC








AQ12
Thumbturn & Release

CP PB SC SN








AQ11
Thumbturn & Release
With indicator

CP PB SC





EL22
Astro on Latch Backplate

CP PB SC


EL21
Lock

EL21Y
Euro

EL23
Bathroom

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
EL21	185	57	40	108	71	11
EL22	185	-	40	108	71	11
EL21Y	185	47.5	40	108	71	11
EL23	185	57	40	108	71	11

EL32
Lilla on Latch Backplate

EL33
Bathroom

EL31
Lock


CP MB SB SC

EL31Y
Euro

CP SC

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
EL31	185	57	40	118	71	11
EL32	185	-	40	118	71	11
EL31Y	185	47.5	40	118	71	11
EL33	185	57	40	118	71	11



EL12
Ibra on Latch Backplate

EL13
Bathroom

EL11
Lock

CP MB PB SB SC

EL11Y
Euro

CP PB SC

FD30/60 TIMBER

10 YEAR



EL12CP
Polished Chrome



EL12MB
Matt Black




EL12
Polished Brass



EL12SB
Satin Brass



EL12SC
Satin Chrome



	A	B	C	D	E	F
EL11	185	57	40	119	69	11
EL12	185	-	40	119	69	11
EL11Y	185	47.5	40	119	69	11
EL13	185	57	40	119	69	11


MADE IN ITALY

ART54A
Sliding Door Rose
c/w Flush Pull

CP PB SC SN

10 YEAR







ART54AQ
Square Sliding Door Rose
c/w Flush Pull

CP PB SC SN

10 YEAR






ART55BQ
Square Sliding Door set
c/w WC Turn, Flush Pull
and Lock

CP PB SC SN

10 YEAR








ART55BMB
Matt Black

ART55B
Sliding Door Set
c/w WC Turn, Flush Pull
and Lock

CP MB PB SB SC SN

10 YEAR





ART55BCP
Polished Chrome



ART55B
Polished Brass



ART55BSB
Satin Brass



ART55BSC
Satin Chrome




ART55BSN
Satin Nickel


ART56
Small Flush Pull

CP MB PB SB SC SN

10 YEAR










ART56Q
Small Square Flush Pull

CP PB SC SN

10 YEAR









CARLISLE BRASS

European Collection



- **European designed and manufactured**
- **A full range of accessories to suit**









FH5
Flash

New

AB ANT BLK CP SB SC







TC5
Techna

New

AB ANT BLK CP SB SC





New


AB ANT BLK CP SB SC



QE001
Square Euro Escutcheon



QE003
Square Lock Escutcheon




QT004
Square Thumbturn & Release

New

AB ANT BLK CP SB SC









New

IN5
Intona

AB ANT BLK CP SB SC








10 YEAR


New

MS5
Master

AB ANT BLK CP SB SC







10 YEAR

AB ANT BLK CP SB SC


New



RE001
Euro
Escutcheon



RE003
Lock
Escutcheon



10 YEAR


RE004
Thumbturn & Release

New

AB ANT BLK CP SB SC

New





10 YEAR






CEB010Q
Mono

CP SC






CEB050Q
Era

BLK COP CP SC






CEB060Q
Zara

BLK WHT | COP/ WHT | CP/ BLK | SC BLK






BLK COP CP SC



CEB001Q
Square Euro
Escutcheon



CEB003Q
Square Lock
Escutcheon




CEB004Q
Square Turn & Release
5mm Spindle

COP CP SC








CEB120
Lavi

SC






CEB130
Toro

CP SC






CP SC



CEB001
Euro
Escutcheon


CEB003
Lock
Escutcheon



CEB004
Thumbturn & Release

CP









CEB060QSC/BLK

MADE IN ITALY

EUL010 Sasso

AB MB MBRZ PN SB SN







FD30/60 TIMBER
25 YEAR

EUL020 Velino

AB MB MBRZ PN SB SN







FD30/60 TIMBER
25 YEAR

EUL030 Trentino

AB MB MBRZ PN SB SN






FD30/60 TIMBER
25 YEAR

EUL040 Amiata

AB MB MBRZ PN SB SN







FD30/60 TIMBER
25 YEAR

EUL050 Varese

AB MB MBRZ PN SB SN





FD30/60 TIMBER
25 YEAR


Matching Varese Pull Handles EUP050 on page 75

New

EUL060
Terazzo

AB MB MBRZ SB SN






25 YEAR

New

EUL070
Masano

AB MB MBRZ SB SN





25 YEAR

New

AB CP MB MBRZ PN SB

New


SC SN



EUL001
Euro
Escutcheon



EUL002
Lock
Escutcheon




25 YEAR

EUL004
Thumbturn & Release


AB MB MBRZ PN SB SN





25 YEAR





Combine wiring accessories with ironmongery for the complete look


SCAN ME

SEROZZETTA


SZM and ZIN Range



- **Includes some of our best-selling lever designs**
- **Levers with screw-on roses**
- **Plastic-free packaging**
- **Face-fix levers on backplate**
- **Zinc lever range**



New




SZM170
Trend Lines

On Concealed
Fix Round Rose


AB CPSN MB

10 YEAR










Matching Pull Handles PH170 on page 75

New





SZM270
Image Lines

On Conealed
Fix Round Rose


AB CPSN MB

10 YEAR









Matching Pull Handles PH170 on page 75

New











SZM310
Scopo Lever

On Concealed
Fix Round Rose

AB CP MB SC

10 YEAR








SZM310

SZM014 Valiant

CPSN






10 YEAR

SZM025 Breeze

CP






10 YEAR

SZM110 Azul

SSCP






FD30/60 TIMBER

10 YEAR

SZM130 Style

CP SC






10 YEAR

SZM160 Trend

BN CPSC





FD30/60 TIMBER


10 YEAR

Matching Trend Pull Handle PH160B on page 75



SZM210
Edge


AB CP MB SC





SZM210SQ
Edge Square Rose


CP





SZM220
Concept

CP SC






ZIN3112SC & ZIN3121CP

SZM250
Image

CPSC







10 YEAR

SZM370
Equi

AB BN CP MB SC





FD30/60 TIMBER

10 YEAR




SZM370

SZM380
Design

CP SC






10 YEAR

ZIN3003
Noxia

CP SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3111
Nelson

CP SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3112
Olivier

AB CP MB SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3115
Carolina

CP SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3116
Atalaya

CP SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3121
Philadelphia

AB CP MB SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3129
Cumulus

CPSC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3130
Verdun

AB CP MB SC






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR

ZIN3131
Shark

CP SC






FD120/240 STEEL
10 YEAR

ZIN3139
Irwin

CPSC





FD30/60 TIMBER
FD120/240 STEEL
10 YEAR



SZM000
Blank Escutcheon


CP SC



SZM001
Euro Escutcheon

AB BN CP MB PVD SC


10 YEAR





SZM003
Lock Escutcheon

AB BN CP MB PVD SC






ZIN3130AB

SZM004
Thumbturn & Release

AB BN CP MB SC






SZ5004
Thumbturn & Release

CP PVD SC








SZM001SQ
Square Euro Escutcheon



SZM003SQ
Square Lock Escutcheon

AB BN CP MB SC









SZM004SQ
Square Thumbturn & Release

AB BN CP MB SC



CONVERT FROM ROUND ROSE TO SQUARE ROSE AND VICE VERSA USING OUR ROSE PACKS.





SZMRSQ
Square Rose Pack

AB CP MB SC



SZMR
Round Rose Pack





SZM045
Scope on Latch Backplate

CP CPSN


SZM044
Lock

SZM046
Bathroom


CP

SZM044YCP
Euro

10 YEAR



	A	B	C	D	E	F
SZM044	180	57	40	128	63	10
SZM044Y	180	47.5	40	128	63	10
SZM045	180	-	40	128	63	10
SZM046	180	57	40	128	63	10



SZM243
Stratus on Bathroom Backplate


CP

SZM241
Lock

SZM241Y
Euro

SZM242
Latch

10 YEAR



	A	B	C	D	E	F
SZM241	180	57	40	130	68	10
SZM241Y	180	47.5	40	130	68	10
SZM242	180	-	40	130	68	10
SZM243	180	57	40	130	68	10



SZM242CP



SZM371
Equi on Lock Profile Backplate


CP SC

SZM371Y
Euro

SZM372
Latch

SZM373
Bathroom

10 YEAR




	A	B	C	D	E	F
SZM371	180	57	40	130	68	10
SZM371Y	180	47.5	40	130	68	10
SZM372	180	-	40	130	68	10
SZM373	180	57	40	130	68	10

SEROZZETTA

SZC Range




- **Face-fix levers on backplate**
- **Levers on push-on rose**
- **Zinc lever range**



SZC010 Uno

CP SC






SZC020 Dos

CP SC






SZC030 Tres

CP SC






SZC040 Cuatro

CP






SZC050 Cinco

CP






SZC340
Cuarenta

CP SC








SZC001
Euro
Escutcheon



SZC003
Lock
Escutcheon


CP SC



SZC004
Thumbturn & Release


CP SC







SZC010CP



SZC011Y
Uno on Euro Backplate

CP SC

SZC011
Lock


SZC012
Latch

SZC013
Bathroom

FD30/60 TIMBER

10 YEAR

	A	B	C	D	E	F
SZC011	170	57	41.5	110	69	10
SZC011Y	170	47.5	41.5	110	69	10
SZC012	170	-	41.5	110	69	10
SZC013	170	57	41.5	110	69	10



SZC031
Tres on Lock Backplate

CP SC

SZC031Y
Euro


SZC032
Latch

SZC033
Bathroom

FD30/60 TIMBER

10 YEAR

	A	B	C	D	E	F
SZC031	170	57	41.5	113	69	10
SZC031Y	170	47.5	41.5	113	69	10
SZC032	170	-	41.5	113	69	10
SZC033	170	57	41.5	113	69	10



SZC023
Dos on Bathroom Backplate

CP SC


SZC021
Lock

SZC021Y
Euro

SZC022
Latch

10 YEAR

	A	B	C	D	E	F
SZC021	170	57	41.5	112.5	75.5	10
SZC021Y	170	47.5	41.5	112.5	75.5	10
SZC022	170	-	41.5	112.5	75.5	10
SZC023	170	57	41.5	112.5	75.5	10



SZC042
Cuatro on Latch Backplate

CP SC

SZC041
Lock

SZC041Y
Euro

SZC043
Bathroom

FD30/60 TIMBER

10 YEAR

	A	B	C	D	E	F
SZC041	170	57	41.5	110	69	10
SZC041Y	170	47.5	41.5	110	69	10
SZC042	170	-	41.5	110	69	10
SZC043	170	57	41.5	110	69	10




SZC053
Cinco on Bathroom Backplate

CP SC


SZC051
Lock

SZC051Y
Euro

SZC052
Latch



	A	B	C	D	E	F
SZC051	170	57	41.5	110	68.5	10
SZC051Y	170	47.5	41.5	110	68.5	10
SZC052	170	-	41.5	110	68.5	10
SZC053	170	57	41.5	110	68.5	10



SZC042SC

SEROZZETTA

SZR Range



- **Levers on screw-on round rose**
- **Aluminium cast levers**
- **Levers on oversized backplate to cover previous fixing points**




SZR010 Dieci

New

MB PN SN

New






SZR020 Venti

New

MB PN SN






SZR030 Trenta

New

MB PN SN

New






SZR040 Quaranta

PNSN






SZR050 Cinquanta

New

MB PN SN

New






SZR060
Sessanta

PNSN








SZR001
Euro Escutcheon

PN SN



SZR002
Lock Escutcheon


PN SN



SZR004
Thumbturn & Release

PN SN








SZM001
Euro Escutcheon

AB BN CP MB PVD SC



SZM003
Lock Escutcheon


AB BN CP MB PVD SC



SZM004
Thumbturn & Release

AB BN CP MB SC







SZR013
Dieci on Bathroom Backplate


PN SN

SZR011
Lock

SZR011Y
Euro

SZR012
Latch

10 YEAR



	A	B	C	D	E	F
SZR011	150	57	50	109.5	72	10
SZR011Y	150	47.5	50	109.5	72	10
SZR012	150	-	50	109.5	72	10
SZR013	150	57	50	109.5	72	10



SZR031
Trenta on Lock Backplate


PN SN

SZR031Y
Euro

SZR032
Latch

SZR033
Bathroom

10 YEAR



	A	B	C	D	E	F
SZR031	150	57	50	114	70	10
SZR031Y	150	47.5	50	114	70	10
SZR032	150	-	50	114	70	10
SZR033	150	57	50	114	70	10



SZR022
Venti on Latch Backplate

New


MB PN SN

SZR021
Lock

SZR021Y
Euro

SZR023
Bathroom

10 YEAR



	A	B	C	D	E	F
SZR021	150	57	50	121	66	10
SZR021Y	150	47.5	50	121	66	10
SZR022	150	-	50	121	66	10
SZR023	150	57	50	121	66	10



SZR041Y
Quaranta on Euro Backplate


PNSN

SZR041
Lock

SRZ042
Latch

SZR043
Bathroom

10 YEAR



	A	B	C	D	E	F
SZR041	150	57	50	116	60	10
SZR041Y	150	47.5	50	116	60	10
SZR042	150	-	50	116	60	10
SZR043	150	57	50	116	60	10



SZR052
Cinquanta on Latch Backplate


PN SN

SZR051
Lock

SZR051Y
Euro

SZR053
Bathroom

10 YEAR



	A	B	C	D	E	F
SZR051	150	57	50	119	63.5	10
SZR051Y	150	47.5	50	119	63.5	10
SZR052	150	-	50	119	63.5	10
SZR053	150	57	50	119	63.5	10



SZR063
Sessanta on Bathroom Backplate


PNSN

SZR061
Lock

SZR061Y
Euro

SZR062
Latch

10 YEAR



	A	B	C	D	E	F
SZR061	150	57	50	119	63.5	10
SZR061Y	150	47.5	50	119	63.5	10
SZR062	150	-	50	119	63.5	10
SZR063	150	57	50	119	63.5	10



CARLISLE BRASS

Traditional Handles




- **Elegant and versatile traditional brass style levers**
- **Perfectly suited to period properties**
- **A full range of accessories to match**
- **Levers on backplate and levers on rose**
- **Our much loved range still delights our customers**





DL56
Victorian Scroll


CP PB SC





DL66
Wing


CP SC





M32
Victorian


CP PB





PLW
Porcelain


PLW





PLWCP
Porcelain


PLWCP





FG3
Georgian

PB






AA145
Euro Escutcheon

CP DB PB SC SN



AA345
Lock Escutcheon


SC SN



B12
Thumbturn & Release

CP PB SC SN









DL54
Victorian Scroll on Lock Profile Backplate

DL54WC
Bathroom

DL54Y
Euro

CP PB SC

DL54S
Sweedor Latch

PB


DL55
Latch Short Plate

DL55WC
Privacy Short Plate

CP PB SC

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL54	150	57	42	95	55	10
DL54WC	150	57	42	95	55	10
DL54Y	150	47.5	42	95	55	10
DL54S	150	-	42	95	55	10
DL55	118	-	42	95	55	10
DL55WC	118	40	42	95	55	10



DL30
Victorian Ascot on Lock Profile Backplate Heavy


CP PB

DL30WC
Bathroom

DL31
Latch
Short Plate

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL30	150	57	43	102	52	10
DL30WC	150	57	43	102	52	10
DL31	118	-	43	102	52	10



DL64
Wing on Lock Profile Backplate


CP SC

DL64WC
Bathroom

DL65
Latch

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL64	150	57	43	116	55	10
DL64WC	150	57	43	116	55	10
DL65	150	-	43	116	55	10



M30
Victorian on Lock Profile Backplate

CP PB SC

M30Y
Euro

M30WC
Bathroom

M31
Short Plate Latch

M31WC
Short Plate Privacy


PB

M30U
Oval

M30S
Sweedor Latch

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
M30	150	57	42	100	44	10
M30U	150	48.5	42	100	44	10
M30Y	150	47.5	42	100	44	10
M30WC	150	57	42	100	44	10
M30S	150	-	42	100	44	10
M31	118	-	42	100	44	10
M31WC	118	40	42	100	44	10



DL167
Oakley on Latch Backplate

CP PB PVD SC


DL168
Lock

DL168WC
Bathroom

DL168Y
Euro

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL167	170	-	42	92	56	10
DL168	170	57	42	92	56	10
DL168WC	170	57	42	92	56	10
DL168Y	170	47.5	42	92	56	10



M68
Victorian Shaped Scroll
on Lock Profile Backplate

CP PB SC


M68WC
Bathroom

M67
Latch

M68Y
Euro

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
M67	205	-	49	95	49	8
M68	205	57	49	95	49	8
M68WC	205	57	49	95	49	8
M68Y	205	47.5	49	95	49	8



DL18
Ashtead on Latch Backplate

DL17Y
Euro

DL18WC
Bathroom

CP PB

DL17
Lock


CP PB PVD

DL16
Latch
Short Plate

CP PB

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL16	112	-	48	93	56	13
DL17	168	57	48	93	56	13
DL17Y	168	47.5	48	93	56	13
DL18	168	-	48	93	56	13
DL18WC	168	57	48	93	56	13



DL271
Chesham on Lock Profile Backplate

PB


DL270
Latch

DL272
Bathroom

DL271Y
Euro

FD30/60 TIMBER

10 YEAR



	A	B	C	D	E	F
DL270	250	-	50	108	54	6.5
DL271	250	57	50	108	54	6.5
DL271Y	250	47.5	50	108	54	6.5
DL272	250	57	50	108	54	6.5




FG27
Georgian Shaped on Lock Profile Backplate

PB

FG26L
Latch

FG27WC
Bathroom



	A	B	C	D	E	F
FG26L	205	-	49	102	60	9
FG27	205	57	49	102	60	9
FG27WC	205	57	49	102	60	9



FG1
Georgian on Lock Profile Backplate

PB


FG1Y
Euro

FG1WC
Bathroom

FG1S
Sweedor

FG2
Short Plate Latch

FG2WC
Short Plate Privacy



	A	B	C	D	E	F
FG1	150	57	48	102	62	10
FG1Y	150	47.5	48	102	62	10
FG1WC	150	57	48	102	62	10
FG1S	150	-	48	102	62	10
FG2	112	-	48	102	62	10
FG2WC	112	40	48	102	62	10



DL181
Andros on Latch Backplate

DL180
Lock

DL182
Bathroom

CP PB SC

DL180Y
Euro

CP SC

DL380
Long Plate Lock


DL380Y
Long Plate Euro

CP PB SC

DL381
Long Plate Latch

DL382
Long Plate Bathroom

CP SC



	A	B	C	D	E	F
DL180	180	57	40	115	64	10
DL180Y	180	47.5	40	115	64	10
DL181	180	-	40	115	64	10
DL182	180	57	40	115	64	10
DL380	241	57	40	115	64	10
DL380Y	241	47.5	40	115	64	10
DL381	241	-	40	115	64	10
DL382	241	57	40	115	64	10



DL191
Madrid on Latch Backplate

DL190
Lock

DL192
Bathroom


CP FB PB SC

DL290
Long Plate Lock

DL291
Long Plate Latch

DL292
Long Plate Bathroom

CP



	A	B	C	D	E	F
DL190	180	57	45	112	45	10
DL191	180	-	45	112	45	10
DL192	180	57	45	112	45	10
DL290	245	57	45	112	45	10
DL291	245	-	45	112	45	10
DL292	245	57	45	112	45	10



DL411
Eden on Latch Backplate


CP PB SC

DL410
Lock

CP PB PVD SC

DL412
Bathroom

CP PB SC



	A	B	C	D	E	F
DL410	180	57	41.5	108	73	11
DL411	180	-	41.5	108	73	11
DL412	180	57	41.5	108	73	11




DL341
Wentworth on Latch Backplate

FB

Lock

DL342
Bathroom




	A	B	C	D	E	F
DL340	180	57	48	107	58	10
DL341	180	-	48	107	58	10
DL342	180	57	48	107	58	10



DL450
Lytham Lock Lever on Backplate

FB SB/PB SCCP

DL452
Bathroom



	A	B	C	D	E	F
DL450	180	57	48	121	64	10
DL452	180	57	48	121	64	10



CARLISLE BRASS

Mortice Knobs




- **Traditional and period mortice knobs ideal for modern or traditional enviroments**
- **High quality traditional materials including solid brass, wood and porcelain**
- **Attractive, timeless designs to give that classic finishing touch**



AC020
Facetted Crystal Knob
Concealed Fix
Unsprung

CP SC






We recommend using the TLS range of latch with unsprung knobs page 348

DK32WOSC
Wooden Knob
Face Fix
Unsprung

WO SC






We recommend using the TLS range of latch with unsprung knobs page 348

DK34
Porcelain Knob
Face Fix
Unsprung

New
MB MC CP






We recommend using the TLS range of latch with unsprung knobs page 348

DK34ICFB
Porcelain Knob
Face Fix
Unsprung

IC FB






We recommend using the TLS range of latch with unsprung knobs page 348

DK35C
Plain Knob
Concealed Fix
Unsprung

New
CP FB MB PB SC SN

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

DK39C
Ringed Knob
Concealed Fix
Unsprung

New
CP MB PB SC SN

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

DK34
Porcelain Knob
Face Fix
Unsprung

PW CP PW SC

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

DK36C
Flower Knob
Concealed Fix
Unsprung

FB

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

DK37C
Reeded Knob
Concealed Fix
Unsprung

New

CP FB MB PB SC SN






We recommend using the TLS range of latch with unsprung knobs page 348

M1001
Queen Anne Mortice Knob
Unsprung

CP DB MB PB SB SC






We recommend using the TLS range of latch with unsprung knobs page 348

M34
Oval Mortice Knob
Half Sprung

CP PB SC






We recommend the DL range of latches for use with half-sprung knobs page 350

M48
Ball Mortice Knob
Solid Half Sprung

CP PB SC






We recommend the DL range of latches for use with half-sprung knobs page 350

M35
Victorian Mushroom
Mortice Knob
Solid Half Sprung

CP DB MB PB SB SC SN






We recommend the DL range of latches for use with half-sprung knobs page 350

M35C
Mushroom
Mortice Knob
Concealed Fix
Unsprung

CP MB PB SB SC






We recommend using the TLS range of latch with unsprung knobs page 348

M35US
Mushroom
Mortice Knob
Unsprung

CP PB SC






We recommend using the TLS range of latch with unsprung knobs page 348

MK001
Oval Mortice Knob
Unsprung

CP SC






We recommend using the TLS range of latch with unsprung knobs page 348

FG4
Georgian Mortice Knob
Half Sprung

PB

10 YEAR






We recommend the DL range of latches for use with half-sprung knobs page 350

M35RS
Small Mushroom
Rim Knob
Unsprung

CP PB SC

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

AC050
Large Mortice Knob
Unsprung

CP FB PB SC

10 YEAR






We recommend using the TLS range of latch with unsprung knobs page 348

M1001R
Queen Anne
Rim Mortice Knob
Unsprung

CP PB SC

10 YEAR





We recommend using the TLS range of latch with unsprung knobs page 348




M35SB

AQ41
Lock Escutcheon

CP FB MB PB PVD SB SC






DK1
Euro Escutcheon

New


CP FB MB PB SC SN






DK12
Large Thumbturn & Release

CP FB PB SC SN






DK13
Small Thumbturn & Release

CP FB MB PB SB SC






M1000
Queen Anne Covered Escutcheon

CP FB PB SC






AQ133
Oval Thumbturn and Release

CP PB










AA145
Euro Escutcheon

CP DB PB SC SN



AA345
Lock Escutcheon

SC SN




B12
Thumbturn & Release

CP PB SC SN











CARLISLE BRASS

Pull Handles and Push Plates



- **Designed and made for period and public buidlings**
- **Varied choice of designs for modern and contemporary environments**






AA36
Bow Handle

CP PB SC

10 YEAR






AA90
Cranked Pull Handle

CP PB

AA91

PB

10 YEAR




	A	B	C	D	E
AA90	225	24	54.5	34	47
AA91	302	24	62	40	47



AA92
Pub Style
Pull Handle on Rose

CP PB SC

10 YEAR






PF108
Reeded Grip
Pull Handle on Rose

PB

10 YEAR






PH160B
Serozzetta Trend

CPSN

10 YEAR




Matching Trend Lever on Rose SZM160 on page 32



EUP050
Varese Pull handle

AB MB MBRZ SB SN

25 YEAR



	A	B	C	D
EUP050/300	350	67	300	22
EUP050/450	500	67	450	22

Matching Varese Lever on Rose EUL050 on page 24


New



PH170
Trend Lines Pull Handle

AB MB CPSN

10 YEAR



Matching Trend Lines Lever on Rose SZM170 on page 30

Matching Image Lines Lever on Rose SZM270 on page 30








AA95
Cast Pull Handle

PB

10 YEAR






PF100R
Large Pull Handle
Right Hand

PB

PF101L
Left Hand

10 YEAR






DL611
Chesham Pull Handle

PB

10 YEAR






PF103ER
Engraved Large Pull Handle
Right Hand

PB

PF104EL
Left Hand

10 YEAR






PF106
Ornate Pull Handle

PB

10 YEAR






PF109AR
Laurin Pull Handle
Right Hand

PB

PF109AL
Left Hand

10 YEAR






PF102
Large Push Plate

PB

10 YEAR






PF105E
Engraved Large Push Plate

PB

10 YEAR




77



PF107
Finger Plate

PB

10 YEAR






PF110
Laurin Finger Plate

PB

10 YEAR






DL20
Shaped End
Finger Plate

PB

10 YEAR






M39
Finger Plate

CP PB SC

10 YEAR






FG10
Finger Plate

PB

10 YEAR






M39F
Flat Sheet Finger Plate

PB

10 YEAR








M1002
Queen Anne Finger Plate

PB

10 YEAR





CARLISLE BRASS

Art Deco



- **Original Carlisle Brass design inspired by 1920s New York architecture**
- **Co-ordinates beautifully with our Art Deco cabinet hardware range**





ADR011
Lever on Lock Profile Backplate

ADR012
Latch


ADR013
Bathroom

CP MB SN

ADR011Y
Euro

CP SN

10 YEAR



	A	B	C	D	E	F
ADR011	205	57	45	132	60.5	6
ADR011Y	205	47.5	45	132	60.5	6
ADR012	205	-	45	132	60.5	6
ADR013	205	57	45	132	60.5	6




ADR501B
Art Deco Cabinet Knob

CP MB SN

10 YEAR








ADR022
Knob on Latch Backplate Unsprung

CP SN

ADR021
Lock

ADR023
Bathroom

10 YEAR



	A	B	C	D	E	F
ADR021	205	57	45	40	60.5	6
ADR021Y	205	47.5	45	40	60.5	6
ADR022	205	-	45	40	60.5	6
ADR023	205	57	45	40	60.5	6

ADR502C
Art Deco Cabinet Handle

CP MB SN

10 YEAR





CARLISLE BRASS

Residential Hinges



- **Wide variety of finishes to compliment the ironmongery around the home**
- **Selection of lighter weight hinges ideally suited for residential properties**
- **Smaller knuckles, more appealing for the residential home**
- **10-year mechanical guarantee**
- **Not suitable for use on fire doors**





HDSW1
Double Steel Washered
Brass Butt Hinge


HDSW2

CP POL/LAC

HDSW20
HDSW3

SB

10 YEAR




	A	B	C	D	E
HDSW1	76	50	2	R3.5	3
HDSW2	102	67	2.2	R4	2
HDSW20	76	50	2.5	R4	3
HDSW3	102	67	2.5	R4	3
HDSW4	102	67	2.5	R4	3



HSD3
HSD4
Solid Drawn Brass
Butt Hinge

SB

10 YEAR




	A	B	C	D	E
HSD3	76	40	1.5	3	3
HSD4	102	58	2	4	4



HDSSW2
HDSSW5
Double Stainless Steel
Washered Brass Butt Hinge

CP SC

10 YEAR



	A	B	C	D	E
HDSSW2	76	50	2.5	4	3
HDSSW5	102	67	4	5.5	3



HDPBW21
Double Phosphor Bronze
Washered Butt Hinge

AB MB MBRZ PN POL/LAC SB SN


HDPBW61

AB MBRZ POL/LAC SB

HDPBW4
HDPBW8

POL/LAC

10 YEAR




	A	B	C	D	E
HDPBW21	76	50	2.5	4	3
HDPBW61	102	67	4	5.5	3
HDPBW4	102	67	2.5	4	3
HDPBW8	102	76	4	5.5	3
HDPBW10	127	76	3	4.5	3



HINFP1
HINFP4
Fixed Pin Hinge

PCB

10 YEAR



	A	B	C	D	E
HINFP1	75	50	1.5	3.5	0.5
HINFP4	102	72	2	5	1




EBH1
Plated Steel Piano Hinge
(Pack of 50)

EBH2
EBH3
EB

NPH1
NPH2
NPH3
NP

10 YEAR



	A	B	C	D	E
EBH1	1830	25	1	3.5	5
EBH2	1830	32	1	3.5	5
EBH3	1830	38	1	3.5	5
NPH1	1830	25	1	3.5	5
NPH2	1830	32	1	3.5	5
NPH3	1830	38	1	3.5	5



HDSSW2SC

CARLISLE BRASS

Black Antique



- **Period crafted furniture**
- **Perfect for creating an authentic country look and feel**
- **Ideal for cottages and barn conversions**






LF56NP92
Straight Narrow Backplate

BA

10 YEAR






LF5502
Traditional on Latch Backplate

BA

LF5501
Lock
LF5503
Bathroom
LF5501Y
Euro

10 YEAR



	A	B	C	D	E	F
LF5501	155	57	54	95	65	5
LF5501Y	155	47.5	54	95	65	5
LF5502	155	-	54	95	65	5
LF5503	155	57	54	95	65	5




LF5505
Fleur de Lys
on Latch Backplate


BA

LF5504
Lock
LF5506
Bathroom

10 YEAR



	A	B	C	D	E	F
LF5504	206	57	57	99	51	5
LF5505	206	-	57	99	51	5
LF5506	206	57	57	99	51	5




LF5518
Traditional V on
Bathroom Backplate


BA

LF5516
Lock
LF5517
Latch

10 YEAR



	A	B	C	D	E	F
LF5516	155	57	54	109	53	5
LF5517	155	-	54	109	53	5
LF5518	155	57	54	109	53	5



LF5507Y
Slimline V on Euro Profile Backplate


BA

LF5507
Lock


LF5508
Latch

LF5509
Bathroom

10 YEAR



	A	B	C	D	E	F
LF5507	156	57	38	109	57	5
LF5507Y	156	47.5	38	109	57	5
LF5508	156	-	38	109	57	5
LF5509	156	57	38	109	57	5




LF5114
Barley Twist on Gothic Latch Backplate

BA

LF5113
Lock

LF5115
Bathroom

10 YEAR



	A	B	C	D	E	F
LF5113	226	57	50	119	61	10
LF5114	226	-	50	119	61	10
LF5115	226	57	50	119	61	10




LF5116
Curly Tail on Lock Profile Backplate

BA

LF5117
Latch

LF5118
Bathroom

10 YEAR




	A	B	C	D	E	F
LF5116	167	57	51	130	55	5
LF5117	167	-	51	130	55	5
LF5118	167	57	51	130	55	5



LF5594
Ball Mortice Knob Half-Sprung

BA


10 YEAR



LF5594R
Ball Rim Knob

BA






LF5550
Octagonal Centre
Door Knob

BA






LF5595
Oval Mortice Knob
Half Sprung

BA






LF5539U
Lock Escutcheon

BA






LF5546
Lock Covered Escutcheon

BA






LF5532
Lock Fleur De Lys Escutcheon

BA






LF5539
Euro Escutcheon

BA






LF5533
Lock Shield Covered Escutcheon

BA






LF5531
Lock Floral Escutcheon

BA

10 YEAR






LF5525
Fleur De Lys Letter Plate

BA

10 YEAR






LF5538
Lock Plaque Covered Escutcheon

BA

10 YEAR







LF5524
Traditional Letter Plate

BA

10 YEAR






AA55BA
Letter Tidy

BA






LF5534
Fleur De Lys Bell Push

BA






LF5543
Fleur De Lys
Rim Cylinder Pull

BA






LF5536
Door Chain

BA








LF5591
Ornate Door Knocker

BA

10 YEAR






LF55495
Numeral 5

BA

LF55490
0
LF55491
1
LF55492
2
LF55493
3
LF55494
4
LF55495
5
LF55496
6/9
LF55497
7
LF55498
8

10 YEAR




	A	B	C
LF55490	76	38	50
LF55491	76.5	50	34
LF55492	78	46	48.5
LF55493	80	57	53.5
LF55494	78	46	59
LF55495	78	54.5	48.5
LF55496	79	67	51
LF55497	79	59.5	61
LF55498	76	45	48



LF5592
Door Knocker

BA

10 YEAR




LF55102
Door Stud

BA

10 YEAR






LF55103
Door Stud Large

BA

10 YEAR






LF5544B
LF5544C
Bulb End Casement Stay

BA

10 YEAR






	A	B	C	D	E	F	G	H
LF5544B	238	18	55.5	23	16.5	25	18	52
LF5544C	295.5	18	55.5	23	16.5	25	18	52

LF5590
Ring Door Knocker

BA

10 YEAR






LF5545
Bulb End Casement Fastener
(Not suitable for Weather
Stripped Windows)

BA

10 YEAR






LF1006LH
Locking Casement Fastener
Left Hand

BA

LF1006RH
Right Hand






LF5537
Casement Fastener

BA






LF34LH
Locking Espagnolette Fastener
Left Hand

BA

LF34RH
Right Hand






LF5540B
LF5540C
Casement Stay

BA






	A	B	C	D	E	F	G	H
LF5540B	273	18.5	55	23	19	25	52	18
LF5540C	299	18.5	55	23	19	25	52	18

LF5542
Curly Tail Casement Fastener

BA






LF5101
Barley Twist Pull Handle
on Backplate

BA






LF5541A
LF5541B
LF5541C
Curly Tail Casement Stay

BA






	A	B	C	D	E	F	G	H
LF5541A	217	18	55.5	20	18.5	25	51.5	18.5
LF5541B	261	18	55.5	21	18.5	25	51.5	18.5
LF5541C	310	18	55.5	24	18.5	25	51.5	18.5

LF5103
Armorial Pull Handle
on Backplate

BA








LF5260LH
Offset Pull Handle on Backplate
Left Hand

BA

LF5260RH
Right Hand

10 YEAR






LF5266
Offset Pull Handle on Rose

BA

10 YEAR






LF5575A
LF5575B
Hotbed Handle

BA

10 YEAR




	A	B	C	D	E
LF5575A	28.5	132	16	97	116
LF5575B	28.5	132	18	110	138



LF5574A
LF5574B
LF5574C
Pull Handle

BA

10 YEAR




	A	B	C	D
LF5574A	50.5	130	14	28
LF5574B	52	177	17	32.5
LF5574C	52	230	20	38

LF55101
Fingerplate

BA

10 YEAR






LF5526
Hat and Coat Hook

BA

10 YEAR






LF5535
Thumb Latch Set

BA

10 YEAR






LF5530A
LF5530B
LF5530C
Straight Door Bolt
c/w Staple and Plate

BA

10 YEAR






	A	B	C	D	E	F	G
LF5530A	108	20	37.5	28	3.5	22	15
LF5530B	152	20	37.5	28	3.5	22	15
LF5530C	201	20	37.5	28	3.5	22	15



LF5563A
LF5563B
LF5563C
Cranked Door Bolt


BA



	A	B	C	D	E	F	G
LF5563A	28	105	35	116	31.5	22	4
LF5563B	35.5	150	46	160	40.5	24	5
LF5563C	38	213	51.5	213	50.5	28	5


AA133BA
Oval Thumbturn & Release

BA



LF5528A
LF5528B
LF5528C
LF5528D
Cabin Hook


BA



	A	B	C	D
LF5528A	38	56	42	105
LF5528B	38	56	42	155
LF5528C	38	56	42	205
LF5528D	38	56	42	308

AA33BA
Oval Thumbturn
Spline spindle to operate rack bolt


BA



LF5121
LF5122
LF5123
Sword Hinge Front

BA






	A	B	C
LF5121	140	305	6
LF5122	145	385	6
LF5123	160	465	6

LF5515
LF5515A
LF5515B
Tee Hinge

BA






	A	B	C
LF5515	102	305	6
LF5515A	104	410	6
LF5515B	104	465	6

HINFP1
HINFP4
Fixed Pin Hinge

PCB






	A	B	C	D	E
HINFP1	75	50	1.5	3.5	0.5
HINFP4	102	72	2	5	1

LF5519A
LF5519B
LF5519C
Sword Hinge

BA






	A	B	C	D
LF5519A	140	102	352	6
LF5519B	148	104	430	6
LF5519C	158	104	505	6

LF5130
Projection Door Stop

BA






LF5527
Single Wardrobe Hook

BA






LF5547
Ring Handle Gate Latch


BA






LF5548
Suffolk Latch

BA





CARLISLE BRASS


External Door Furniture



- **Classic design to suit all tastes**
- **A furniture range to uplift any property entrance**



HOW TO DETERMINE THE HANDING OF A DOOR



M86NP92
Straight Narrow Backplate

CP PB


M86NP92 Ⓢ


SC

M86NP Ⓢ
70mm centres

CP PB SC

10 YEAR







	A	B	C	D	E	F	G	H	I	J	K
M86NP92	119	42	92	74	26	58	208	64	124	20	10
M86NP	119	76	70	62	26	61	208	14	180	14	10

SZS01NP92
Rosa Narrow Backplate

CP PVD SC

10 YEAR






SZS03NP92RH
Verde Narrrow Backplate
Right Hand

CP SC

SZS03NP92LH
Left Hand

10 YEAR





	A	B	C	D	E	F	G	H	I	J	K
SZS03NP92RH	113	49	92	79	26	68	220	69	124	27	10
SZS03NP92LH	113	49	92	79	26	68	220	69	124	27	10

AQ1NP
Astro on Narrow Backplate
70mm centres

SC

AQ1NP92
92mm centres


PB

AQ1NP92 Ⓢ
92mm centres

CP SC

10 YEAR





	A	B	C	D	E	F	G	H	I
AQ1NP	109	208	180	14	63	70	26	76	10
AQ1NP92	109	208	124	64	20.5	92	26	76	10

M140NP92RH
Scroll Narrrow Backplate
Right Hand

M140NP92LH
Left Hand

BL CP PB

M140NP92RH Ⓢ
Scroll Narrrow Backplate
Right Hand

M140NP92LH
Left Hand


SC


M140NPRH Ⓢ
Right Hand
70mm centres

M140NPLH Ⓢ
Left Hand
70mm centre

CP PB SC

10 YEAR





	A	B	C	D	E	F	G	H	I	J	K
M140NP92RH	118	43	92	73	26	75	208	64	124	20.5	10
M140NP92LH	118	43	92	73	26	75	208	64	124	20.5	10
M140NPRH	118	76	70	62	26	75	208	14	180	14	10
M140NPLH	118	76	70	62	26	75	208	14	180	14	10

SL2
Sleeve Letter Plate
To suit doors 35-65mm thick


GAA

SL1

SAA

10 YEAR





Letter Tidy - Curved Pattern


PB SS SS CP **AA52 AA53**

PB SS CP **AA54**

BA **AA55**

PB SC SS CP **AA56**





	A	B
AA52	300	93
AA53	280	78
AA54	280	76
AA55	275	82.5
AA56	355	127


10 YEAR

M78
Postal Knocker

CP PB

10 YEAR






M36G
Plain Letter Plate - Gravity Flap

PB

10 YEAR





M36A
Plain Letter Plate

PB




M36B
M36E
M36F

CP PB SC

M36D
M36H
M36S

CP PB PVD SC

10 YEAR



	A	B	C	D	E	F	G
M36A	253	194	77	42	224	13	5
M36B	277.5	210	95	53	241	19	7
M36D	305.5	249	104	60.5	275	17.5	7
M36E	358	283	113	63	325	16.5	7
M36F	405	320	125	70	360	20	8
M36H	282	229	80	50.5	258	16	6.5
M36S	255	184	80	40	219	18	8

Relevant Letter Tidy


Letter Plate	Letter Tidy
M36A	**AA53**
M36B	**AA53**
M36D	**AA52**
M36E	**AA56**
M36F	**N/A**
M36H	**AA52**
M36S	**AA53**

AC055
Large Centre Door Knob

CP PB SC



10 YEAR




DL219
Centre Door Knob

PVD




10 YEAR



M51
Centre Door Knob

CP PB SC






M61
Round Centre
Door Knob

CP PB SC






M60
Round Centre Door Knob


CP PB SC






M219
Octagonal
Centre Door Knob

CP PVD






M220
Easy Centre Door Knob

CP PB SC






M45
Doctor Knocker

CP PVD SC






M37
Ring Door Knocker

CP PB SC






M43
Door Knocker on Rose

CP PB SC





M38B
Victorian Urn Door Knocker


CP PB PVD

M38S

CP PB SC

10 YEAR






	A	B
M38B	99	196
M38S	77	152.5

AA76
Door Viewer
Suits Doors 34-54mm
Plastic Lens

CP PB SC

10 YEAR





AA77
Door Viewer
Suits doors 34-54mm thick

CP PB SC


Glass Lens 14 Dia.
Angle of Vision
180°

FD30/60 TIMBER

10 YEAR



INTAA77
Intumescent Door
Viewer Pack




AA75
Heavy Door Chain

CP EB SC


10 YEAR






SDG4001
Security Door Guard

CP SN






Letter A

CP PB SC





	A	B	C
NA	52.5	43.5	4.5
NB	53.5	40	4.5
NC	52	48	4.5
ND	52.5	44	4.5




M36APB

Numeral 3

CP PB PVD SC






	A	B	C
N0	75	46	4
N1	73	15.5	4
N2	75	42	4
N3	75	43	4
N4	75	53	4
N5	73	41	4
N6/9	74	42	4
N7	73	41	4
N8	75.5	43	4

AQ40
Architectural Quality
Cylinder Pull

CP PB PVD SC






M40
Cylinder Latch Pull

CP PB SC






AQ41
Escutcheon

CP FB MB PB PVD SB SC






AQ31
Bell Push

CP PB PVD SC






AQ30
Round Bell Push

CP PB SC






AA31
Bell Push

CP PB SC






CARLISLE BRASS

Window Fittings



- **Traditional and modern window fittings for sash and casement applications**
- **Matching products and finishes throughout the range**
- **Products available for weather stripped windows**




WF11
Buld End Casement Fastener
Both Hook and Mortice Plate
(Suitable for Weather
Stripped Windows)

CP FB PB SC SN

WF16
Mortice Plate Only

CP FB PB SC





WF12S
Bulb End Casement Stay 253mm

CP FB PB SC SN


WF12C
203mm

CP PB SC

WF12B
305mm

CP PB SC






	A	B	C	D	E	F	G	H
WF12B	290	16	48	20	15	28	40	15
WF12C	200	16	48	20	15	28	40	15
WF12S	240	16	48	20	15	28	40	15

M73
Reversible Casement Fastener
Reversible Pattern
Both Hook and Mortice Plate
(Not Suitable for Weather
Stripped Windows)

New: AB CP MB MBRZ PB SB SC SN





M44S
Victorian Casement Stay 254mm

New: AB CP MB MBRZ PB SB SC SN


M44C
202mm

CP PB SC

M44B
305mm

New: AB CP MB MBRZ PB SB SC






	A	B	C	D	E	F	G	H
M44C	205	14	41	19	15	28	40	15
M44S	265	14	41	19	15	28	40	15
M44B	305	14	41	19	15	28	40	15

10 YEAR

SZS73
Casement Fastener

CP SC SN






10 YEAR

SZS44S
Casement Stay

CP SC SN






25 YEAR 316

WF21
GRADE 316
Round Casement Fastener
Complete with hook plate and flat keep

(Suitable for Weather Stripped Windows)

SSS





25 YEAR 316


WF22
GRADE 316
Round Casement Stay

WF23

WF24

SSS






	A	B	C	D	E	F	G	H
WF22	263	20	65	21	14	23	64.5	20
WF23	213	20	65	21	14	23	64.5	20
WF24	315	20	65	21	14	23	64.5	20

AA73
Screw Down Pattern Casement Stay

PB








M73





V1005
Casement Fastener
Wedge Pattern
(Not Suitable for Weather Stripped Windows)

CP PB SC

V1005LCK
Locking Casement Fastener


CP PB SC SN



V1006LCK
Locking Casement Fastener
Wedge Pattern Locking
(Suitable for Weather Stripped Windows)

c/w Key


CP PB SC





V1007LCK
Victorian Locking Casement
Fastener with Night Vent
(Suitable for Weather Stripped Windows)

CP PB SC



Espagnolette Handles


V1008LH
Cranked Locking Espag Handle - Left Hand

V1008RH
Right Hand

(Suitable for Weather Stripped Windows)

CP FB PB SC






WF25
GRADE 316
Round Locking Espag Fastener


SSS






WFKEY/4MMCP
Key

CP






WF15
Ejma Pin
9° Bevel for EJMA Windows

CP PB SC






WF14
Pin for Flush Fitting Casement

CP PB SC






WF18
Sash Window Stop
Supplied with 2 stops and 2 ferrules

c/w Key

New AB CP New MB New MBRZ PB New SB SC SN

New






WF17
Locking Casement Stay Pin

c/w Key

New AB CP FB New MB New MBRZ PB PCB New SB SC SN

New






DK42
Fan Light Catch

CP PB SC






DK7
Quadrant Arm Stay
Supplied as pair

CP PB SC






AA40
Fitch Pattern Sash Fastener

AA40LCK
Locking Fitch Pattern Sash Fastener

CP PB SC






DK8
Roller Arm Stay

CP PB SC






AA39
Quadrant Arm Sash Fastener


PB






AQ39
Architectural Quality Quadrant Sash Fastener


CP PB SC SN






AA41
Brighton Pattern Sash Fastener


PB






AQ43
Architectural Quality Brighton Sash Fastener

CP PB SC SN






Vertical Sliding Sash Pulleys

AQ91
Sash Window Axle Pulley
Galv Forend with Nylon Wheel

GALV






AQ92
Sash Window Axle Pulley
Square Forend with Nylon Wheel

CP PB SC






AQ93
Sash Window Axle Pulley
Square Forend with Brass Wheel

PB






AA96
Sash Handle 102mm

AA97
152mm

CP PB SC






	A	B	C	D
AA96	102	27	73	12
AA97	157	32	134	13

AA42
Sash Lift

CP PB SC






AQ42
Grooved Sash Lift

CP PB SC SN






AQ50
Sash Window Lift

CP PB SC SN






AA42R1
Ring Sash Lift Vertical Fix

AA42R
Horizontal Fix

CP PB SC





CARLISLE BRASS

Accessories




- **Complementary accessories to add the finishing touches to any home**
- **A variety of products and finishes that work alongside each of our ranges**





AQ45
Covered Peardrop Escutcheon


CP PB SC





AA4
Square Escutcheon


PB SC





M41
Flat Escutcheon


CP PB SC





M42
Covered Escutcheon


CP PB SC





DK4
Large Covered Escutcheon


CP PB SC



AQ90
Flush Pull

CP PB SC






SP104
Spare Thumbturn & Release
(4.9x67mm) Spindle

CP FB PB PVD SC

SP104L
(4.9x80mm)
Spindle

CP PB SC







	A	B	C	D	E	F
SP104	15	7.5	50-70	32	7.5	31.5
SP104L	15	7.5	65-85	32	7.5	31.5

AA33
Oval Thumbturn
To Operate Rack Bolt
(Hardened Steel Spindle)


BA CP PB SC






AA133
Oval Thumbturn & Release
(5mm Spindle for Bathroom Lock)


BA CP PB SC






AA32
Oval Thumbturn & Release
(4.5x4.5mm Spline Spindle)

CP PB SC






AA62
AA63
AA64
AA65
Heavyweight Silent Pattern Cabin Hook

CP PB SC



AA61
Lightweight

CP PB SC




	A	B	C	D	E	F	G
AA61	23	16	35.5	97	35.5	23	17.5
AA62	30	19	36.5	154	36.5	30	20
AA63	30	19	36.5	196	36.5	30	20
AA64	32	20.5	40	245	40	32	22.5
AA65	32	20.5	40	300	40	32	22.5



AA25
Hat & Coat Hook


AB CP MB MBRZ PB SB SC SN





AA26
Victorian Robe Hook


CP PB SC





AA27
Victorian Double Robe Hook


CP PB SC





AA38
Hat & Coat Hook


CP PB



AQ25
Heavy Hat & Coat Hook

New AB CP New MB PB New SB SC






AA84
Heavy Handrail Bracket

CP PB SC

AA86
Heavy Handrail Bracket

PB






	A	B	C	D	E
AA84	72.5	53	56.5	19	80
AA86	79	55	56.5	19	91

AA85
Light Handrail Bracket

CP PB SC






AA21
Door Stop with Rose

AB MB MBRZ PB SB

AA23

PB






	A	B	C
AA21	32	16	70
AA23	32	16	83

AZ21
Wall Mounted Door Stop

CP PN SC SN






AZ22
Wall Mounted Door Stop

CP SC






AA22
AA122
Wall Mounted Cylinder Door Stop

CP PB SC






	A	B
AA22	16	70
AA122	16	115.5

AA20
Oval Floor Mounted Door Stop

AB CP MB MBRZ PB PN SB SC SN






AZ20
Oval Floor Mounted Door Stop

CP SC






Floor Mounted Door Stop

DSF5020SC SC

DSF2020PB PB

DSF3020CP CP






AA79
Sunk Slide Flush Bolt

CP PB SC SN







AA813
Flush Bolt Socket
(15mm Slot Size)

CP SN








AA20

AQ46
Dust Excluding Socket for Flush Bolts Wood Variant

CP PB






AQ47
Dust Excluding Socket for Flush Bolts Concrete Variant


CP PB SC






BR35
Bathroom Indicator Bolt

CP PB






AA34
Security Bolt with Turn

CP






AA35
Indicator Bolt with Emergency Release


CP PB






AA46
Easi-Keep Latch

CP PCW






ES34
Espagnolette Bolt Oval Knob Set
With 2 No.x1.2m
Rods & Mortice Keeper
c/w Locking Keeper

CP PB SC






ES35
Espagnolette Bolt Tee Knob Set
With 2 No.x1.2m
Rods & Mortice Keeper


CP PB SC






AQ82EX
Surface Bolt
c/w 3 Keeps for
Various Applications

CP PB SC






AQ81
AQ82
Architectural Surface Bolt
c/w 3 Keeps for
Various Applications

CP FB PB SC

AQ83
AQ84

CP PB SC





	A	B	C	D
AQ81	26	36	25	102
AQ82	26	36	25	152
AQ83	26	36	25	202
AQ84	26	36	25	252

AA80
AA81
Lever Action Flush Bolt

CP PB SC SN


AA810
AA812

CP PB SN

AA818
AA824

CP PB SC





	A	B	C	D	E	F	G	H
AA80	17.5	152	16	11	34	38	19	1
AA81	17.5	204	16	11	34	38	19	1
AA810	17.5	254	16	11	34	38	19	1
AA812	17.5	305	16	11	34	38	19	1
AA818	17.5	460	16	11	34	38	19	1
AA824	17.5	610	16	11	34	38	19	1


BB3808
BB3204
BB3206
BB3806

CP PB SC

BB3208

PB






	A	B	C	D	E
BB3204	17	102	20	39	32
BB3206	17	152	20	39	32
BB3208	17	202	22	39	32
BB3806	17	152	20	39	38
BB3808	17	202	22	39	38

FRP50
FRP63
Flush Ring Pull

CP PB SC







	A	B	C	D	E
FRP50	38	50	11	30.5	3
FRP63	49	63	12	38	3

PL4
Plain Slot Brass Vent
Radius Corners


PB






HM4
HM5
Hit & Miss Brass Vent
Radius Corners

PB SSCP SSSC






	A	B	C
HM4	89	242	2.5
HM5	165	242	3

HL4
HL5
HL6
Hooded Louvre Brass Vent

PB SSCP SSSC





	A	B	C	D
HL4	89	242	1	5
HL5	165	242	1	5
HL6	242	242	1	5

CARLISLE BRASS

Cabinet Hardware



- **Products made from high quality brass, stainless steel, zinc and crystal**
- **Contemporary, traditional and period designs available**
- **A range of styles from elegantly simple to luxurious**
- **Enhance cabinets with an array of styles to suit all tastes**




BP40
Cabinet Hardware Backplate

AB CP MB PB PN SB SN

New






BP76
Cabinet Hardware Backplate

AB CP MB PB PN SB SN

New






BP168
Cabinet Hardware Backplate

AB CP MB PB SB SN

New






BP200
Cabinet Hardware Backplate

AB CP MB PB SB SN

New







BP710SN168SN




BP750SB40SB

New

M4
T
25



FTD750MB
Matt Black





FTD750AB
Antique Brass



FTD750CP
Polished Chrome



FTD750PB
Polished Brass



FTD750PN
Polished Nickel



FTD750SB
Satin Brass



FTD750SN
Satin Nickel




BP750PB76PB

BP750
Warwick Cabinet Knob

AB CP MB PB PN SB SN



BP750MB40MB
Matt Black





BP750AB40AB
Antique Brass



BP750CP40CP
Polished Chrome



BP750PB40PB
Polished Brass



BP750PN40PN
Polished Nickel



BP750SB40SB
Satin Brass




BP750SN40SN
Satin Nickel

BP750
Warwick Cabinet Knob

AB CP MB PB PN SB SN



BP750MB76MB
Matt Black





BP750AB76AB
Antique Brass



BP750CP76CP
Polished Chrome



BP750PB76PB
Polished Brass




BP750PN76PN
Polished Nickel




BP750SB76SB
Satin Brass



BP750SN76SN
Satin Nickel







BP713
Lines Radio Knob on Backplate

AB CP MB PN SB SN

	A	B	C	D	
BP713AB40AB	40	40	38	4	AB
BP713CP40CP	40	40	38	4	CP
BP713MB40MB	40	40	38	4	MB
BP713PN40PN	40	40	38	4	PN
BP713SB40SB	40	40	38	4	SB
BP713SN40SN	40	40	38	4	SN

	A	B	C	D	
BP713AB76AB	40	76	38	4	AB
BP713CP76CP	40	76	38	4	CP
BP713MB76MB	40	76	38	4	MB
BP713PN76PN	40	76	38	4	PN
BP713SB76SB	40	76	38	4	SB
BP713SN76SN	40	76	38	4	SN







BP712
Lines Knob on Backplate

AB CP MB PN SB SN

	A	B	C	D	
BP712AB40AB	40	40	34	4	AB
BP712CP40CP	40	40	34	4	CP
BP712MB40MB	40	40	34	4	MB
BP712PN40PN	40	40	34	4	PN
BP712SB40SB	40	40	34	4	SB
BP712SN40SN	40	40	34	4	SN

	A	B	C	D	
BP712AB76AB	40	76	34	4	AB
BP712CP76CP	40	76	34	4	CP
BP712MB76MB	40	76	34	4	MB
BP712PN76PN	40	76	34	4	PN
BP712SB76SB	40	76	34	4	SB
BP712SN76SN	40	76	34	4	SN





BP711
Lines T-bar on Backplate

AB CP MB PN SB SN


	A	B	C	D	
BP711AB40AB	40	40	43	4	AB
BP711CP40CP	40	40	43	4	CP
BP711MB40MB	40	40	43	4	MB
BP711PN40PN	40	40	43	4	PN
BP711SB40SB	40	40	43	4	SB
BP711SN40SN	40	40	43	4	SN

	A	B	C	D	
BP711AB76AB	40	76	43	4	AB
BP711CP76CP	40	76	43	4	CP
BP711MB76MB	40	76	43	4	MB
BP711PN76PN	40	76	43	4	PN
BP711SB76SB	40	76	43	4	SB
BP711SN76SN	40	76	43	4	SN

BP710
Lines Pull Handle on Backplate

AB CP MB PN SB SN






	A	B	C	D	E	
BP710CAB168AB	40	168	128	41.5	4	AB
BP710CCP168CP	40	168	128	41.5	4	CP
BP710CMB168MB	40	168	128	41.5	4	MB
BP710CPN168PN	40	168	128	41.5	4	PN
BP710CSB168SB	40	168	128	41.5	4	SB
BP710CSN168SN	40	168	128	41.5	4	SN

	A	B	C	D	E	
BP710CAB200AB	40	200	160	41.5	4	AB
BP710CCP200CP	40	200	160	41.5	4	CP
BP710CMB200MB	40	200	160	41.5	4	MB
BP710CPN200PN	40	200	160	41.5	4	PN
BP710CSB200SB	40	200	160	41.5	4	SB
BP710CSN200SN	40	200	160	41.5	4	SN



BP713MB76MB




BP703
Knurled Radio Knob on Backplate

AB CP MB PN SB SN

	A	B	C	D	
BP703AB40AB	40	40	38	4	AB
BP703CP40CP	40	40	38	4	CP
BP703MB40MB	40	40	38	4	MB
BP703PN40PN	40	40	38	4	PN
BP703SB40SB	40	40	38	4	SB
BP703SN40SN	40	40	38	4	SN

	A	B	C	D	
BP703AB76AB	40	76	38	4	AB
BP703CP76CP	40	76	38	4	CP
BP703MB76MB	40	76	38	4	MB
BP703PN76PN	40	76	38	4	PN
BP703SB76SB	40	76	38	4	SB
BP703SN76SN	40	76	38	4	SN




BP702
Knurled Knob on Backplate

AB CP MB PN SB SN

	A	B	C	D	
BP702AB40AB	40	40	34	4	AB
BP702CP40CP	40	40	34	4	CP
BP702MB40MB	40	40	34	4	MB
BP702PN40PN	40	40	34	4	PN
BP702SB40SB	40	40	34	4	SB
BP702SN40SN	40	40	34	4	SN

	A	B	C	D	
BP702AB76AB	40	76	34	4	AB
BP702CP76CP	40	76	34	4	CP
BP702MB76MB	40	76	34	4	MB
BP702PN76PN	40	76	34	4	PN
BP702SB76SB	40	76	34	4	SB
BP702SN76SN	40	76	34	4	SN



BP701
Knurled T-bar on Backplate

AB CP MB PN SB SN


	A	B	C	D	
BP701AB40AB	40	40	43	4	AB
BP701CP40CP	40	40	43	4	CP
BP701MB40MB	40	40	43	4	MB
BP701PN40PN	40	40	43	4	PN
BP701SB40SB	40	40	43	4	SB
BP701SN40SN	40	40	43	4	SN

	A	B	C	D	
BP701AB76AB	40	76	43	4	AB
BP701CP76CP	40	76	43	4	CP
BP701MB76MB	40	76	43	4	MB
BP701PN76PN	40	76	43	4	PN
BP701SB76SB	40	76	43	4	SB
BP701SN76SN	40	76	43	4	SN

BP700
Knurled Pull Handle on Backplate

AB CP MB PN SB SN






	A	B	C	D	E	
BP700CAB168AB	40	168	128	40	4	AB
BP700CCP168CP	40	168	128	40	4	CP
BP700CMB168MB	40	168	128	40	4	MB
BP700CPN168PN	40	168	128	40	4	PN
BP700CSB168SB	40	168	128	40	4	SB
BP700CSN168SN	40	168	128	40	4	SN

	A	B	C	D	E	
BP700CAB200AB	40	200	160	40	4	AB
BP700CCP200CP	40	200	160	40	4	CP
BP700CMB200MB	40	200	160	40	4	MB
BP700CPN200PN	40	200	160	40	4	PN
BP700CSB200SB	40	200	160	40	4	SB
BP700CSN200SN	40	200	160	40	4	SN



BP713PN40PN




BP502CMB200MB

BP501B
Art Deco Knob on Backplate

CP MB SN






	A	B	C	D	
BP501BCP40CP	40	40	31	4	CP
BP501BMB40MB	40	40	31	4	MB
BP501BSN40SN	40	40	31	4	SN

	A	B	C	D	
BP501BCP76CP	40	76	31	4	CP
BP501BMB76MB	40	76	31	4	MB
BP501BSN76SN	40	76	31	4	SN

BP502C
Art Deco Pull Handle on Backplate

CP MB SN





BP502CCP200CP CP
BP502CMB200MB MB
BP502CSN200SN SN







BP720A
Anderson Knob on Backplate

PN SN

	A	B	C	D	
BP720APN40PN	40	40	37	4	PN
BP720ASN40PN	40	40	37	4	SN

	A	B	C	D	
BP720APN76PN	40	76	37	4	PN
BP720ASN76PN	40	76	37	4	SN







BP720APN76PN

FTD751
Warwick Cup Pull

AB CP MB PB PN SB SN

M4
25


New



FTD751BAB
Antique Brass



FTD751AAB
Antique Brass



	A	B	C	D
FTD751A	112	40	24	96
FTD751B	208	40	24	192



FTD751ACP
Polished Chrome



FTD751AMB
Matt Black



FTD751APB
Polished Brass



FTD751APN
Polished Nickel



FTD751ASB
Satin Brass



FTD751ASN
Satin Nickel



FTD751AAB


New



FTD302MB
Matt Black

FTD302
Edge Pull

AB CP MB SB SN



	A	B	C	D
FTD302A	40	40	25	17.5
FTD302B	100	40	80	17.5
FTD302C	200	40	160	17.5



FTD302AB
Antique Brass



FTD302CP
Polished Chrome



FTD302SB
Satin Brass



FTD302SN
Satin Nickel




FTD302MB

C47
Solid Brass Victorian Cupboard Pull

AB CP MB PB PN SB SN



Matching cupboard knob M47 on page 166




M3.5
T
25
&
62

FTD557
Cottage Cupboard Pull

CP GM SN



Matching cupboard knob FTD524 on page 171




M4
T
25

FTD558
Oxford Cupboard Pull

CP GM MB SCO SN



Matching cupboard knob FTD524 on page 171




M4
T
25

FTD559
Modern Shaker Cupboard Pull

CP SN






M4
T
25

FTD5515
Oval Plate Cupboard Pull

PE





M3
T
18


FTD5520
Square Plate Cupboard Pull

PE



Matching cupboard knob FTD1078B page 175

M3 T 18




FTD555
Traditional Cupboard Pull

AB ABB PT SB SN



Matching cupboard knob FTD515 on page 174
Matching cupboard handles FTD505 on page 188 & FTD520 on page 189

M4 T 25




FTD935
Capori Cupboard Pull

CP



M4 T 20




	A	B	C	D
FTD935A	120	21	96	40
FTD935D	216	21	192	40
FTD935G	343	21	320	40

FTD3015
Solid Brass Hidden Finger Pull

CP SC




M3 T 20



	A	B	C	D	E	F
FTD3015A	48	11	25	12	14	2
FTD3015B	48	11	50	29	14	2
FTD3015C	48	11	75	52	14	2

FPH1000
Rectangular Flush Pull


New



New New

BSS MB SPVD SSS

M3 T 20




FPH1001
Radius Flush Pull

New



New New

BSS MB SPVD SSS




M3
T
20

FPH1002
Circular Flush Pull



BSS SSS




M3
T
20

FPH1003
Circular Flush Pull



BSS SSS




M4
T
25

FPH1004
Circular Flush Pull



BSS SSS




M3
T
20

AQ90
Solid Brass Flush Pull



CP PB SC




M3
T
10

FTD1044
Ring Pull on
Gothic Cross Backplate



BA



M3
T
25

CARLISLE BRASS

Cupboard Knobs





FTD701
Knurled T-Bar Knob

New

AB ANT CP MB SB SN







M4
25

Matching cupboard handle FTD700 on page 177


FTD702
Knurled Knob

New

AB ANT CP MB SB SN

New






M4
25

Matching cupboard handle FTD700 on page 177

New





FTD703
Knurled Radio Knob

New

AB ANT CP MB SB SN

M4
25

Matching cupboard handle FTD700 on page 177


FTD711
Lines T-Bar Knob


New

AB ANT CP MB SB SN

New







M4
25

Matching cupboard handle FTD710 on page 177


FTD712
Lines Knob

New

AB ANT CP MB SB SN

New






M4
25

Matching cupboard handle FTD710 on page 177

New






FTD713
Lines Radio Knob

New

AB ANT CP MB SB SN

M4
25

Matching cupboard handle FTD710 on page 177



	A	B	C
M47A	25	25	25
M47B	32	32	32
M47C	38	38	38
M47D	42	42	42
M47E	50	50	50



M47MB
Matt Black

M47
Solid Brass Victorian Knob

AB CP MB PB PN SB SC SN SSE

M4
T
25

SP47 (62mm bolt) on page 203
available to order separately

Matching cupboard pull C47 on page 161



M47AB
Antique Brass



M47CP
Polished Chrome



M47
Polished Brass



M47PN
Polished Nickel



M47SB
Satin Brass



M47SC
Satin Chrome



M47SN
Satin Nickel



M47SSE
Stainless Steel Effect




M47BSC

ADR501B
Art Deco Knob

CP MB SN

M4 T 25





Matching cupboard handle ADR502C on page 179

Matching Art Deco Range on page 82

FTD720
Solid Brass Anderson Knob


PN SN

M4 T 25





Can be used with or without the rose



	A	B	C
FTD720A	33	32	32
FTD720B	39	38	38
FTD720C	43	42	42


DK47
Delamain Plain Knob

CP FB PB PT SC

M4 T 25



SP47 (62mm bolt) on page 203
available to order separately



	A	B	C
DK47B	26	31	32
DK47C	31	36	38
DK47D	37.5	44.5	46

M1003/4/5
Solid Brass Queen Anne Knob

CP FB MB PB SB SC


M4 T 25



SP47 (62mm bolt) on page 203
available to order separately



Can be used with or without the rose



	A	B	C	D
M1003	22.5	35	25	4
M1004	27.5	40	30	4
M1005	34.5	51	40	4


FTD600R
Reeded Knob with Finial Ears

SN

M4 T 25



SP47 (62mm bolt) on page 203
available to order separately






DK49
Solid Brass Delamain Ringed Knob

CP FB SN



Can be used with or without the rose

SP47 (62mm bolt) on page 203
available to order separately



	A	B	C
DK49B	28	28	28
DK49C	35	34	40

M4
T
25




DK48C
Solid Brass Delamain Flower Knob

CP



Can be used with or without the rose



M4
T
25



DL47
Solid Brass Classical Victorian Knob

CP PB


	A	B	C	D
DL47A	25	26.5	25	4
DL47B	32	31.5	37	4
DL47C	36	35	37	4

CP

DL47D	41	42.5	46.5	4
DL47E	46	49	54.5	4



Can be used with or without the rose




SP47 (62mm bolt) on page 203
available to order separately

M4
T
25



FTD770C
Round Crystal Knob

CP MSN




M4
T
25



FTD790
Square Crystal Knob

CP MSN



	A	B	C
FTD790B	32	32	32
FTD790C	38	38	38


M4
T
25



FTD670
Crystal Clear
Faceted Knob

CTB CTC

	A	B	C
FTD670A	25	37.5	18
FTD670B	31	44	21
FTD670C	35	49	21
FTD670D	40	52	23




M4
T
25



FTD690
Crystal Clear
Ball Knob

CTC




	A	B	C
FTD690A	30	39	28
FTD690B	34	47	28

M4
T
25



FTD1270A
Solid Bronze Mushroom Knob

BR




M4
T
25



FTD1275A
Solid Bronze Cottage Knob

BR




M4
T
25



FTD521
Temperance Knob

AB PE




M4
T
25



FTD4030
Crescent Knob

CP




M4
T
25



FTD929A
Serdi Knob

CP SN




M4
T
22



FTD2095A
Infinity Knob

SN




M4
T
25

Matching handle FTD2095E on page 184



FTD3565
Helio Knob

CP SN




M4
T
25



FTD523
Disc Knob

SN




M4
T
25

New



FTD524S
Oxford Knob

CP GM MB SCO SN



M4
T
25

		A	B	C
	FTD524	38.5	26	25
New	**FTD524S**	32	21	21


Matching cupboard pull FTD557 on page 161

Matching cupboard pull FTD558 on page 161



FTD346
Silhouette Knob

CP SN




M4
T
25



CH30A
Solid Brass Ringed Knob

CP SN




M4
T
25



FTD377
Trumpet Knob

SN




M4
T
25



FTD345B
Aztec Ringed Knob

SN




M4
T
25

10 YEAR



FTD2525
Square Knob

CP SN



	A	B	C
FTD2525A	17.5	25	17.5
FTD2525B	21.5	30	21.5

M4
T
25


---

10 YEAR



CH6
Solid Brass Ball Knob

CP PB SC



	A	B	C	D
CH6C	25	30	2	25
CH6D	30	36	2	30

M4
T
25

---

10 YEAR




FTD425
Stainless Steel
Spherical Knob

SN SS



Can be used with or without the rose



	A	B	C	D
FTD425A	25	31	2.5	25
FTD425B	29	35.5	2.5	30

M4
T
25


---

10 YEAR



FTD430
Stainless Steel
Cylindrical Knob

PS SS



	A	B
FTD430A	16	20
FTD430B	20	25
FTD430C	25	30
FTD430D	30	37

M4
T
25


---

10 YEAR




FTD4045A
Marin Knob

CP SN




M4
T
25




FTD4020A
Novus Knob

CP SN




M4
T
25



FTD4025
Gamma Knob

CP




M4
T
25



FTD429A
Lewis Straight Knob

BLK/WHT COP/WHT CP/BLK SC/BLK




M4
T
25

Matching cupboard handle FTD529 on page 179



FTD3570
Elias Knob

SN




M4
T
25



FTD255A
Oval Knob

SN




M4
T
25

FTD535A
Shaker Style Knob

CP SN






M4
T
25

FTD515
Traditional Pattern Knob

AB ABB PT SB SN





M4
T
25

Matching cupboard pull FTD555 on page 162

Matching cupboard handles FTD505 & FTD520 on page 188 & 189


FTD1265
Hollow Victorian Knob

CP PB SC





Can be used with or without the rose




	A	B	C
FTD1265B	31.5	36	33.5
FTD1265C	37	41	38

M3.5
T
25
&
62

FTD525B
Shaker Style Knob

CP SN






	A	B	C
FTD525B	34	27	18.5

M4
T
25



FTD620
Porcelain Knob

PW CP




	A	B	C
FTD620A	32	29	28
FTD620B	37	32	31
FTD620C	43	41	40

M4
T
25



FTD630A
Porcelain Mushroom Pattern Knob

ABIC BA IC FB CP MC




	A	B	C
FTD630A	36	34	28

A
M3
T
25



FTD585
FTD585A
Hammered Finish Knob

AS



	A	B	C
FTD585	32	26	18
FTD585A	37.5	29	19

M4
T
25




FTD1078B
Hammered Pattern

BA PE



Can be used with or without the rose




Matching PE finish cupboard pull FTD5520PE on page 162


M4
T
25



FTD1230B
Steel Cage Oval Knob

AS






	A	B	C
FTD1230B	65	21.5	35

M4
T
25

CARLISLE BRASS


Cupboard Handles



FTD700
Solid Brass Knurled Pull Handle

New

AB ANT CP MB SB SN



	A	B	C	D
FTD700B	158	36	128	12
FTD700C	190	36	160	12
FTD700E	254	36	224	12
FTD700H	350	36	320	12

M4
T
25




Matching knurled cupboard knobs FTD701, FTD702 & FTD703 on page 165

FTD710
Solid Brass Lines Pull Handle

New

AB ANT CP MB SB SN



	A	B	C	D
FTD710B	158	36	128	12
FTD710C	190	36	160	12
FTD710E	254	36	224	12
FTD710H	350	36	320	12

M4
T
25

New



Matching Lines cupboard knobs FTD711, FTD712 & FTD713 on page 165

FTD445
Steel T-Bar Handle

M4
T
25

FTD445C
FTD445F
FTD445M

New

AB CP MB SN




FTD445A
FTD445B
FTD445D
FTD445E
FTD445G
FTD445J

CP SN

FTD445H
FTD445L
FTD445N
FTD445P
FTD445V
FTD445W

SN




	A	B	C	D
FTD445A	156	35	96	12
FTD445B	188	35	128	12
FTD445C	220	35	160	12
FTD445D	252	35	192	12
FTD445E	284	35	224	12
FTD445F	348	35	288	12
FTD445G	312	35	352	12
FTD445H	444	35	384	12
FTD445J	508	35	448	12
FTD445L	572	35	512	12
FTD445M	668	35	608	12
FTD445N	700	35	640	12
FTD445P	828	35	768	12
FTD445V	1020	35	960	12
FTD445W	1084	35	1024	12

FTD401
Block Handle

M4
T
25

AB CP MB SB SCO SN






	A	B	C	D
FTD401C	170	30	160	10
FTD401F	330	30	320	10

FTD403
Stainless Steel Linear Handle

M4
T
25

SS







	A	B	C	D
FTD403A	110	35	14	96
FTD403B	142	35	14	128
FTD403C	174	35	14	160
FTD403E	206	35	14	192

FTD402
Pipe Handle

PE SCO SN






M4 T 25


	A	B	C	D	E
FTD402B	152.5	38	128	24.5	12
FTD402F	344.5	38	320	24.5	12

FTD529
Harris Pull Handle

BLK/WHT COP/WHT CP/BLK SC/BLK



Matching cupboard knob FTD429A on page 173





M4 T 25

	A	B	C	D
FTD529B	155	26	128	9
FTD529C	186	26	160	9
FTD529D	219	26	192	9

FTD927C
Darini Pull Handle

BLK COP CP SN






M4 T 25


ADR502C
Art Deco Handle

CP MB SN



Matching Art Deco Range on page 82


Matching cupboard knob ADR501B on page 167




M4 T 25

FTD4215
Aria Handle

CP/MSC






M4 T 25

	A	B	C	D
FTD4215C	200	26.5	160	13
FTD4215E	263	26.5	223	13
FTD4215G	360	26.5	320	13

FTD935
Capori Handle

CP






M4
T
22

	A	B	C	D
FTD935A	120	21	96	40
FTD935D	216	21	192	40
FTD935G	343	21	320	40

FTD485
Bauhaus Handle

SN






M4
T
25

	A	B	C	D
FTD485C	176	38.5	160	16
FTD485F	336	38.5	320	16

FTD495
Rail Handle

SN





M4
T
25

	A	B	C	D
FTD495C	200	34	160	14
FTD495F	360	34	320	14




FTD3165B
Bridge Handle

SN

FTD3165C

SCO SN






M4
T
25

	A	B	C	D
FTD3165B	169	26.5	128	14
FTD3165C	207	26.5	160	14

FTD273
Halcyon Handle

SN






M4
T
25

	A	B	C	D
FTD273B	166	24	16	128
FTD273C	203	24	16	160

FTD685
Clear Acrylic Bar Handle

ACC







M4
T
25

	A	B	C	D	E
FTD685B	148	41	128	20	15
FTD685C	180	41	160	20	15

FTD685
Bar Handle

SN







M4
T
25

	A	B	C	D	E
FTD685C	180	41	160	20	15
FTD685E	244	41	224	20	15

FTD2550
Rectangular Section
D Handle

SS






M4
T
25

	A	B	C	D
FTD2550B	136	30	128	20
FTD2550C	168	30	160	20
FTD2550D	200	30	192	20
FTD2550E	232	30	224	20

FTD3550C
FTD3550F
FTD3550G
Square Section D Handle


BB SN

M4
25



FTD3550B
FTD3550D
FTD3550E

SN




	A	B	C	D
FTD3550B	143	37	128	15
FTD3550C	175	37	160	15
FTD3550D	207	37	192	15
FTD3550E	240	37	224	15
FTD3550F	335	37	320	15
FTD3550G	463	37	448	15

FTD4750
Bar Handle

SNSS

M4
25






	A	B	C	D
FTD4750B	168	36	128	14
FTD4750C	200	36	160	14
FTD4750D	232	36	192	14
FTD4750E	296	36	256	14
FTD4750F	360	36	320	14
FTD4750G	488	36	448	14
FTD4750N	648	36	608	14
FTD4750S	904	36	864	14

FTD2500
Rectangular Section
T-Bar Handle

SS

M4
25







	A	B	C	D
FTD2500A	197	20	30	128
FTD2500B	228	20	30	160

FTD480
Keyhole Handle

SNSS







M4
T
25

	A	B	C	D
FTD480B	184	43	160	22
FTD480E	280	43	256	22
FTD480H	376	43	352	22
FTD480J	472	43	448	22
FTD480K	632	43	608	22

FTD470
Keyhole Handle

SN






M4
T
25

	A	B	C	D
FTD470B	141	31.5	128	14
FTD470C	172	31.5	160	14
FTD470D	204	31.5	192	14
FTD470E	236	31.5	224	14
FTD470J	460	31.5	448	14
FTD470L	588	31.5	576	14

FTD4225
Solano Handle

SN






M4
T
25

	A	B	C	D
FTD4225C	172	36	13	160
FTD4225E	236	36	13	224
FTD4225G	333	36	13	320
FTD4225J	460	36	13	448

FTD922D
Salassi Handle

CP SN







M4
T
22

FTD605R
Reeded Handle

SN






M4
T
25

10 YEAR



FTD3150
Venturi D Handle


CP SN



M4
T
25


	A	B	C	D	E
FTD3150A	146.5	34	128	18.5	6
FTD3150B	181	36	160	20.5	8

10 YEAR



FTD2095E
Large Infinity Handle

SN



M4
T
25


Matching handle FTD2095A on page 170

10 YEAR



FTD2080
Chunky Arched Grip Handle

SN



M4
T
25


	A	B	C	D
FTD2080A	156	32	128	15
FTD2080B	194	40	160	17

10 YEAR



FTD1068B
Hammered Fleur de Lys Handle

BA




M4
T
27

10 YEAR



FTD1240
Steel Cage Fixed Handle

AS




M4
T
25

	A	B	C	D
FTD1240A	136	34	128	19
FTD1240B	168	40.5	160	20.5

FTD460
D Handle

CP SN







M4
T
25

	A	B	C	D
FTD460A	106	30	96	10
FTD460B	138	30	128	10
FTD460C	170	30	160	10
FTD460D	202	30	192	10

FTD3160
Curva Bow Handle

CP SN







M4
T
25

	A	B	C	D
FTD3160A	172	24	160	25
FTD3160B	238	34	224	25

FTD3065
Slim D Handle

CP SN






M4
T
25

	A	B	C	D
FTD3065A	165	26	128	8
FTD3065B	193	26	160	8
FTD3065C	223	26	192	8
FTD3065D	286	26	256	8

FTD410
Stainless Steel T-Bar Handle

SS






M4
T
25

	A	B	C	D
FTD410A	146	30	96	10
FTD410B	178	30	128	10
FTD410C	210	30	160	10

FTD444
Mini T-Bar Handle

CP SN






M4
T
25

FTD272B
Quadra Bow Handle

CP SN






M4
25

FTD3170
Valetta Bow Handle

CP SN






M4
25

	A	B	C	D
FTD3170A	183	27	160	26
FTD3170B	219	27	192	26
FTD3170C	335	27	320	29.5

FTD2040
Concave Bow Handle

CP SN






M4
25

	A	B	C	D
FTD2040A	159	24	159	18.5
FTD2040B	198	30	198	23.5

FTD280B
Wire Bow Handle

CP






M4
25

FTD4220
Ovenco Handle

CP SN






M4
25

	A	B	C	D
FTD4220C	240	35	160	12
FTD4220D	273	35	192	12
FTD4220G	410	35	320	12

FTD2010
Waisted Bow Handle

SN





M4
T
25

	A	B	C	D
FTD2010B	156.5	30	128	9
FTD2010E	287.5	30	224	15

FTD2035
Radiused End Flat Bow Handle


FTD2035A

CP SN

FTD2035B

SN






M4
T
25

	A	B	C	D
FTD2035A	145	25	128	12
FTD2035B	178	26	160	18.5

FTD343
Platypus Bow Handle

CP SN






M4
T
25

FTD380
Waisted Flat Bow Handle

SN






M4
T
25

	A	B	C	D
FTD380A	137	23	96	16
FTD380B	172	25	128	16

FTD270A
Curved Convex Grip Handle

SN





M4
T
25


FTD450
Bow Handle

CP SN



FTD450C
FTD450F

MB




M4
25

	A	B	C	D
FTD450A	114	30	96	10
FTD450B	153	31	128	10
FTD450C	190	32	160	10
FTD450D	226	32	192	10
FTD450E	256	32	224	10
FTD450F	338	33	288	10
FTD450G	372	34	320	10
FTD450H	408	38	352	10

FTD3440
Solo Handle

SN







M4
25

FTD230
Dimple Effect Curved Handle

SN






M4
23

	A	B	C	D
FTD230B	156	27	128	16

FTD505
Stepped Edge Bow Handle

ABB SN







M4
62

Matching cupboard knob FTD515 on page 174
Matching cupboard pull FTD555 on page 162

FTD520
Shaker Style Handle

CP SB SN






Matching cupboard knob FTD515 on page 174
Matching cupboard pull FTD555 on page 162

WF13
Solid Brass T Handle Fastener


CP PB SC






FTD815
Double Ball Catch

SC SCOL






	A	B	C	D	E	F
FTD815A	9.5	43	8	9.3	26.5	8
FTD815B	11	49	9	10.5	28	9
FTD815C	13	60	11.5	12.5	37	11.5
FTD815D	15	69	12.5	15	41.5	12.5


FTD840
6kg pull

FTD850
3.5kg pull

Superior Steel
Magnetic Catch

BLK EB FB NP






	A	B	C	D	E	F	G	H
FTD840	46	36.5	12	14	28.5	14.5	36.5	5.5
FTD850	46	36.5	12	14	28.5	14.5	36.5	5.5

FTD835
Nylon Magnetic Catch

WH






	A	B	C	D	E	F	G	H
FTD835AN	42	32	13.5	14	34	34	14	4
FTD835BN	56	47	13.5	14	58	48	15	4

10 YEAR




FTD810
Brass H Pattern Hinge

AB PB




10 YEAR



FTD805D
Solid Brass Finial Cabinet Hinge

AB SC



10 YEAR



FTD800
Solid Brass Cabinet Hinge


FTD800C

AB CP PB SC

FTD800D

AB CP MB PB

PE SB SC SCO SCOL



	A	B	C	D	E
FTD800C	50	28	1.5	5	1.5
FTD800D	64	35	2	5	1

10 YEAR




CI000929
3D Adjustable Concealed Hinge

ARG BRO NIK OTT VNO

12Kg
Max loading 2 hinges
16Kg
Max loading 3 hinges
21Kg
Max loading 4 hinges

Wider range of CEAM hinges on pages 304-309

MADE IN ITALY




10 YEAR



FTD855
Heavy Pattern Cable Tidy

CP EB SN



H4.170.35.10
170 Degree Soft Close Hinge

BNP



H4.100.35.10
Full Overlay Soft Close Hinge

BNP

H4.100.35.20
Half Overlay Soft Close Hinge

H4.100.35.30
Inset Soft Close Hinge



P4.100.35.00
Mounting Plate

BZP


P4.100.35.02
Mounting Plate

P4.100.35.A00
Adjustable Plate




FITTING PROCEDURE


Clamp the hinge to the plate shown



Press down the hinge arm to lock the plate as shown as direction arrow in




Disassembling shown as diagram (c) by pushing the clip button



OVERLAY CALCULATIONS FOR PLATE SECTION


Inset
H=4.5+K+A



Reveal Calculations

A / K	3	4	5	6
0	1.5	0.5	-0.5	-1.5
2	3.5	2.5	1.5	0.5
4	5.5	4.5	3.5	2.5


Half Overlay
H=5+K-D



Overlay Calculations

D / K	3	4	5	6
0	17	18	19	20
2	15	16	17	18
4	13	14	15	16

Full Overlay
H=14+K-D




Overlay Calculations


D / K	3	4	5	6
0	8	9	10	11
2	6	7	8	9
4	4	5	6	7

ADJUSTMENT RANGE


Height Adjustment



Depth Adjustment



Side Adjustment



CARLISLE BRASS

Bathroom Accessories



- **Contemporary and traditional styles**
- **Designed to enhance any bathroom environment**
- **Everyday items that add the finishing touch**



CARLISLE BRASS

Bathroom Stainless Steel





LX21
GRADE 316
Single Towel Rail

BSS SS

LX22

BSS MB SPVD SS






	A	B	C	D
LX21	450	85	400	51.5
LX22	650	85	600	51.5

LX03
GRADE 316
Robe Hook

BSS MB SPVD SS






LX07
GRADE 316
Paper Holder

BSS MB SPVD SS






LX13
GRADE 316
Soap Dish

SS






LX14
GRADE 316
Toilet Brush and Holder

SS






LX05
GRADE 316
Towel Ring

SS






LX25
GRADE 316
Glass Shelf

SS








LX25SS

CARLISLE BRASS


Bathroom Tempo



LW21
Single Towel Rail


CP






LW24
Glass Shelf

CP






LW05
Towel Ring

CP






LW07
Paper Holder

CP






LW17
Triangular Soap Tray

CP






LW02
Double Robe Hook

CP





Full Fixing Packs

	**SP18**	Spare fixing pack to suit AQ round rose furniture and EUL Lever on Rose
	**SPB75**	Spare fixing pack to suit SZA Levers
	**FIXCSL**	Fixing pack to suit all CSL Lever on Rose
	**FIXSSL**	Fixing pack to suit all SSL levers and SWL Lever on Rose
	**FIX4000**	Fixing packs to suit SZC Lever on Rose
	**FIX9113**	Fixing packs to suit LRS and ZIN lever furniture. Also fits SZM and ZIN Lever on Rose

Male/Female Bolts

	**SP8**	SZM/ZIN Lever on rose
	**SP8L**	SZM/ZIN Lever on rose, Doors over 45mm thick
	**SPS**	M4 x 70mm crew, all finishes SZC on rose, DL461 and Andros - DL181, 381
	**SPSCP**	Andros (DL180, 380 Range), Also fits SZC Lever on Rose
	**SPSSC**	Andros (DL180, 380 Range), Also fits SZC Lever on Rose
	**SPS85CP**	Art Deco Range
	**SPS85SN**	Art Deco Range

Screws Packs




SS6

No. 6 x ¾" counter sunk screw - used on all Lever on back plate handles
Available in all finishes and would be written SSCP6, SSSC6 etc (Pack of 8)



SSCP6

Traditional lever range (Pages 52 - 64), Mortice Knobs , SZR Backplate



SSSC6

Traditional lever range (Pages 52 - 64), Mortice Knobs , SZR Backplate



ASS1019

Wood pack to suit HIN hinges: 5.0 x 31mm PZ2 (Pack of 16)
Available in multiple finishes and would be written ASS1019AB, ASS1019MB etc



ASS1030

HIN1322/7, HIN1322



SCP10

Screw counter sunk – Pozi drive to suit HDSSW5CP: Nº10 x 31mm (Pack of 16)



SCP8

Screw counter sunk – Pozi drive to suit HDSSW2CP: Nº8 x 25mm (Pack of 12)



SPB8

Screw counter sunk – Pozi drive to suit HDPBW21: Nº8 x 31mm PZ2 (Pack of 12)



SPB10

Screw counter sunk – Pozi drive to suit HDPBW61: Nº10 x 31mm PZ2 (Pack of 16)

Spare Roses



CSR1005

Can be used as replacements roses for CSL levers



SWR1136

SWL levers and thumbturns

Spares General

	**SP6T**	Taylor spindle
	**SP6T1**	Taylor spindle
	**SP4M**	Spare springs to suit all handles except for LF Range
	**SP21**	Spare Circlip, fits all levers
	**SP81**	Spare nylon washer for lever handles
	**SP82**	Spare metal washer for lever handles
	**SP104**	(spare turns for bathroom furniture on back plate), available in all finishes
	**SP104L**	Longer version of the above for 54mm doors
	**SPLFSPRINGLH**	Spare spring for Ludlow Foundry Lever Handles Left Hand
	**SPLFSPRINGRH**	Spare spring for Ludlow Foundry Lever Handles Right Hand
	**ATS1000**	Thumbturn sleeve 5-8mm
	**AHB1000ZP**	ZP hinge bolt (set of 2)
	**ALS5100**	Spindle 5mm x 100mm long
	**ASH5000**	Heavy spring to suit Easi T architectural locks
	**WF14**	Pin for flush fitting sash all finishes
	**WF15**	EJMA pin all finishes
	**SP44A**	2 x spare bolt for cupboard knob (M4 x 18mm)

Spare Bolts

	**SP45**	Single spare bolt for cupboard knob (M4 x 25mm)
	**SP47**	Single spare bolt for cupboard knob (M4 x 62mm)
	**SBF80BOLT**	Spare pull handle bolts, suits all Eurospec pull handles.
	**ALB1001**	Bolt fixing M3x61mm with cut downs for SWL/SSL levers (2pcs/bag)
	**ALB1001/L**	Male only bolts, suits SZM/ZIN/SWL/SSL lever on rose - Doors over 45mm

Spare Spindles

	**ALS1002H**	Steelwork Heso spindle 120mm (to suit CSL, SSL and SWL)
	**ALS1003B**	Suits SZC, SZM, SZR, ZIN & EUL - 8mm Standard - Up to 44mm doors
	**SP7M**	Spindle to go with levers 8mm x 100mm
	**SP75**	Suits SZC, SZM, SZR & ZIN, EUL - 8mm Extended -Up to 54mm doors
	**SP7L140S**	Spare spindle 8mm x 140mm long

Grub Screws

	**SP25**	M6 x 6mm grub screw. Suits with AQ, SZS, DL and Serozzetta on round rose
	**AGW1000**	M6 x 6mm screw Cup grub screw. Suits with all Eurospec handles
	**AGS1000H**	M6 x 7mm screw Heso grub screw. Suits with all CSL, SSL, SWL levers & knobs
	**SPGS**	M5 x 5mm grub screw. Suits with DK Range
	**AGS5000**	Faceplate screws for Architectural Locks

EUROSPEC

“Quality Commercial Ironmongery”

Certificate Number: 7287

Certificate Number: EN 1165



Grade 4 BSEN1906

206



Grade 316 Stainless Steel

212



Stainless Steel Levers on Screw on Rose

216



Stainless Steel Levers on Square Rose

224



Stainless Steel Levers on Slim Rose

228



Stainless Steel Levers on Rose

232



Stainless Steel Levers on Backplate

238



Stainless Steel Pull Handles

246



Stainless Steel Accessories

256



Stainless Steel External Door Furniture

270



Aluminium Collection

274



High Specification Hinges

286



CEAM Hinges

304



Door Controls

310



Locks & Latches

328



Cylinders

362



Outdoor Security

390



Panic & Emergency Exit Hardware

400



Intumescent Fire Protection & Acoustic Sealing Systems

406

EUROSPEC

Grade 4 BSEN1906

- **Comprehensive and industry leading range of sprung door furniture**
- **Perfect for all commercial application**
- **Ideal where doors are subject to frequent and vigorous usage**



- **Independently tested to “severe” Grade 4 under BS EN 1906**
- **Levers are suitable for use to BS8300 - 2:2018 guidelines**
- **Product is tested to 1080 hours of corrosion protection**
- **Features thread locked fixings, case-hardened spindle and cup-point grub screws to ensure strong fixing**
- **25-year mechanical guarantee**



EUROSPEC

Guide to BS EN 1906:2012

BS EN 1906:2012 UK non-designated version of the non-harmonised European standard entitled “Building hardware. Lever handles and knob furniture. Requirements and test methods.” Covers sprung and un-sprung lever handles, knobs for doors, push pads and similar devices in combination with backplates or roses operating latches. This standard is applicable only to lever handles and knobs that operate a latch or lock and other devices. Test requirements include; spindle and fastening elements, operating torques, permissible free play and safety, free angular movement and misalignment, durability, static strength, and corrosion resistance. Products meeting the standard ensure a margin of strength in excess of that needed for normal operation.

Digit 5 - Safety

Grade 0: Normal use

Grade 1: Safety application – to qualify for this grade, handles must have high strength handle to plate and plate to door fixing, and/or handle to spindle fixing, such that they would withstand a person grabbing in order to prevent falling.

Digit 6 - Corrosion Resistance

Grade 0: No defined corrosion resistance

Grade 1: Mild resistance – minimum requirement for internal use.

Grade 2: Moderate resistance.

Grade 3: High resistance – minimum resistance for external use.

Grade 4: Very high resistance- recommended for use in exposed marine atmospheres or very polluted industrial environments.

Note: Products intended to develop a natural patina (bronze or brass) are not required to comply with any requirements.

Digit 1 - Category of Use

Grade 1: Medium frequency of use with a high incentive to exercise care and small chance of misuse.

Grade 2: Medium frequency of use with some incentive to exercise care but there is some chance of misuse.

Grade 3: High frequency of use by public or others with little incentive to exercise care and with a high chance of misuse.

Grade 4: High frequency of use on doors which are subject to frequent violent use.

3	7	-	C	1	4	0	B

Digit 2 - Durability

Grade 6:
Medium use – 100,000 cycles
Grade 7:
High use – 200,000 cycles

Digit 3 - Test Door Mass

No requirement

Digit 4 - Fire Resistance

Grade 0: No performance determined.

Grade A: For use on smoke control doors.

Grade A1: For use on smoke control doors, tested with 200,000 cycles on a test door.

Grade B: For use on smoke control and fire resistant doors.

Grade B1: For use on smoke control and fire resistant doors, tested with 200,000 cycles on a test door.

Grade C: For use on smoke control and fire resistant doors with requirements for fire protection inlays in backplate, rose and escutcheon.

Grade C1: For use on smoke control and fire resistant doors with requirements for fire protection inlays in backplate, rose and escutcheon, tested with 200,000 cycles on a test door.

Note: Grades B or C means that the furniture has been included in at least one fire/smoke door test. This is not an indication that the furniture can be used on any fire/smoke door.

Digit 7 - Security

Grade 0: Not approved for use on burglary resistant doors.

Grade 1: Mild burglary resistance.

Grade 2: Moderate burglary resistance.

Grade 3: High burglary resistance.

Grade 4: Extra high burglary resistance.

Note: The main requirements include drilling, close fitting plates or escutcheons to help protect the lock and support the cylinder.

They must be resistant to removal from the outside of the door and make provision to minimise the cylinder protection to a minimum of 3mm. Full details can be found within BS EN 1906.

Digit 8 - Type of operation

Type A: Spring assisted furniture


Type B: Spring loaded furniture

Type U: Un-sprung furniture

SW4123
Grade 316 Safety Lever

SSS






BS 8300 · BS EN 1906 · FD30/60 TIMBER · FD120/240 STEEL · 25 YEAR · 316

SW4125
Grade 316 Mitred Lever

SSS






BS EN 1906 · FD30/60 TIMBER · FD120/240 STEEL · 25 YEAR · 316

SW4123X/SSS/G304
Grade 304 Safety Lever

SSS






BS 8300 · BS EN 1906 · FD30/60 TIMBER · FD120/240 STEEL · 25 YEAR · 304

SW4150
Grade 316 Steelworx DDA Ambulant Lever

SSS






BS 8300 · BS EN 1906 · FD30/60 TIMBER · FD120/240 STEEL · 25 YEAR · 316

SW4102
Grade 316 Euro Escutcheon

SSS






BS EN 1906
FD30/60 TIMBER
25 YEAR
316

SWT4105-I
Grade 316 Thumbturn & Release
with indicator

SSS






BS EN 1906
FD30/60 TIMBER
25 YEAR
316

SWT4107-I
Grade 316 Thumbturn & Release
with indicator

SSS





BS EN 1906
FD30/60 TIMBER
25 YEAR
316



SW4150SSS

EUROSPEC

Grade 316 Stainless Steel




- **Corrosion resistance properties**
- **Superior durability**



SW123
Grade 316
Steelworx 316 Safety Lever

BSS SSS






BS 8300 · BS EN 1906 · FD30/60 TIMBER · 25 YEAR · 316

SW102SSS
Grade 316
Steelworx 316 Escutcheon Euro

SSS






FD30/60 TIMBER · 25 YEAR · 316

SW105-ISSS
Grade 316
Steelworx 316 Turn & Release

SSS






BS 8300 · FD30/60 TIMBER · 25 YEAR · 316

SW107SSS
Grade 316
Steelworx 316 Turn & Release

SSS






FD30/60 TIMBER · 25 YEAR · 316

SWKNR1058
Grade 316 Knob on Rose

SSS






10 YEAR · 316




ALP5038
Half set fixing plate for bolt through furniture






ASS5100
Special split spindle with locking feature



ALS1002H
Heso spindle







Grade 304
Carbon fibre lever on a concealed fix threaded slim rose

page 218

SWL1118SSS

EUROSPEC

Stainless Steel Lever on Screw on Rose




- Grade 304 stainless steel
- 7mm concealed threaded roses and secure heso spindle fixing
- 10-year mechanical guarantee
- Fire door rated
- Suitable for domestic and commercial environments



SWL1006DUO
Astoria

BSS/SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

SWL1009DUO
Lucerna

BSS/SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

SWL1010DUO
Berna

BSS/SSS






FD120/240 STEEL
10 YEAR
304

SWL1116
Volantes

SSS






10 YEAR
304

SWL1118
Carbon

SSS






10 YEAR
304

SWL1120
Soho

SSS






10 YEAR
304

New

SWL1121
Breeze

New
MB SPVD SSS






FD120/240 STEEL
10 YEAR
304

SWL1122
Brema

SSS






FD120/240 STEEL
10 YEAR
304

SWL1127
Peninsula

SSS






FD120/240 STEEL
10 YEAR
304

SWL1131
Tirolo

SSS






FD120/240 STEEL
10 YEAR
304



SWL1132
Berlino


SSS





SWL1133
Zurigo

SSS






SWL1134
Carlton

SSS


Matching Pull Handles SWP1134/300
& SWP1134/450 on page 253





SWL1135
Luenza


SSS





SWL1160
Plaza


SSS



SWL1161
Lubecca

SSS






FD30/40 TIMBER
FD120/240 STEEL
10 YEAR
304

SWL1165
Scimitar

SSS






BS 8300
FD120/240 STEEL
10 YEAR
304

SWL1168
Parigi

SSS






FD120/240 STEEL
10 YEAR
304

SWL1169
Crown

MB SPVD SSS





10 YEAR
304

Matching Pull Handles SWP1169/300 & SWP1169/450 on page 252


New

SWL1190
Nera

New

MB SPVD SSS






BS 8300
FD120/240 STEEL
10 YEAR
304

Matching Pull Handles on page 252



SWL1191
Spira

SSS




BS 8300 · FD120/240 STEEL · 10 YEAR · 304



SWL1192DUO
Treviri

BSS/SSS




FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304

SWL1192
Treviri


New New
MB SPVD SSS

New






New





SWL1194DUO
Philadelphia

BSS/SSS




FD120/240 STEEL · 10 YEAR · 304



SWL1194DUO
Philadelphia


SSS





SWL1196
Dresda

SSS



FD120/240 STEEL · 10 YEAR · 304




SWT1016
Thumbturn & Release

BSS | BSS/SSS | MB | SPVD | SSS

SWT1016-I
With indicator

BSS | BSS/SSS | SSS



10 YEAR | 304



New


SWT1025-I
Thumbturn & Release
With indicator

New New

BSS | MB | SPVD | SSS

SWT1025DUO
Thumbturn & Release
No indicator

BSS/SSS




BS 8300 | 10 YEAR | 304



SWR1137
Square Rose Pack
Grub Screw Pack

BSS



10 YEAR




SWL102
Euro Escutcheon

BSS | BSS/SSS | MB | SPVD | SSS



SWL103
Lock Escutcheon

BSS | BSS/SSS | MB | SPVD | SSS



10 YEAR



SWL1169SSS

EUROSPEC

Stainless Steel Levers on Square Rose



SSL1401MB

- Use for fire rated and smoke control doors to BS EN 1634
- 8mm square concealed roses and secure heso spindle fixing
- Matching accessories to complete the look
- Suitable for domestic and commercial environments
- Stylish architectural quality levers on square rose
- 10-year mechanical guarantee




New



SSL1401 Alvar

New

MB SPVD SSS




FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

Matching Pull Handles on page 253

SSL1402 Tange

SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

SSL1403 Carla

SSS






FD30/40 TIMBER
FD120/240 STEEL
10 YEAR
304

SSL1404 Plaza

SSS






FD30/40 TIMBER
FD120/240 STEEL
10 YEAR
304

SSL1405 Renzo

BSS/SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304



SSL1406
Fagus

BSS/SSS



FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

New




SSE1405MB
Euro Escutcheon

New
BSS/SSS MB SPVD SSS



SSP1405SSS/DUO
Lock Escutcheon

BSS/SSS SSS



(Duo versions supplied with both a duo and satin inner to allow for a single or dual finish)

FD30/60 TIMBER
10 YEAR
304

New




SST1415
Thumbturn & Release

New
BSS/SSS MB SPVD SSS

SST1415-I
with Indicator

SSS




FD30/60 TIMBER
10 YEAR
304



SSK1062
Square Knobset
Sprung

SSS



FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

EUROSPEC

Stainless Steel Levers on Slim Rose




- Grade 304 stainless steel
- Slim fit 6mm rose
- Stainless steel inner rose and secure heso spindle fixing
- Stylish architectural quality levers on round rose
- Fire rated
- 10-year mechanical guarantee
- Suitable for domestic and commercial environments



CSL1190/6
Nera

SSS






BS 8300 · FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304

CSL1192/6
Treviri

SSS






FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304

CSL1194/6
Philadelphia

SSS






FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304

CSL1121/6
Breeze

SSS






FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304

CSL1127/6
Peninsula

SSS





FD30/60 TIMBER · FD120/240 STEEL · 10 YEAR · 304



CSE1006
Euro Escutcheon

SSS




CSP1006
Lock Escutcheon


SSS



CSB1006
Blank Escutcheon

SSS








CST1018
Thumbturn & Release with indicator
c/w spare non indicator rose


SSS





CST1028
Thumbturn & Release with indicator
c/w spare non indicator rose

SSS



EUROSPEC

Stainless Steel Levers on Rose



- Grade 304 stainless steel
- 8mm concealed, zinc plated inner roses
- Quality sprung levers on round rose
- 10-year mechanical guarantee
- Fire door rated
- Suitable for domestic and commercial use




CSL1194SSS

CSL1134
Carlton

SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

CSL1160
Plaza

SSS






FD120/240 STEEL
10 YEAR
304

CSL1190
Nera - 19mm Bar Diameter

BSS SSS






FD30/60 TIMBER
10 YEAR
304

CSL1220
Nera - 22mm Bar Diameter


SSS



CSL1191
Spira

SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

CSL1192
Treviri

BSS SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

CSL1193
Curved

BSS SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

CSL1194
Philadelphia

BSS SSS






FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304

CSK1058
Mortice Knob
on Sprung Rose

BSS SSS





FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304



CSE1005
Euro Escutcheon

BSS SSS




CSP1005
Lock Escutcheon


BSS SSS




CSU1005
Oval Escutcheon

SSS








FD30/40 TIMBER
10 YEAR
304



CST1015
Thumbturn & Release
With indicator

c/w spare
non indicator rose

BSS SSS




FD30/60 TIMBER
10 YEAR
304



CST1025
Thumbturn & Release
With indicator

c/w spare
non indicator rose

BSS SSS



BS 8300
FD30/60 TIMBER
10 YEAR
304

Handles to sockets, suite stainless steel finish throughout the home



EUROSPEC

Stainless Steel Levers on Backplate





Grade 316

- Entirely manufactured in Grade 316 stainless steel
- Perfect for retro-fit
- Secure heso spindle and bolt through fixings
- Available in euro and DIN centres
- 25-year mechanical guarantee
- Fire rated
- Performance tested to 200,000 cycles
- Suitable for residential and commercial use

Grade 201

- 10-year mechanical guarantee
- Suitable for domestic and commercial use
- Manufactured using Grade 201 stainless steel
- Pair with our CSL to match lever designs throughout the project




SWLP123
Grade 316 Safety Lever on Inner Plate

SSS



SWLP123 + SWOB



			A	B	C	D
	SWOB	Latch Plate	45	180	N/A	7
	SWOE	Euro Plate - 47.5mm c/c	45	180	47.5	7
	**SWOT-I**	UK Bathroom Plate - 57mm c/c & Turn	45	180	57	7
	SWOP	Lock Plate	45	180	57	7
	SWOE/72	Euro Plate - Din 72mm c/c (Suitable for use with DIN lock)	45	180	72	7
	**SWOT-I/78**	Bathroom Plate - Din 78mm c/c (Suitable for use with DIN lock)	45	180	78	7


Grade 201

CSLP1190
Grade 201 Safety Lever on Inner Plate

SSS



CSLP1190 + CPRE1170





CSLP1191
Grade 201 Straight Lever on Inner Plate

SSS



CSLP1191 + CPRE1170






			A	B	C	D
	CPRB1170	Latch Plate	45	174	N/A	9
	CPRP1170	Lock Plate	45	174	57	9
	CPRE1170	Euro Plate 47.5mm c/c	45	174	47.5	9
	CPRE1170/72	Euro Plate 72mm c/c	45	174	72	9
	**CPRT1170**	Bathroom Plate 57mm c/c & Turn	45	174	57	9
	**CPRT1170/78**	Bathroom Plate 78mm c/c & Turn	45	174	78	9
	**CPRTL1170**	UK Bathroom Plate 57mm c/c & Turn	45	174	57	9
	CPRU1170	Oval Plate 48.5mm c/c	45	174	48.5	9

Grade 201

CSLP1162B
Grade 201 Mitred on Latch Backplate

SSS





CSLP1162P
Lock
CSLP1162E
Euro
CSLP1162T
Bathroom


10 YEAR

	A	B	C	D	E	F
CSLP1162E	172	47.5	42	120	62	8
CSLP1162P	172	57	42	120	62	8
CSLP1162B	172	-	42	120	62	8
CSLP1162T	172	57	42	120	62	8

CSLP1164P
Grade 201 T-Bar on Lock Profile Backplate

SSS





CSLP1164B
Latch
CSLP1164E
Euro
CSLP1164T
Bathroom

10 YEAR

	A	B	C	D	E	F
CSLP1164E	172	47.5	42	120	62	8
CSLP1164P	172	57	42	120	62	8
CSLP1164B	172	-	42	120	62	8
CSLP1164T	172	57	42	120	62	8

CSLP1167T
Grade 201 Arched on Bathroom Backplate

SSS


CSLP1167P
Lock

CSLP1167E
Euro

CSLP1167B
Latch

10 YEAR





	A	B	C	D	E	F
CSLP1167E	172	47.5	42	122	62	8
CSLP1167P	172	57	42	122	62	8
CSLP1167B	172	-	42	122	62	8
CSLP1167T	172	57	42	122	62	8



CSLP1162BSSS

EUROSPEC

Stainless Steel Pull Handles





PFT1300SSS


Grade 316

- Various bar diameters and lengths
- Perfect for environments where the doors are subject to frequent and vigorous use
- Fire-rated
- 25-year mechanical guarantee

Grade 304


- Stylish architectural quality pull handles
- 10-year mechanical guarantee
- Fire door rated
- Suitable for both domestic and commercial environments
- Pair with SWL, SSL and CSL lever handles

NOTE: Back to back fixing kits available on page 254-255 - please contact the sales team on 01228 511030




PAC1225SSS

Grade 316 D Pull Handle



	A	B	C	D	
PAD1150	169	65	150	19	SSS
PAD1225	244	65	225	19	SSS
PAD1300	319	65	300	19	SSS
PAD1450	469	65	450	19	SSS
PFD1225	247	67	225	22	SSS
PFD1300	322	67	300	22	SSS
PBD1300	325	70	300	25	BSS SSS
PCD1450	480	75	450	30	SSS
PCD1600	630	75	600	30	SSS
PCD11800	1830	75	1800	30	SSS




Back to back fixings kit BBF to suit measurement D

Grade 316 Cranked Pull Handle



	A	B	C	D	E	
PAC1225	244	65	226	19	90	SSS
PAC1300	319	65	300	19	90	SSS
PAC1600	619	65	600	19	90	SSS
PBC1300	325	80	300	25	100	SSS
PCC1450	480	80	450	30	140	SSS
PCC1600	630	80	600	30	140	SSS



Back to back fixings kit BBF to suit measurement D


Grade 316

	A	B	C	D	
PAT1225	325	65	225	19	SSS
PAT1300	400	65	300	19	SSS
PFT1225	325	67	225	22	SSS
PFT1300	400	67	300	22	SSS
PBT1300	420	70	300	25	SSS
PCT1450	600	70	450	30	SSS
PCT1600	775	70	600	30	SSS
PCT1900	1070	70	900	30	SSS
PCT11200	1200	70	1000	30	SSS
PCT11800	1800	70	1630	30	SSS

Grade 316 T Pull Handle



FD30/60 TIMBER · 25 YEAR · 316




Back to back fixing kits to suit - please contact the sales team

	A	B	C	D	
PAM1300	319	65	300	19	SSS
PCM1450	480	75	450	30	SSS

Grade 316 Mitred Pull Handle




FD30/60 TIMBER · 25 YEAR · 316



Back to back fixings kit BBF to suit measurement D

PCTS1350
Grade 316 Curved T Pull Handle

SSS






BS 8300 · FD30/60 TIMBER · 25 YEAR · 316

Back to back fixings kit BBF1025 to suit




Grade 201/304

Grade 201/304 D Pull Handle



	A	B	C	D					
CSD1150	169	64	150	19	BSS			SSS	
CSD1225	244	64	225	19	BSS			SSS	
CSD1300	319	64	300	19	BSS	MB	New SPVD	SSS	♿
CSD1425	444	64	425	19				SSS	♿
CSD1450	469	64	450	19	BSS	MB	New SPVD	SSS	♿
CSD1600	619	64	600	19	BSS			SSS	♿
CFD1150	172	66	150	22				SSS	
CFD1225	247	66	225	22				SSS	
CFD1300	322	66	300	22				SSS	♿
CFD1450	472	66	450	22				SSS	♿
CFD1600	622	66	600	22				SSS	♿




Only MB/SPVD are Grade 304


Matching Lever SWL1190 on page 221

Back to back fixings kit BBF to suit measurement D

Grade 304 Knurled Mitred Pull Handle



	A	B	C	D			
SWP1169/300	320	58	300	20	MB	SPVD	SSS
SWP1169/450	470	58	450	20	MB	SPVD	SSS




Only MB/SPVD are Grade 304


Matching Lever SWP1169 on page 221

Back to back fixings kit BBF1019 to suit

Grade 304 Square Mitred Pull Handle



	A	B	C	D	
SSM1415	169	58	150	19	SSS
SSM1422	244	58	225	19	SSS
SSM1430	319	58	300	19	SSS
SSM1445	469	58	450	19	MB SPVD (New) SSS
SSM1460	619	58	600	19	SSS




Matching Lever SSL1401 on page 226

Back to back fixings kit BBF1019/SQ to suit

Grade 304 Carlton Pull Handle



	A	B	C	D	
SWP1134/300	325	67	300	25	SSS
SWP1134/450	475	67	450	25	SSS



Matching Lever SWL1134 on page 220


Back to back fixings kit BBF1025 to suit


Grade 304

SWR1137
Square Rose Pack
Grub Screw Pack

BSS

304






SSR1405SSS/DUO
Rose Pack
(Supplied with both a polished and satin inner to allow for a single or dual finish)

BSS/SSS SSS

304








CSR1005
Rose Pack
In pairs to suit CSD pull handles

BSS/SSS SSS

304





SBF1016
Bolt cap fixing pack
To suit 16mm handles

SBF1019
To suit 19mm handles

BSS SSS

SBF1022
To suit 22mm handles

BSS SSS


SBF1025
To suit 25mm handles


BSS SSS

SBF1030
To suit 30mm handles

BSS SSS

304





New



BBF1019
Back to back fixing pack
To suit 19mm handles

New

BSS MB SPVD SSS

BBF1022
To suit 22mm handles

BSS SSS


BBF1025
To suit 25mm handles

BSS SSS

BBF1030/2
To suit 30mm handles

BSS SSS

304





	A	B
BBF1019	19	9
BBF1022	22	9
BBF1025	25	9
BBF1030/2	30	9

BBF1019SS/SQ
Square back to back fixing pack
To suit 19mm handles

SSS

304





EUROSPEC

Stainless Steel Accessories



Full range of accessories to add the finishing touches to any project






Plain Finger Plate

FD30/60 TIMBER · 10 YEAR · 304

	A	B	C	
FPP1300	300	75	1.5	BSS SSS
FPP1350	350	75	1.5	BSS New MB New SPVD SSS
FPP1500	500	75	1.5	BSS New MB New SPVD SSS
FPP1650	650	75	1.5	SSS




Only MB/SPVD are Grade 304



Pull Finger Plate

FD30/60 TIMBER · 10 YEAR


	A	B	C	
FPP1301	300	75	1.5	SSS
FPP1351	350	75	1.5	SSS



Push Finger Plate




	A	B	C	
FPP1302	300	75	1.5	SSS
FPP1352	350	75	1.5	SSS




Kickplate






	A	B	C	
KPP1590	150	590	1.2	SSS
KPP1615	150	615	1.2	SSS
KPP1650	150	650	1.2	SSS
KPP1675	150	675	1.2	SSS
KPP1690	150	690	1.2	SSS
KPP1715	150	715	1.2	SSS
KPP1725	150	725	1.2	SSS
KPP1750	150	750	1.2	SSS
KPP1790	150	790	1.2	SSS
KPP1805	150	805	1.2	SSS
KPP1815	150	815	1.2	SSS
KPP1830	150	830	1.2	SSS
KPP1855	150	855	1.2	SSS
KPP1880	150	880	1.2	SSS
KPP1890	150	890	1.2	SSS
KPP1905	150	905	1.2	SSS
KPP1915	150	915	1.2	SSS




SSS **FPA1301** Pull Sign



SSS **FPA1302** Push Sign







BSS SSS **SEX1011** Male



BSS SSS **SEX1012** Female



BSS SSS **SEX1014** Shower

New



New BSS MB **SEX1015** Fire Door
SSS Keep Locked

New



New BSS MB **SEX1016** Fire Door
SSS Keep Shut



BSS SSS **SEX1017** Disabled



BSS SSS **SEX1018** Unisex




BSS SSS **SEX1019** Baby Change



BSS
SSS **SEX1021** Fire Escape Keep Clear




BSS
SSS **SEX1022** Automatic Fire Door Keep Clear





		A	B	C	
LET1050A	Letter a	32	38	2	SSS
NUM10500	Numeral 0	36	50	2	BSS SSS
NUM10501	Numeral 1	23	50	2	BSS SSS
NUM10502	Numeral 2	36	50	2	BSS SSS
NUM10503	Numeral 3	37	50	2	BSS SSS
NUM10504	Numeral 4	36	50	2	BSS SSS
NUM10505	Numeral 5	37	50	2	BSS SSS
NUM10506/9	Numeral 6/9	36	50	2	BSS SSS
NUM10507	Numeral 7	35	50	2	BSS SSS
NUM10508	Numeral 8	31.5	50	2	BSS SSS
LET10100A	Letter a	67.5	80.5	5	SSS
NUM10100	Numeral 0	72	100	5	BSS SSS
NUM10101	Numeral 1	45.5	100	5	BSS SSS
NUM10102	Numeral 2	69	100	5	BSS SSS
NUM10103	Numeral 3	74	100	5	BSS SSS
NUM10104	Numeral 4	73.5	100	5	BSS SSS
NUM10105	Numeral 5	72.5	100	5	BSS SSS
NUM10106/9	Numeral 6/9	72	100	5	BSS SSS
NUM10107	Numeral 7	70	100	5	BSS SSS
NUM10108	Numeral 8	71.5	100	5	BSS SSS




FD30/60 TIMBER

10 YEAR

304

Oversized Concealed Fix Letters & Numerals





		A	B	C	
LET1090A	Letter a	89	80	12	SSS
LET1090B	Letter b	117.5	84	12	SSS
LET1090C	Letter c	89	79.5	12	SSS
NUM10170	Numeral 0	178	119.5	12	SSS
NUM10171	Numeral 1	178	78.5	12	SSS
NUM10172	Numeral 2	178	120	12	SSS
NUM10173	Numeral 3	178	119	12	SSS
NUM10174	Numeral 4	178	125	12	SSS
NUM10175	Numeral 5	178	120	12	SSS
NUM10176/9	Numeral 6/9	178	119.5	12	SSS
NUM10177	Numeral 7	178	128	12	SSS
NUM10178	Numeral 8	178	119.5	12	SSS




New



ECP1000
Euro Cylinder Pull

New
MB SPVD SSS

Only MB/SPVD are Grade 304




FD30/60 TIMBER · 10 YEAR · 304



OCP1000
Oval Cylinder Pull

SSS




10 YEAR



PCP1000
Lock Cylinder Pull

BSS SSS




FD30/60 TIMBER · 10 YEAR



RCP1000
Rim Cylinder Pull

BSS SSS



FD30/60 TIMBER · 10 YEAR


New



FPH1000
Rectangular Flush Pull

New New
BSS MB SPVD SSS

Only MB/SPVD are Grade 304




FD30 TIMBER · 10 YEAR · 304



FPH1001
Radius Flush Pull

New New
BSS MB SPVD SSS

Only MB/SPVD are Grade 304




FD30 TIMBER · 10 YEAR · 304



FPH1002
Circular Flush Pull

BSS SSS




FD30 TIMBER · 10 YEAR



FPH1003
Circular Flush Pull

BSS SSS




FD30 TIMBER · 10 YEAR



FPH1004
Circular Flush Pull

BSS SSS




FD30 TIMBER · 10 YEAR



FPH1180
Large Rectangular Flush Pull

BSS SSS




FD30/60 TIMBER · 10 YEAR



HCH1010
Hat and Coat Hook


BSS SSS





HCH1011
Coat Hook


BSS SSS





HCH1012
Flat Coat Hook


BSS SSS





HCH1013
Flat Hat and Coat Hook


BSS SSS





HCH1014
Hat and Double Coat Hook


BSS SSS





HCH1015
Double Coat Hook

BSS SSS




10 YEAR 304

New




HCH1016
Coat Hook

New New
BSS MB SPVD SSS




10 YEAR 304



HCH1017
Coat Hook
Concealed Fix

BSS SSS




10 YEAR 304

New



HCH1018
Buffered Coat Hook

New New
BSS MB SPVD SSS




10 YEAR 304



HRB1000/P62
HRB1000/P85
Handrail Bracket

BSS SSS




BS 8300 10 YEAR 304

	A	B	C	D	E	F
HRB1000/P62	45	4	60	61	20	64
HRB1000/P85	45	4	60	60	20	90

HBS1038
HBS1050
Saddle
To suit 38mm + 50mm dia. handrail

SSS






	A	B	C	D
HBS1038	25	50	10	38
HBS1050	25	50	10	38

New

DSF1030
Solid Floor Mounted
Door Stop

New New
BSS MB SPVD SSS






DSF1031
Large Floor Mounted
Door Stop

BSS SSS






DSF1032
Floor Mounted Door Stop

BSS SSS






DSF1430
Square Floor Mounted
Door Stop


SSS






DSW1415
Wall Mounted Square Door Stop

SSS





10 YEAR


DSW1015
Wall Mounted Door Stop

BSS SSS



10 YEAR


304



DSW1016
DSW1017
Wall Mounted Door Stop with Rose

BSS SSS





10 YEAR

	A	B	C	D
DSW1016	46	7	76	22
DSW1017	46	7	102	22

FBT1008/R
Radius Lever Action Flush Bolt


AB BSS MB MBRZ SPVD SSS

FBT1008
Lever Action Flush Bolt

BSS SSS







FD30 TIMBER

10 YEAR

304

INT1008
Intumescent Flush Bolt Pack

Suitable for FD30/60 door face installation


DPS1008
Dust Proof Socket

SSS



10 YEAR


316



Cranked Barrel Bolt
Grade 304

BSS SSS






FD30/60 TIMBER · 10 YEAR · 304

	A	B	C	D	E
BBT1080CR	29	14	80	39	9.5
BBT1100CR	29	14	100	39	9.5
BBT1150CR	29	14	150	39	9.5
BBT1200CR	29	14	200	39	9.5

Barrel Bolt
Grade 304

BSS SSS






FD30/60 TIMBER · 10 YEAR · 304

	A	B	C	D
BBT1080	14	80	38	9
BBT1100	14	100	38	9
BBT1150	14	150	38	9
BBT1200	14	200	38	9

CAB1100
CAB1150
CAB1200
Cabin Hook
Grade 316

BSS SSS






FD30/60 TIMBER · 10 YEAR · 316

	A	B	C	D	E	F	G	H
CAB1100	102	35	23	23	35	18.5	6	18.5
CAB1150	152	35	23	23	35	18.5	6	18
CAB1200	203	35	23	23	35	18.5	6	18

Cabinet Pull Handle

SSS







10 YEAR · 304

	A	B	C	D
CPD1096	106	30	96	10
CPD1128	138	30	128	10

Cabinet Pull Handle

SSS





10 YEAR · 304

	A	B	C	D
CPM1096	106	30	96	10
CPM1128	138	30	128	10

EUROSPEC

Stainless Steel External Door Furniture



- **Architectural range of external door furniture**
- **10-year mechanical guarantee**
- **Fire door rated**
- **Classic designs to suit any project**



SWE1000
Door Viewer Grade 304
Suits doors 35-55mm thick

New


BSS MB SPVD SSS

New



Lens 14 Dia.
Angle of Vision
180°

FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
304





SWE1010
Door Viewer Grade 316
Suits doors 35-60mm thick



BSS SSS


Lens 22 Dia.
Angle of Vision
200°

SWE1011
Extension sleeve suits
doors up to 100mm thick



SSS

BS EN 1670
FD30/60 TIMBER
FD120/240 STEEL
10 YEAR
316




SWE1030
Bell Push Grade 316

BSS SSS



BS EN 1670
10 YEAR
316



SWE1020
Door Knocker Grade 316

SSS

BS EN 1670


FD30/60 TIMBER

FD120/240 STEEL

10 YEAR

316





SWE1040
Centre Door Knob Grade 316

SSS

BS EN 1670


FD30/60 TIMBER

FD120/240 STEEL

10 YEAR

316





SWE1050
Sleeved Letter Plate
Suits doors up to 70mm

SSS


BS EN 1670

FD30 TIMBER

10 YEAR

304






SWE1036D
Grade 316 Narrowstyle Letterplate

SSS

10 YEAR

316





EUROSPEC

Aluminium Collection




- **Covers all your product needs for social housing and student accomodation projects**
- **Fire door rated**
- **10-year mechanical guarantee**





LRS4000
Safety Lever on Sprung Rose
Bar 22mm Diameter

SAA










LRS4001
Bar 19mm Diameter

PAD4150
PAD4300
Pull Handle

SAA






	A	B	C	D
PAD4150	169	64	150	19
PAD4300	319	64	300	19

FIX4019
Rose Kit

SAA






EST4005
Thumbturn & Release
With indicator

SAA






ESE4005
Euro Escutcheon

SAA







SAA **SEX4011** Male



SAA **SEX4012** Female



SAA **SEX4015** Fire Door Keep Locked




SAA **SEX4016** Fire Door Keep Shut



SAA **SEX4017** Disabled




SAA **SEX4018** Unisex



FPP43500
FPP45000
FPP46500
Plain Finger Plate

SAA






	A	B	C
FPP43500	300	75	2
FPP45000	500	75	2
FPP46500	650	75	2


FPP43002
FPP43502
Push Finger Plate

SAA






	A	B	C
FPP43002	300	75	2
FPP43502	350	75	2



FPH4100
Flush Pull


SAA





DSF4032
Floor Mounted Door Stop


SAA





DSW6001
Wall Mounted Door Stop

PAA





SAA21
Contract Lever on Lock Backplate

SAA

SAA21Y
Euro

SAA21WC
Bathroom

SAA22
Short Plate Latch

10 YEAR



	A	B	C	D	E	F
SAA21	154	57	40	104	55	10
SAA21Y	154	47.5	40	104	55	10
SAA21WC	154	57	40	104	55	10
SAA22	103	-	40	104	55	10


SAA60
Mial Lever on Lock Backplate

SAA

SAA60WC
Bathroom

SAA61
Short Plate Latch

10 YEAR




	A	B	C	D	E	F
SAA60	152	57	38	92	52	10
SAA60WC	152	57	38	92	52	10
SAA61	102	-	38	92	52	10

SAA28
Hat and Coat Hook

SAA

10 YEAR





LRS9000
Safety Lever on Round Rose
Bar 22nm Diameter


SAA

BS EN 1670


FD30/60 TIMBER

FD120/240 STEEL

10 YEAR



LRS9001
Bar 19mm Diameter






PAD9150
PAD9225
PAD9300
PFD9150
PFD9300
PFD9450

Pull Handle

SAA


FD30/60 TIMBER

10 YEAR



	A	B	C	D	E
PAD9150	64	19	25	150	175
PAD9225	64	19	25	225	250
PAD9300	64	19	25	300	325
PFD9150	67	22	25	150	175
PFD9300	67	22	25	300	322
PFD9450	67	22	25	450	475







ECP9000
Euro Cylinder Pull

SAA

10 YEAR





FIX9005
Rose Kit

SAA

10 YEAR


SAA



ESE9005
Euro Escutcheon

ESP9005
Lock Escutcheon

ESU9005
Oval Escutcheon




FD30/60 TIMBER

10 YEAR

EST9005
Thumbturn & Release
With Indicator

SAA







FD30/60 TIMBER

10 YEAR

EST9025
Thumbturn & Release
With Indicator

SAA





BS 8300


FD30/60 TIMBER

10 YEAR

EST9625
Handle Set

GAA PAA SAA






BS 8300

10 YEAR



DSF9030
Floor Mounted Door Stop


SAA





DSF9032
Floor Mounted Door Stop


SAA





HCH9012
Flat Coat Hook


SAA






HCH9013
Flat Hat and Coat Hook

SAA



LIP9001
Safety Lever on Inner Plate





			A	B	C	D	E	F	G
	**PLB9001**	Latch Plate	143	152	N/A	38	66	19	8
	**PLP9001**	Lock Plate	143	152	57	38	66	19	8
	**PLE9001**	Euro Plate - 47.5 c/c	143	152	47.5	38	66	19	8
	**PLT9001**	Bathroom Plate - 57 c/c & Turn	143	152	57	38	66	19	8
	**PLU9001**	Oval Plate - 48.5 c/c	143	152	48.5	38	66	19	8

We've made it as easy as possible to find the information you need. Whether its technical advice, planning for a project or downloading our latest catalogues.

You'll find everything you need in our knowledge centre.



SCAN ME

Have you got a login?

As always if you need to speak to a customer service advisor you can contact us on: 01228 511030

EUROSPEC

High Specification Hinges



- **Comprehensive selection of hinges for all applications**
- **Fully tested and certified**



Grade 11, 13 and 14

- 25-year mechanical guarantee
- Entire range is UKCA, CE and Certifire approved

Grade 7

- 10-year mechanical guarantee

CEAM Hinges

- Full range of concealed adjustable hinges
- Routing jigs and templates available online or on request to aid installation



CEAM Hinges

Architectural concealed hinges elegantly designed and finished

Please see pages 304 - 309

CI001130BRS

Guide to BS EN 1935:2002

EUROSPEC

BS EN 1935:2002 UK designated version of the harmonised European standard entitled “Building Hardware. Single-axis hinges. Requirements and test methods.” Specifying requirements for single-axis hinges for windows and doors opening in one direction only, whose rotation axis is no more than 30mm from the face of the sash or door. It covers both fixed pin and lift-off hinges, and contains additional requirements for hinges intended for use on fire doors.

Durability
3 Grades are identified according to the number of test cycles achieved:
Grade 3: 10,000 Cycles
For light duty hinges on windows only
Grade 4: 25,000 Cycles
For light duty hinges on windows and doors
Grade 7: 200,000 Cycles
For medium, heavy and severe duty hinges on doors only

Hinge Grade
14 grades are identified and summarised below:

Hinge Grade	Usage	Test Cycles	Door Mass
1	Window	10,000	10kg
2	Window	10,000	20kg
3	Window/Door	25,000	20kg
4	Door	200,000	20kg
5	Window	10,000	40kg
6	Window/Door	25,000	40kg
7	Door	200,000	40kg
8	Window	10,000	60kg
9	Window/Door	25,000	60kg
10	Door	200,000	60kg
11	Door	200,000	80kg
12	Door	200,000	100kg
13	Door	200,000	120kg
14	Door	200,000	160kg

Category of Use
4 Grades are identified:
Grade 1: Light Duty
Grade 2: Medium Duty
Grade 3: Heavy Duty
Grade 4: Severe Duty

Corrosion Resistance
5 Grades are identified:
Grade 0: No defined corrosion resistance
Grade 1: Mild resistance
Grade 2: Moderate resistance
Grade 3: High resistance
Grade 4: Very high resistance

4	7	6	1	1	4	0	14

Test Door Mass
7 Grades are identified:
Grade 0: 10kg
Grade 1: 20kg
Grade 2: 40kg
Grade 3: 60kg
Grade 4: 80kg
Grade 5: 100kg
Grade 6: 120kg
Grade 7: 160kg

Fire Suitability
2 Grades are identified:
Grade 0: Not suitable for fire/smoke resistant door assemblies
Grade 1: Suitable for fire/smoke resistant door assemblies

Safety
Grade 1: Safe to use

Security
2 Grades are identified:
Grade 0: Not suitable for use on burglar resistant door assemblies
Grade 1: Suitable for applications requiring a degree of security

Hinge Spacing and Selection

Selecting a hinge by door weight alone is bad practice. In order to ensure the correct hinge is specified, you need to understand the intended use of the building and calculate the overall door mass accordingly. The overall door mass includes, door weight, allowances for frequency of use, excess width side loading, the inclusion of door closers and all other door hardware. All maximum loading weights are based on fitting 3 hinges per door. Follow the simple code of practice to ensure correct hinge specification - if in doubt, seek assistance from the manufacturer.

CALCULATE DOOR WEIGHT TO ACTUAL DOOR MASS			
ACTUAL DOOR WEIGHT	Doors with excessive width, refer to side loading calculation table	+?%	**= ACTUAL DOOR MASS**
	Door closer	+20%	
	Door closer (incorporating back check or hold open facility)	+75%	
	Light usage application Extra heavy usage application	-10% +10%	

SIDE LOADING CALCULATION TABLE				
CALCULATE EXCESSIVE DOOR WIDTH	**Door Height (mm)**	**Door Width (mm)**	**Factor**	**Increase In Door Mass Required**
The actual door mass will require increasing by the factor calculated between the door height and the door width. This is calculated by dividing the door height by the door width. If the factor is less than 2, the door mass is required to be increased by the value between the factor and 2, expressed as a percentage. Percentage examples are listed in the table to the right.	2000	1000	2.00	0%
	2000	1050	1.90	+10%
	2000	1100	1.82	+18%
	2000	1150	1.74	+26%
	2000	1200	1.67	+33%
	2000	1250	1.60	+40%
	2000	1300	1.54	+46%

HINGE SPACING : CODE OF PRACTICE




FIGURE 1:
The standard practice and most common, providing maximum resistance to 'warping', hinges are spaced as shown.

FIGURE 2:
Where overhead door closers are used, additional lateral forces are applied to the top hinge. Whilst this is taken into consideration within the design calculation, to reduce the lateral force to the top hinge, it is recommended that the hinges are spaced as shown.

FIGURE 3:
Where the door width is more than 1000mm or the door mass exceeds that allowed for 3 hinges, additional hinges can be fitted. Equal spacing shown provides maximum resistance to 'warping', based on 4 hinges, the design door mass can be calculated as per 'side load calculation' table before determining the suitable grade of hinge.


FIGURE 4: Where overhead door closers are used within the example illustrated in Figure 3, due to the increased lateral forces created by the closer on the top hinge, it is recommended that the hinges are spaced as shown.




HIN1433P/13BSS

H3N1207/14
Grade 14 Concealed Bearing
Triple Knuckle Hinge

H3N1207/14/R
Radius





SSS

160Kg
Max Loading

INT1433
Intumescent Hinge Pack


APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0095							
4	7	7	1	1	4	0	14

H2N1121/14
Grade 14 Thrust Bearing Hinge
Non Removable Pin

H2N1121/14/R
Radius






SSS


160Kg
Max Loading

INT1443
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0095							
4	7	7	1	1	4	0	14





CEN1433/13
Grade 13 CE Bearing Hinge
Grade 316

BSS PVD SSS

***CEN1443/13**

BSS SSS

CEN1433/13/R
***CEN1443/13/R**
Radius

SSS

120Kg
Max Loading


INT1433
INT1443
Intumescent Hinge Pack


*Not suitable for use on FD30

	A	B	C	D	E
CEN1433/13	102	76	3	14	2.75
CEN1443/13	102	102	3	14	2.75

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13





HIN1433/13
Grade 13 CE Bearing Hinge

BSS EB PVD SSS

HIN1433/R
Radius


BSS PVD SSS

120Kg
Max Loading

INT1433
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13



HIN1433P/13
Grade 13 Plain Ball Bearing Hinge
HIN1433P/13/R
Radius

AB BSS MB MBRZ SB SSS

HIN1433P/13/3P
3 Pack

BSS SSS


***HIN1443P/13**

SSS

120Kg
Max Loading

INT1433
INT1443
Intumescent Hinge Pack

*Not suitable for use on FD30



	A	B	C	D	E
HIN1433P/13	102	76	3	14	2.75
HIN1443P/13	102	102	3	14	2.75



HIN1433P/13AB
Antique Brass



HIN1433P/13MB
Matt Black



HIN433P/13MBRZ
Matt Bronze



HIN1433P/13BSS
Bright Stainless Steel




HIN1433P/13SB
Satin Brass




HIN1433P/13SSS
Satin Stainless Steel

APPROVED PRODUCT
CF5776

BS EN 1935:2002							
2812 - CPR - AC5103							
4	7	6	1	1	4	0	13





HIN1433SEC/13
Grade 13 Ball Bearing
Security Hinge

HIN1433SEC/R
Radius


SSS


120Kg
Max Loading

INT1433
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0170							
4	7	6	1	1	4	1	13





HIN1433HT/13
Grade 13 Ball Bearing
Hospital Tip Hinge
TS001 November 2005

HIN1433HT/13/R
Radius

SSS


120Kg
Max Loading


INT1433
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13

H2N1102/13
Grade 13 Thrust Bearing Hinge
Non Removable Pin





SSS


120Kg
Max Loading


INT1102
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13

H2N1103/13
Grade 13 Thrust Bearing Hinge
Non Removable Pin





SSS

120Kg
Max Loading

INT1433
Intumescent Hinge Pack

APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13


HIN14325/13/R
Grade 13 Ball Bearing Hinge
Radius - 3 Pack


HIN14325/13
Square - 3 Pack

BSS SSS

120Kg
Max Loading

INT1433
Intumescent Hinge Pack





APPROVED PRODUCT
CF339


BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13


SCH14325/13
Grade 13 Slim Knuckle Hinge
10mm Dia. Narrow Knuckle

BSS SSS

120Kg
Max Loading

INT1433
Intumescent Hinge Pack





APPROVED PRODUCT
CF339


BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13


H2N1424
H2N1435
H2N1446
Grade 13 Parliament Hinge
Non Removable Pin

BSS PVD SSS

120Kg
Max Loading

INT1433
Intumescent Hinge Pack





	A	B	C	D	E
H2N1424	102	102	3	14.5	2.75
H2N1435	102	127	3	14.5	2.75
H2N1446	102	152	3	14.5	2.75

APPROVED PRODUCT
CF339


BS EN 1935:2002							
2812 - CPR - AC0035							
4	7	6	1	1	4	0	13


HIN14322/11
Grade 11 CE Bearing Hinge

BSS SSS

80Kg
Max Loading

INT1433
Intumescent Hinge Pack






BS EN 1935:2002							
2812 - CPR - AC0096							
3	7	4	1	1	4	0	11


HIN14252/11
Grade 11 CE Bearing Hinge

BSS SSS

80Kg
Max Loading

INT1433
Intumescent Hinge Pack





BS EN 1935:2002							
2812 - CPR - AC0096							
3	7	4	1	1	4	0	11


HIN13225/11R
Grade 11 CE Bearing Hinge
Radius


HIN13225/11
Square

BSS SSS

80Kg
Max Loading

INT1433
Intumescent Hinge Pack






APPROVED PRODUCT
CF339

BS EN 1935:2002							
2812 - CPR - AC0096							
3	7	4	1	1	4	0	11



HIN1322/7SSS
Satin Stainless Steel



HIN1322/7
Grade 7 Bearing Hinge

BSS SSS PVD

40Kg
Max Loading


INT1433
Intumescent Hinge Pack

BS EN 1935:2002							
2812 - CPR - AC0128							
2	7	6	1	1	4	0	7



HIN1322/7MB
Matt Black

New



HIN1322/7
Grade 7 Bearing Hinge


New AB New CP New MB New SN

40Kg
Max Loading

INT1433
Intumescent Hinge Pack

BS EN 1935:2002							
2812 - CPR - AC5132							
2	7	2	1	1	0	0	7

CONCEALED3MM



The Concealed 3mm range is a combination of style and functionality. The clean lines and flawless finishes are discreet and elegant to complement the most prestigious of interior projects. Available in matt black, antique brass, matt white and satin brass.


HIN3424
Solid Brass Parliament Hinge

PC SC

HIN2424

PB






10 YEAR

HIW13215
Washered Hinge

BSS SSS






10 YEAR

HIP1332
Plain Hinge

BSS SSS






10 YEAR

RBH1433LEF
Rising Butt Hinge - Left Hand

RBH1433RIG
Rising Butt Hinge - Right Hand

SSS







10 YEAR

HIN1322
Ball Bearing Hinge

CP SNP







10 YEAR

AHB1000G316
Security Hinge Bolt Set
Grade 316

SSS





FD30/60 TIMBER 10 YEAR 316


H2N1900
Standard Thrust Bearing
Pivot Set

H2N1900/R
Radius

SSS

80Kg
Max Loading







10 YEAR

H2N1950
Emergency Release Door Stop

SSS





10 YEAR

EUROSPEC

CEAM Hinges

MADE IN
ITALY



SCAN ME

Pop into the CEAM Italia Factory

History, tradition, industrialised craftmanship
Have a glance at the production

- **Architectural concealed hinges elegantly designed and finished**
- **Hinges tested to 200,000 cycles**
- **Manufactured in 3 different materials: zinc-alloy, stainless steel and fiberglass, all Ceam hinges are symmetrical and engineered to solve the new challenges of modern buildings**
- **Fluid 180° opening and adjustable in 3 dimensions: height, width and depth**



CI000123BRS

Ceam Finish Guide

CEAM FINISH		CARLISLE BRASS FINISH
NIK Nichelato	=	PN Polished Nickel
VNO Verniciato Nero Opaco	=	MB Matt Black
VCH Champagne	=	SNP Satin Nickel
BRO Bronzato	=	MBRZ Matt Bronze
BRS Bronzo Spazzolato	=	AB Antique Brass
OTT Ottonato	=	PB Polished Brass
OSG Ottonato Satinado Galvanise	=	SB Satin Brass
ARG Verniciato Argento	=	SV Silver
NNE Nichel Nero	=	BN Black Nickel

CARE AND MAINTENANCE OF CONCEALED HINGES

When installed as per recommended tolerances and fitting guidelines, Ceam concealed hinges are relatively maintenance free, however, it is advisable to lubricate the hinges, using a dry PTFE spray when required (once every two years as minimum) and adjust as necessary.

These concealed hinges are suitable for interior installations. For exterior fitting please contact sales office for information on SS G304 hinge (1080 Inox).

These concealed Hinges are not to be used with door closers other than: Eurospec DCC2024CF concealed closer and DCC2024SM cam action surface mounted closers.


PLEASE NOTE:
Ceam products are not supplied with screws.

Drilling Template


How to install CEAM hinges

SCAN ME


Take a look at the video for further instructions



UPSETREG2



UPSETREG1




AVAILABLE ACCESSORIES

Code	Name	Inner box qty
DIMECON2ART1130	1129 and 1130 3D concealed hinge fitting jig	1 set
DIMECON2ART1131	1131 - 1230 3D concealed hinge fitting jig	1 set
CIOOIMA01130	Insert set for 3D concealed hinge fitting jig to fit 1130 hinges	1 pair
CIOODIMA01131	Insert set for 3D concealed hinge fitting jig to fit 1131 hinges	1 pair
CIOODIMA01230	Insert set for 3D concealed hinge fitting jig to fit 1230 hinges	1 pair
CIOODIMA01129	Insert set for 3D concealed hinge fitting jig to fit 1129 hinges	1 pair
UPSETREG1	Tool set for hinge adjustment 1129-1130	1 set
UPSETREG2	Tool set for hinge adjustment 1230-1131	1 set

CONCEALED HINGE SELECTOR CHART

Code	Dimensions	Mortice Depth	Min Door Width	Max Distance From Door Edge	Range of reversibility when fitted in centre of door	Load Capacity 2 Hinges	Load Capacity 3 Hinges	Suitable for fire doors
1129	100x22x18mm	18mm	28mm	4.5mm	28-31mm	25kg	40kg	N
1130	130x24x21mm	21mm	30mm	4.5mm	30-33mm	40kg	60kg	Y
1131	160x32x29mm	29mm	38mm	7mm	38-46mm	80kg	120kg	Y
1230	130x30x21mm	21mm	35mm	7.5mm	35-45mm	50kg	70kg	Y



Cabinet hardware CEAM 3D adjustable concealed hinges available


page 190

CI000929ARG


MADE IN ITALY

CI001129
3D Adjustable Concealed Hinge

BRO NIK OTT VCH



25Kg
Max Loading 2 Hinges
40Kg
Max Loading 3 Hinges



10 YEAR


CI001130
3D Adjustable Concealed Hinge

BRO BRS NIK NNE OSG OTT VCH VNO




40Kg
Max Loading 2 Hinges
60Kg
Max Loading 3 Hinges

ES1130
Intumescent Hinge Pack



FD30 TIMBER 10 YEAR



Wider range available as special order

Contact our sales team for more information 01228 511030

CI001131
3D Adjustable Concealed Hinge


BRO BRS NIK NNE OSG OTT VCH VNO




80Kg
Max Loading 2 Hinges
120Kg
Max Loading 3 Hinges

ES1131
Intumescent Hinge Pack

Also fire rated E120 timber





FD30/60/120 TIMBER
10 YEAR


CI001230
3D Adjustable Concealed Hinge


BRO BRS NIK NNE OSG VCH VNO



50Kg
Max Loading 2 Hinges
70Kg
Max Loading 3 Hinges

ES1230
Intumescent Hinge Pack





FD30 TIMBER
10 YEAR

EUROSPEC

Door Controls



- **Comprehensive, fully tested range of door controls**
- **Designed to ensure fire doors shut safely every time**
- **Product offering includes variable and fixed power door controls, as well as the accessories and cover packs**



CDG025MB/PACK

Overhead Door Controls

- UKCA & CE marked and certified to BS EN 1154
- Intumescent packs available
- Adjustable closing speed and latching
- Certifire approved to CF5400

Electromagnetic Door Controls

- UKCA & CE marked and certified to BS EN 1154 and BS EN 1155
- Meets the requirements of BS 8300 - 2:2018
- Fire door rated for use on 60 minute fire doors
- 2-year electrical guarantee and 10-year mechanical guarantee

Floor Spring

- UKCA & CE marked and fire door rated to FD30
- Double action product with a maximum load capacity of 105kg
- Select the correct intumescent pack to ensure the product adheres to the latest fire regulations

Jamb Mounted Door Control

- Suitable for use on fire doors
- 2-year mechanical guarantee

Guide to BS EN 1154:1996

BS EN 1154:1996 UK designated version of the harmonised European standard entitled “Building hardware. Controlled door closing devices. Requirements and test methods.” The standard details the product types, classification by use, test cycles, door mass, corrosion resistance, and product performance requirements.

Digit 2 - Durability

Grade 8: 500,000 cycles.

The door closer shall be able to close a test door from opening angles of 90° for as minimum of 500,000 test cycles.

Double action door closers shall be able to close a test door from opening angles of 90° for a minimum of 250,000 test cycles in each direction.

Digit 1 - Category of Use

Grade 3: For closing doors from at least 105° open.

Grade 4: For closing doors from 180° open.

Digit 4 – Suitability for use on fire doors

Grade 0: not approved for use on fire/smoke door assemblies.
Grade 1: suitable for use on fire/smoke door assemblies.
Full requirement details can be found in Annex A.

Digit 5 - Safety

Grade 1: All door closers are required to satisfy the essential requirement of safety in use.

Digit 6 - Corrosion Resistance

Grade 0: No defined corrosion resistance.
Grade 1: 24 Hours (Mild resistance).
Grade 2: 48 Hours (Moderate resistance).
Grade 3: 96 Hours (High resistance).
Grade 4: 240 Hours (Very high resistance).

4	8	5 2	1	1	3

Digit 3 - Test Door Mass

Door Closer power size	Recommended door leaf width	Test door mass	Closing moment				Opening moment between 0* and 60*	Door efficiency between 0* and 4*
			between 0* and 42*		between 88* and 92*	any other angle of opening		
	Mm max	Kg	Nm min	Nm max	Nm min	Nm min	Nm max	% min
1	< 750	20	9	<13	3	2	26	50
2	850	40	13	<18	4	3	36	50
3	950	60	18	<26	6	4	47	55
4	1100	80	26	<37	9	6	62	60
5	1250	100	37	<54	12	8	83	65
6	1400	120	54	<87	18	11	134	65
7	1600	160	87	<140	29	18	215	65



DCC2024CF/SV
Concealed Slim Door Closer
Variable Power Size 2-4

SV

DCC2024CF/PNP/FCP
Closer c/w Cover Pack

PNP

DCC2024CF/SNP/FCP
Closer c/w Cover Pack


SNP


INT2024
Intumescent Pack for FD30

INT2024/60
Intumescent Pack for FD60

Suitable for left and right hand application

Suitable for doors up to 80kg and/or 1100mm wide





The DCC2024CF concealed door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 760mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 600mm tested in laboratory conditions. Therefore the suitable width of door for the DCC2024CF concealed door closer fixed in the above fixing position is 760mm.

APPROVED PRODUCT
CF5087

EN1154:1996 + A1:2002 + AC:2006					
2812 - CPR - AD5036					
3	8	4 2	1	1	3


DCC2024SM/SV
Surface Mounted Slim H.E Door Closer
Variable Power Size 2-4


SV



Suitable for left and right hand application

Suitable for doors up to 80kg and/or 1100mm wide





The DCC2024SM surface mounted slim H.E door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 747mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 542mm tested in laboratory conditions. Therefore the suitable width of door for the DCC2024SM surface mounted slim H.E door closer fixed in the above fixing position is 747mm.

APPROVED PRODUCT
CF5087

EN1154:1996 + A1:2002 + AC:2006					
2812 - CPR - AD5036					
3	8	4 2	1	1	3





DCS2026BC/SV
Heavy Duty Overhead Door Closer
Variable Power Size 2-6

SV


Suitable for left and right hand application


Suitable for fire door use

Suitable for doors up to 120kg and/or 1400mm wide

Supplied with backcheck as standard

Simple power size adjustment with supplied key





The DCS2026BC overhead door closer has an opening force (0-30°) less than 33N when fitted to a minimum width door of 1030mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 926mm tested in laboratory conditions. Therefore the suitable width of door for the DCS2026BC overhead door closer fixed in the above fixing position is 1030mm. (Power trace taken at 0 cycles).

EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD0200						
Fig 1	4	8	6 2	1	1	3
Fig 6	3	8	5 4	1	1	3

APPROVED PRODUCT
CF646




CDG025/PNP
CDG025/SNP
CDG025/SV
Full Cover Overhead Door Closer
Variable Power Size 2-5

PNP SNP SV

Suitable for left and right hand application


Suitable for fire door use


Suitable for doors up to 100kg and/or 1250mm wide




CDG025MB/PACK
CDG025SB/PACK
Full Cover Accessory Pack To Suit (Arm, Bracket, Cover & Fixings)

New MB New SB







The 025 overhead door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 926mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 838mm tested in laboratory conditions. Therefore the suitable width of door for the CDG025 overhead door closer fixed in the above fixing position is 926mm.

EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD5397						
Fig 1	3	8	5 2	1	1	3
Fig 6	3	8	4 2	1	1	3

APPROVED PRODUCT
CF5400



DCS2024BC/SV
Medium Frequency Overhead Door Closer
Variable Power Size 2-4

SV

DCS2024BC/PNP/FCP
Closer c/w Cover Pack

PNP

DCS2024BC/SNP/FCP
Closer c/w Cover Pack


SNP


Suitable for left and right hand application

Suitable for fire door use

Suitable for doors up to 80kg and/or 1100mm wide

Supplied with backcheck as standard





The DCS2024BC overhead door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 926mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 838mm tested in laboratory conditions. Therefore the suitable width of door for the DCS2024BC overhead door closer fixed in the above fixing position is 926mm.

EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD0198						
Fig 1	4	8	4 2	1	1	3
Fig 6	4	8	4 2	1	1	3

APPROVED PRODUCT
CF646





DCT2024/SV
Medium Frequency Overhead Door Closer
Variable Power Size 2-4

SV

DCT2024BC/SV
Back Check

SV

DCT2024PNP/FCP
DCT2024BC/PNP/FCP
Closer c/w Cover Pack

PNP

DCT2024SNP/FCP
DCT2024BC/SNP/FCP
Closer c/w Cover Pack


SNP


Suitable for left and right hand application

Suitable for fire door use
Suitable for fully insulated steel doorsets only

Suitable for doors up to 80kg and/or 1100mm wide

Back check not covered by CE or Certifire





The DCT2024 & DCT2024BC overhead door closer has an opening force (0-30°) less than 31N when fitted to a minimum width door of 948mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 838mm tested in laboratory conditions. Therefore the suitable width of door for the DCT2024 & DCT2024BC overhead door closer fixed in the above fixing position is 948mm.

EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD0197						
Fig 1	4	8	4 2	1	1	3
Fig 6	4	8	3	1	1	3

APPROVED PRODUCT
CF646



DCF2003SV
General Overhead Door Closer
Fixed Power Size 3

SV

DCF2003PNP/FCP
Closer c/w Cover Pack

PNP


DCF2003SNP/FCP
Closer c/w Cover Pack


SNP

Suitable for left and right hand application

Suitable for fire door use
Suitable for fully insulated steel doorsets only

Suitable for doors up to 60kg and/or 950mm wide





The DCF2003 overhead door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 926mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 838mm tested in laboratory conditions. Therefore the suitable width of door for the DCF2003 overhead door closer fixed in the above fixing position is 926mm.

EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD0196						
Fig 1	4	8	3	1	1	3
Fig 6	4	8	3	1	1	3

APPROVED PRODUCT
CF646





CDG420
Overhead Door Closer
Template Adjustable Size 2-4

PNP SNP SV

Suitable for inward and outward opening doors

Suitable for timber fire doors up to 120 minutes


Suitable for doors up to 80kg and/or 1100mm wide (Fig 1)

Suitable for doors up to 60kg and/or 950mm wide (Fig 6 & Fig 61)

Certifire approved in installation applications Fig 1, Fig 6 & Fig 61

Backcheck (Fig 1)

CE Marked




New

CDG420MB/PACK
CDG420SB/PACK
Full Cover Accessory Pack To Suit
(Arm, Bracket, Cover & Fixings)

New MB New SB



New



EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD5462						
Fig 1	3	8	4 2	1	1	3
Fig 6	3	8	3	1	1	3
Fig 61	3	8	3 2	1	1	3

APPROVED PRODUCT
CF5400



CDG003/PNP
CDG003/SNP
Plated Full Cover Overhead Door Closer
Fixed Power Size 3

PNP SNP

CDG003
Overhead Door Closer
Fixed Power Size 3

SV

Suitable for left and right hand application


Suitable for fire door use

Suitable for doors up to 60kg and/or 950mm wide




CDG003MB/PACK
Full Cover Accessory Pack To Suit (Arm, Bracket, Cover & Fixings)

New
MB



New



EN1154:1996 + A1:2002 + AC:2006						
2812 - CPR - AD5232						
Fig 1	4	8	3	1	1	3
Fig 6	3	8	3	1	1	3

APPROVED PRODUCT
CF5400

Guide to BS EN 1155:1997

BS EN 1155:1997 UK designated version of the harmonised European standard entitled “Building hardware. Electrically Powered Hold Open Devices for swing doors. Requirements and test methods.” The standard details the product types, classification by use, test cycles, door mass, corrosion resistance, and product performance requirements.

Door controls with electrical components, such as electrically powered hold open and free swing door closers, shall also conform to the requirements of both BE EN 1155 and BS EN 1154.

Digit 2 - Durability

Grade 5: 50,000 test cycles for all electrically powered hold-open devices (the electrically powered hold-open device shall be able to release a test door from a hold-open angle of 90°, a minimum of 25,000 times when the electrical supply is removed, and a further 25,000 times when mechanically pulled from the hold-open position).

Grade 8: 500,000 test cycles for all electrically powered hold-open and free swing door closers, and devices that contain operating arms (full durability criteria can be found in cl 7.2.8.3 of the European Standard).

Digit 1 - Category of Use

Grade 3: For doors for use by the public, and others, with little incentive to take care, i.e. where there is some chance of misuse.

Note: For electrically powered hold-open and free swing door closers, where the opening angle is limited by the device, provision of a separate door stop should be considered.

Digit 4 – Suitability for use on fire doors

Grade 1: suitable for use on fire/smoke door assemblies.

The electrically powered hold-open device, representative of its type, shall have been included in a successful door test to prEN1634-1.

The test shall have been carried out on a full sized door assembly.

Digit 5 - Safety

Grade 1: All electrically powered hold-open devices are required to satisfy the essential requirement of safety in use.

Digit 6 - Corrosion Resistance

Grade 0: No defined corrosion resistance.
Grade 1: 24 Hours (Mild resistance).
Grade 2: 48 Hours (Moderate resistance).
Grade 3: 96 Hours (High resistance).
Grade 4: 240 Hours (Very high resistance).

4	8	5 2	1	1	3

Digit 3 - Test Door Mass

Hold-open power size	Recommended door leaf width Mn max	Test door mass Kg	Overload test drop weight Kg	Test door friction Nm max
3	950	60	15	0,3
4	1100	80	18	0,4
5	1250	100	21	0,5
6	1400	120	27	0,6
7	1600	160	36	0,8

DCCEM3024/SV
Electromagnetic HO/FS Door Closer
Variable Power Size 2-4



SV


Ⓢ


Suitable for left and right hand application

Suitable for fire door use

Suitable for doors up to 80kg and/or 1100mm wide

Power adjustment by spring





The DCCEM3024 surface mounted H.E door closer has an opening force (0-30°) less than 30N when fitted to a minimum width door of 781mm, and has an opening force (30-60°) less than 22.5N when fitted to a minimum width door of 573mm tested in laboratory conditions. Therefore the suitable width of door for the DCCEM3024 surface mounted H.E door closer fixed in the above fixing position is 781mm.

1121 - CPD - AD0191	08					
EN1154:1996 + A1:2002 + AC:2006	3	8	4/2	1	1	3
EN1155:1997 + A1:2002 + AC:2006	3	8	4/3	1	1	3



DCEM2004/SS
DCEM2004/SV
Electromagnetic HO/FS Door Closer
Fixed Power Size 4

SSS SV


Ⓢ Ⓢ

Suitable for left and right hand application

Suitable for fire door use

Suitable for doors up to 80kg and/or 1100mm wide

Hold open free swing arm included




1121 - CPD - AE5001	12					
EN1154:1996 + A1:2002 + AC:2006	3	8	4	1	1	3
EN1155:1997 + A1:2002 + AC:2006	3	8	4	1	1	3

DEM100F/SV
Flush Mounted Wall Magnet

SV

Ⓢ






DEM100S/SV
Surface Mounted Wall Magnet

SV

Ⓢ









DCFS150/EN3
Double Action Floor Spring 105kg

SSS

Suitable for left and right hand application

Suitable for doors up to 105kg and/or 950mm wide





EN1154:1996 + A1:2002 + AC:2006					
2812 - CPR - AD5037					
3	8	3	1	1	3




CDC85/R
Adjustable Jamb Mounted Door Closer

SC

Suitable for left and right hand application

Suitable for doors up to 80kg and/or 940mm wide








AA45
Concealed Chain Spring Door Closer

CP EB SC

AA45R
Radius

Suitable for left and right hand application

Matching Intumescent INTAA45 on page 413





EUROSPEC

Locks and Latches



- **Large selection of contract and architectural locks**
- **Extensive range of flat, tubular and upright latches**
- **Manufactured to the highest standards, delivering reliable, durable products**



Easi-T British Standard Locks

- 5 lever locks and cylinder locks that will satisfy the security requirement for domestic insurance policies
- Suitable for use on 30 and 60 minute fire doors and fully certifre accredited
- 25-year mechanical guarantee
- Fully tested and certified to BS EN 3621 and BS EN 8621
- Approved by Secured by Design for attack resistance
- UKCA & CE certified and suitable for all industrial, commercial and residential projects

Easi-T Architectural and Contract DIN Locks

- Tested to BS EN 12209 standards
- Modular in design; both ranges allow for simple and efficient installation
- Suitable for use on fire doors from 30 minutes up to 4 hours with full certifire accreditation
- Architectural 10-year mechanical guarantee
- 5-year mechanical guarantee on contract
- UKCA & CE certified and suitable for commercial projects
- 72-78mm lock centres, compliant with BS 8300

Easi-T Architectural UK Locks

- “Heavy duty” architectural range of UK size mortice locks with standard centres
- Fully certifire accredited
- Suitable for use on 30 and 60 minute fire doors
- 10-year mechanical guarantee
- UKCA & CE certified

Easi-T Universal Replacement Locks

- Medium duty range of UK size mortice locks to allow replacement of traditional UK size locks
- Fully certifire accredited, suitable for use on 30 and 60 minute fire doors
- 10-year mechanical guarantee
- UKCA & CE certified

Easi-T Residential Locks

- Fully certifire accredited
- Suitable for use on 30 and 60 minute fire doors
- 10-year mechanical guarantee
- UKCA & CE certified
- Tested to BS EN 12209

Latches

- Light, medium and heavy duty mortice latches and heavy duty deadbolts
- Including heavy duty latches with backsets up to 5 inches, suitable for our Carlisle Brass door knobs
- Fire door rated and performance tested products
- 5-10 year mechanical guarantees
- Includes products with Certifire accreditation
- Includes UKCA & CE products

Guide to BS EN 12209:2003

EUROSPEC

BS EN 12209:2003 UK designated version of the harmonised European standard entitled “Building hardware. Mechanically operated locks, latches and locking plates. Requirements and test methods.” The standard covers all types of mechanical lock or latch including associated or separately supplied locking plates intended for use on pedestrian doors in buildings. It does not however apply to electro-mechanically operated locks and strike plates, multi-point locks or window locks.

Digit 6 - Corrosion Resistance

Corrosion Resistance (NSS)	Temperature Resistance	
	No Requirement	-20deg C to +80deg C
No Requirement	Grade 0	-
24 Hours	Grade A	-
48 Hours	Grade B	Grade E
96 Hours	Grade C	Grade F

Digit 7 - Security and Drill Resistance

Security Level	No Drilling Requirement	Drilling Requirement
Minimum	Grade 1	-
Low	Grade 2	-
Medium	Grade 3	-
High	Grade 4	Grade 5
Very High	Grade 6	Grade 7

Digit 4 - Suitability for use on Fire Doors
Grade 0: Not approved for use on fire/smoke resisting door assemblies.
Grade 1: Suitable for use on fire/smoke resisting door assemblies

Digit 3 - Door Mass and Closing Force

Maximum Closing Force	Door Mass		
	Up to 100 kg	Up to 200 kg	Above 200 kg
15 N	Grade 7	Grade 8	Grade 9
25 N	Grade 4	Grade 5	Grade 6

Digit 9 - Type of Key and Locking
Grade 0: Not applicable
Grade A: Cylinder lock or latch; manually locking
Grade B: Cylinder lock or latch; automatically locking
Grade C: Cylinder lock or latch; manually locking with intermediate locking
Grade D: Lever lock or latch; manually locking
Grade E: Lever lock or latch; automatically locking
Grade F: Lever lock or latch; manually locking with intermediate locking
Grade G: Lock or latch without key operation; manually locking

2	H	8	1	0	F	7	B	A	2	0

Digit 5 - Safety
No Requirement

Digit 8 - Field of Door Application
15 Grades are Identified:
A to R

Digit 10 - Type of Spindle Operation
Grade 0: Lock without follower
Grade 1: Lock with sprung lever or knob
Grade 2: Lock with light unsprung lever
Grade 3: Lock with heavy unsprung lever
Grade 4: Lock with manufacturer’s own specification

Digit 1 - Category of Use
Grade 1: Low frequency of use, e.g. residential doors
Grade 2: Medium frequency of use, e.g. office doors
Grade 3: High frequency of use, e.g. doors in public buildings


Digit 2 - Durability


Number of cycles	Side Load None	Side Load 10 N	Side Load 25 N	Side Load 50 N	Side Load 120 N
50,000	Grade A	Grade F	-	-	-
100,000	Grade B	Grade G	Grade L	Grade R	Grade W
200,000	Grade C	Grade H	Grade M	Grade S	Grade X

Digit 11 - Key Identification

Minimum Number Detainers	Limited Differs	Extended Number Effective Differs
No Requirement	0	-
Three	A	-
Five	B	C
Six	D	E
Seven	F	G
Eight	-	H

Note: This applies only to lever locks: cylinders are assessed to BS EN 1303:2015





LDB5525
LDB5530
5 Lever BS Deadlock

PVD SSS

ARB5205
13mm Rebate Kit
ES1273
Intumescent
Lock Pack

FSF5012
Forend and
Strike Pack

FSF5012/R
Radius

BSS PVD SSS


EN 12209:2003										
2812 - CPR - AG0130										
2	H	8	1	0	F	7	K	D	0	B

APPROVED PRODUCT CF611

Secured by Design

BS 3621





LSB5525
LSB5530
5 Lever BS Sashlock

PVD SSS

ARB5105
13mm Rebate Kit
ARB5110
25mm Rebate Kit

SSS

ES1271
Intumescent Lock Pack

FSF5013
Forend and
Strike Pack

FSF5013/R
Radius

BSS PVD SSS

EN 12209:2003										
2812 - CPR - AG0129										
2	H	8	1	0	F	7	K	D	2	B

APPROVED PRODUCT CF611

Secured by Design

BS 3621



EDB5025
EDB5030
Euro Profile BS Cylinder Deadlock - Complete Set

SSS


ARB5405
13mm Rebate Kit
ES1273
Intumescent Lock Pack

FSF5029
Forend and
Strike Pack

BSS

FSF5029/R
Radius

PVD SSS



EN 12209:2003										
2812 - CPR - AG0130										
2	H	8	1	0	F	7	B	A	0	0

APPROVED PRODUCT CF611

Secured by Design

BS 3621



ESB5025
ESB5030
Euro Profile BS Cylinder Sashlock - Complete Set

SSS


ARB5305
13mm Rebate Kit
ES1271
Intumescent Lock Pack

FSF5030
Forend and
Strike Pack

BSS

FSF5030/R
Radius

PVD SSS



EN 12209:2003										
2812 - CPR - AG0129										
2	H	8	1	0	F	7	B	A	2	0

APPROVED PRODUCT CF611

Secured by Design

BS 3621



EDB5025/CT
Euro Profile BS Cylinder & Turn Deadlock - Complete Set

SSS

EDB5030/CT


BSS PVD SSS

ARB5405
13mm Rebate Kit
ES1273
Intumescent Lock Pack

FSF5019
Forend and
Strike Pack

FSF5019/R
Radius

BSS PVD SSS



EN 12209:2003										
2812 - CPR - AG0130										
2	H	8	1	0	F	7	B	A	0	0

APPROVED PRODUCT CF611

Secured by Design

BS 8621



ESB5025/CT
ESB5030/CT
Euro Profile BS Cylinder & Turn Sashlock - Complete Set

SSS


ARB5305
13mm Rebate Kit
ES1271
Intumescent Lock Pack

FSF5020
Forend and
Strike Pack

BSS PVD SSS

FSF5020/R
Radius

BSS PVD




EN 12209:2003										
2812 - CPR - AG0129										
2	H	8	1	0	F	7	B	A	2	0

APPROVED PRODUCT CF611

Secured by Design

BS 8621



DLS0060EPSSS
Din Euro Profile Deadlock

SSS

DLS0060EPSSS/R
Radius

ARDS5005
13mm Rebate Kit
ASS5100
100mm Split Spindle
with Lock Back Feature
ALP5038
1/2 Set Fixing Plate
ES1274
Intumescent Lock Pack


FSF5015
Forend and
Strike Pack

FSF5015/R
Radius

AB BSS MB MBRZ SB SSS

APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0130										
3	M	8	1	0	F	3	B	A	0	0



DLS0060LSSS
Din Latch

SSS

DLS0060LSSS/R
Radius

ARDS5005
13mm Rebate Kit
ASS5100
100mm Split Spindle
with Lock Back Feature
ALP5038
1/2 Set Fixing Plate
ES1274
Intumescent Lock Pack

FSF5016
Forend and
Strike Pack


FSF5016/R
Radius

AB BSS MB MBRZ SB SSS

APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	-	B	0	2	0





DLS7260EPSSS
Din Euro Profile Sashlock

SSS

DLS7260EPSSS/R
Radius

ARDS5005
13mm Rebate Kit
ASS5100
100mm Split Spindle
with Lock Back Feature
ALP5038
1/2 Set Fixing Plate
ES1274
Intumescent Lock Pack

FSF5017
Forend and
Strike Pack


FSF5017/R
Radius

AB BSS MB MBRZ SB SSS

APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	3	B	A	2	0





DLS7260NLASSS
Din Euro Profile Nightlatch - Anti Thrust Snib

SSS

DLS7260NLASSS/R
Radius

ARDS5005
13mm Rebate Kit
ASS5100
100mm Split Spindle
with Lock Back Feature
ALP5038
1/2 Set Fixing Plate
ES1274
Intumescent Lock Pack

FSF5031
Forend and
Strike Pack

BSS PVD


FSF5031/R
Radius

BSS PVD SSS

APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	1	B	0	2	0





DLS7860WCSSS
Din Bathroom Lock
5mm Follower

SSS

DLS7860WCSSS/R
Radius

DLS7860WC/8/SSS Ⓢ
8mm Follower

ARDS5005
13mm Rebate Kit

ASS5100
100mm Split Spindle
with Lock Back Feature

ALP5038
1/2 Set Fixing Plate

ES1274
Intumescent Lock Pack

FSF5017
Forend and
Strike Pack


FSF5017/R
Radius

AB BSS MB MBRZ SB SSS

APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	-	B	G	2	0





DLS7260ESCSSS
Din Euro Profile Escape Lock

SSS

DLS7260ESCSSS/R
Radius

ASS5100
100mm Split Spindle
with Lock Back Feature

ALP5038
1/2 Set Fixing Plate

ES1274
Intumescent Lock Pack

FSF5032
Forend and
Strike Pack

BSS PVD SSS

FSF5032/R
Radius

APPROVED PRODUCT
CF719

EN 179:2008									
2812 - CPR - ABB027									
3	7	6	B	1	4	4	2	A	B/D
EN 12209:2003 Tested Classification									
3	M	8	1	0	F	3	B	A	2	0


DLE0055L
Din Latch

DLE0055LSSS/R
Radius

SSS

ES1274
Intumescent Lock Pack





APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	-	B	0	2	0


DLE0055EP
Din Euro Profile Deadlock

DLE0055EPSSS/R
Radius

SSS

ES1274
Intumescent Lock Pack





APPROVED PRODUCT
CF611


EN 12209:2003										
2812 - CPR - AG0130										
3	M	8	1	0	F	3	B	C	0	0


DLE7255EP
Din Euro Profile Sashlock

DLE7255EPSSS/R
Radius

SSS

ES1274
Intumescent Lock Pack





APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	3	B	C	2	0


DLE7255NL
Din Euro Profile Nightlatch

DLE7255NLSSS/R
Radius

SSS

ES1274
Intumescent Lock Pack





APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	-	B	0	2	0




DLE7855WC
Din Bathroom Lock - 5mm Follower

DLE7855WCSSS/R
Radius

SSS

ES1274
Intumescent Lock Pack



APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0133										
3	M	8	1	0	F	-	B	G	2	0



DLE7255EPSSS/R



LDS5325
LDS5330
3 Lever Deadlock
LDS5525
LDS5530
5 Lever Deadlock


SSS

ARD5205
13mm Rebate Kit
ES1273
Intumescent Lock Pack

FSF5007
Forend and
Strike Pack

FSF5007/R
Radius


AB BSS MB MBRZ SB SSS



EN 12209:2003											
2812 - CPR - AG0130											
3 LEVER	3	H	8	1	0	F	2	K	D	0	A
5 LEVER	3	H	8	1	0	F	2	K	D	0	B

certifire APPROVED PRODUCT CF611

FD30/60 TIMBER · BS EN 12209 · CE · UKCA · 10 YEAR



LSS5325
LSS5330
3 Lever Sashlock
LSS5525
LSS5530
5 Lever Sashlock


PVD SSS

ARS5105
13mm Rebate Kit
ES1271
Intumescent Lock Pack

FSF5004
Forend and
Strike Pack

FSF5004/R
Radius

AB BSS MB MBRZ SB SSS



EN 12209:2003											
2812 - CPR - AG0137											
3 LEVER	2	H	8	1	0	F	2	K	D	2	A
5 LEVER	2	H	8	1	0	F	2	K	D	2	B

certifire APPROVED PRODUCT CF611


FD30/60 TIMBER · BS EN 12209 · CE · UKCA · 10 YEAR

RSL5030
Roller Bolt Euro Profile Deadlock

SSS

ES1273
Intumescent Lock Pack





APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0130										
3	C	8	1	0	F	2	B	A	0	0

EDS5025
EDS5030
Euro Profile Deadlock

PVD SSS

EDS5030/R
Radius

BSS SSS


ARD5205
13mm Rebate Kit
ES1273
Intumescent Lock Pack

FSF5007
Forend and
Strike Pack

FSF5007/R
Radius

AB BSS MB MBRZ SB SSS





APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0130										
3	H	8	1	0	F	2	B	A	0	0



ESS5025
ESS5030
Euro Profile Sashlock


PVD SSS

ARS5105
13mm Rebate Kit
ES1271
Intumescent Lock Pack

FSF5004
Forend and
Strike Pack

FSF5004/R
Radius

AB BSS MB MBRZ SB SSS



APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0130										
2	H	8	1	0	F	2	B	A	2	0



BAS5025
BAS5030
Bathroom Lock - 5mm Follower

PVD SSS

BAS5030SSS/R
Radius


SSS

ARS5105
13mm Rebate Kit
ES1271
Intumescent Lock Pack

FSF5004
Forend and
Strike Pack

FSF5004/R
Radius

AB BSS MB MBRZ SB SSS



APPROVED PRODUCT
CF611


EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	-	B	G	2	0



MCN5025
MCN5030
Euro Profile Cylinder Nightlatch - Case Only

SSS

ES1272
Intumescent Lock Pack



LCP1000
Euro Security Cylinder
Pull with Mini Lever

PC PVD SC



FD30/60 TIMBER
10 YEAR


Available to
buy seperately



FLD8025
FLD8030
Flat Deadlock

SCP

ES1272
Intumescent Lock Pack



certifire APPROVED PRODUCT CF611

FD30/60 TIMBER · BS EN 1220 · CE · UKCA · 10 YEAR

EN 12209:2003										
2812 - CPR - AG0130										
3	H	8	1	0	F	-	B	G	0	0




FLL8025
Flat Latch

FLL8030

SCP

Ⓢ

ARF8105
13mm Rebate Kit
ES1272
Intumescent Lock Pack



EN 12209:2003										
2812 - CPR - AG0156										
NPD	A	7	1	0	NPD	-	NPD	0	NPD	0




FLL5025
FLL5030
Flat Latch

FLL5030/R
Radius

SSS

ES1272
Intumescent Lock Pack

FSF5008
Forend and
Strike Pack




EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	-	B	0	2	0


APPROVED PRODUCT
CF611

URLS5330
3 Lever Sashlock

SSS

ES1271
Intumescent Lock Pack





APPROVED PRODUCT
CF611


EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	2	K	D	2	A

URES5030
Universal Replacement Euro Profile Sashlock

SSS

ES1271
Intumescent Lock Pack





APPROVED PRODUCT
CF611


EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	1	B	A	2	0



URBS5030
Universal Replacement Bathroom Sashlock


SSS

ES1271
Intumescent Lock Pack



APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	-	B	G	2	0




TLS8030
Heavy Sprung Tubular Latch
8mm Follower

NP SC


ART5105
13mm Rebate Kit

ES1283
Intumescent Lock Pack



APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0156										
NPD	A	7	1	0	NPD	-	B	0	NPD	0



TLS5025EB/SSS
Heavy Sprung Tubular Latch - 8mm Follower

TLS5030EB/SSS
TLS5040EB/SSS
TLS5050EB/SSS

EB SSS

TLS5030BSS/SSS

BSS SSS

TLS5030SSS

SSS

TLS5030SSS/R
Radius

SSS

TLS5030BSS/R
Radius

BSS



FSF5009AB
Antique Brass



FSF5009MB
Matt Black



FSF5009MBRZ
Matt Bronze



FSF5009BSS
Bright Stainless Steel
Recommended
match for PN



FSF5009SB
Satin Brass




FSF5009SSS
Satin Stainless Steel
Recommended match
for SN

ART5105
13mm Rebate Kit
ES1283
Intumescent Lock Pack

FSF5009
Forend and
Strike Pack

FSF5009/R
Radius

AB BSS MB MBRZ SB SSS




APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0156										
NPD	A	7	1	0	NPD	-	B	0	NPD	0







TLD5025BSS
Tubular Deadbolt - 5mm Follower

BSS

TLD5025EB/SSS

EB SSS

TLD5025SSS

SSS

TLD5030EB/SSS
TLD5040EB/SSS
TLD5050EB/SSS

EB SSS

TLD5830EB/SSS
TLD5840EB/SSS
TLD5850EB/SSS
8mm Follower

EB SSS



FSF5010AB
Antique Brass



FSF5010MB
Matt Black



FSF5010MBRZ
Matt Bronze



FSF5010BSS
Bright Stainless Steel
Recommended
match for PN



FSF5010SB
Satin Brass



FSF5010SSS
Satin Stainless Steel
Recommended
match for SN

SDB5010SCP
Deadlock Budget Key & Escutcheon




ES1283
Intumescent Lock Pack

FSF5010
Forend and
Strike Pack


FSF5010/R
Radius

AB BSS MB MBRZ SB SSS



APPROVED PRODUCT
CF611

EN 12209:2003										
2812 - CPR - AG0130										
3	H	8	1	0	F	-	B	G	0	0




***DL5025**
DL5030
DL5040
DL5050
Heavy Sprung Tubular Latch
8mm Follower

FB PB SS

*DL5025 does not have a bolt through facility

ART5105
13mm Rebate Kit
ES1283
Intumescent Lock Pack

FSF5009
Forend and Strike Pack



10 YEAR




DLD5030
Tubular Dead Bolt


SS

ES1283
Intumescent Lock Pack

FSF5010
Forend and Strike Pack




10 YEAR



BTL1/SQ
BTL3/SQ
Square Bolt Through Tubular Latch
BTL1/R
BTL3/R
Radius Bolt Through Tubular Latch

EB



BTL2/SQ
BTL4/SQ
Square Bolt Through Tubular Latch
BTL2/R
BTL4/R
Radius Bolt Through Tubular Latch

NP

BTL25
Tubular Latch
BTL30
Tubular Latch

AB BSS MB MBRZ SB SSS

TL9A
13m Rebate Kit
ES1283
Intumescent Set



BTL25AB
Antique Brass



BTL25MB
Matt Black



BTL25MBRZ
Matt Bronze




BTL25NP
Polished Nickel




BTL25SB
Satin Brass



BTL25SN
Satin Nickel



EN 12209:2003										
2812 - CPR - AG5174										
NPD	A	7	1	0	NPD	-	NPD	0	NPD	0




TL1
TL3
Tubular Latch

EB FB PCB


TL2
TL4

NP

TL7A
13m Rebate Kit
ES1283
Intumescent Set




5 YEAR



ULS5025
ULS5030
Upright Latch

SSS

ARS5105
Rebate Kit
ES1271
Intumescent Lock Pack



APPROVED PRODUCT
CF611

FD30/60 TIMBER · BS EN 12209 · CE · UKCA · 10 YEAR


EN 12209:2003										
2812 - CPR - AG0137										
2	H	8	1	0	F	-	B	0	2	0

ESE5025
ESE5030
Euro Profile Sashlock

EB NP SN

ARE5005
13mm Rebate Kit
ES1276
Intumescent Lock Pack







APPROVED PRODUCT
CF5610

EN 12209:2003										
2812 - CPR - AG5162										
2	H	8	1	0	F	1	B	A	2	0

EDE5025
EDE5030
Euro Profile Deadlock

EB NP SN





APPROVED PRODUCT
CF5610

EN 12209:2003										
2812 - CPR - AG5161										
2	H	8	1	0	F	1	B	A	0	0

BAE5025
BAE5030
Bathroom Lock

AB EB MB MBRZ NP SB SN

BAE5025/R
BAE5030/R
Radius

EB MB NP

ARE5005
13mm Rebate Kit
ES1276
Intumescent Lock Pack





BAE5025AB
Antique Brass



BAE5025MB
Matt Black




BAE5025MBRZ
Matt Bronze




BAE5025NP
Polished Nickel



BAE5025SB
Satin Brass



BAE5025SN
Satin Nickel



APPROVED PRODUCT
CF5610

EN 12209:2003										
2812 - CPR - AG5162										
2	H	8	1	0	F	-	B	G	2	0




ULE5025
ULE5030
Upright Latch

NP SN


ULE5025/R
ULE5030/R
Radius

ARE5005
13mm Rebate Kit
ES1276
Intumescent Lock Pack



APPROVED PRODUCT
CF5610


EN 12209:2003										
2812 - CPR - AG5162										
2	H	8	1	0	F	-	B	0	2	0



LDE5325
LDE5330
3 Lever Deadlock


EB NP SN

ES1273
Intumescent Lock Pack



APPROVED PRODUCT
CF5610

EN 12209:2003										
2812 - CPR - AG5161										
2	H	8	1	0	F	1	K	D	0	A



LSE5325
LSE5330
3 Lever Sashlock

EB NP SN


LSE5325/R
Radius

NP SN

LSE5330/R


EB NP SN

ARE5005
13mm Rebate Kit
ES1276
Intumescent Lock Pack



APPROVED PRODUCT
CF5610


EN 12209:2003										
2812 - CPR - AG5162										
2	H	8	1	0	F	1	K	D	2	A




LSE5225/REB
2 Lever Sashlock Rebated

EB NP SN

ES1271
Intumescent Lock Pack




EN 12209:2003										
2812 - CPR - AG5162										
2	H	8	1	0	F	1	K	D	2	0



RSE8064
Rim Lock

JAP PB PC SC

RDE8043
Rim Deadlock
RLE8043
Rim Latch
RSE8053
Rim Lock




	A	B	C	D	E	F	G
RDE8043	24	155	44	76.5	82	22.5	21
RLE8043	24	101	75	76.5	82	22.5	21
RSE8053	24	145	44	76.5	82	22.5	21
RSE8064	24	155	44	76.5	105	22.5	21


APPROVED PRODUCT
CF611

EN 12209:2003											
2812 - CPR - AG0130, AG0154 & AG0153											
RDE8043	1	C	8	1	0	F	NPD	M	D	0	0
RLE8043	NPD	C	8	1	0	F	-	E	0	NPD	0
RSE8053/64	1	A	8	1	0	F	NPD	M	D	NPD	0

RCA5511
Heavy Duty Adjustable Roller Catch


SSS





DSB8225
Door Security Bolt

BLACK EB PC SC




DSB8225L
Long

EB PC SC

WSB8125
Window Security Bolt
36mm

EB PC SC W



	A	B	C	D	E	F
DSB8225	61	32	43	20	39	20
DSB8225L	85	32	43	20	39	20

5 YEAR

RCB8260
Rim Cylinder Rollerbolt


EB PC SC



RCB8260L
Lockcase Only

PC SC

Supplied with matching finish cylinder & 3 keys




FD30/60 TIMBER 5 YEAR

DSK8000B
Security Bolt Key

DSK8000L
Longer Spline





5 YEAR

RCN8240
Rim Cylinder Nightlatch


EB PC SC



RCN8240L
Lockcase Only

SC

Supplied with matching finish cylinder & 3 keys



FD30/60 TIMBER 5 YEAR

RCN8260
Rim Cylinder Nightlatch


PC EB SC



RCN8260L
Lockcase Only

SC


Supplied with matching finish cylinder & 3 keys



FD30/60 TIMBER · 5 YEAR


RCN8160
Rim Cylinder Nightlatch

EB GN



Supplied with matching finish cylinder & 3 keys

RCN8160GN/SC
Green with SC Finish Cylinder




5 YEAR

RCN8340
Deadlocking Rim Cylinder Nightlatch

PC EB SC



Supplied with matching finish cylinder & 3 keys




FD30/60 TIMBER · 5 YEAR

RCN8360
Deadlocking Rim Cylinder Nightlatch

PC EB SC




Supplied with matching finish cylinder & 3 keys



FD30/60 TIMBER · 5 YEAR







New LFB1
FB1 Lock

SSS

AKSFB1
FB1 Lock Key

ES1275
Intumescent Lock Pack



LFB2
FB2 Lock

SSS

AKSFB2
FB2 Lock Key

ES1275
Intumescent Lock Pack

A 1 lever deadlock commonly specified and used by the London and South East Fire Brigade services, whereby the Fire Brigade key will fit these Fire Brigade locks so that access can be gained without damage to the door. Generally used on service riser doors in blocks of flats and other similar utility cupboards and rooms. Can also be used around the home or office as general deadlocks which all require the same keys.

EN 12209:2003										
2812 - CPR - AG0130										
2	C	8	1	0	F	-	K	A	0	0



ESK008/SV





ESK008/SV
Combination Key Safe

SV


10,000 resettable combinations

Holds up to 5 keys


Protective lock cover

Weather resistant

Wall mountable







CL155SGVCB
Mechanical Digital Door Lock

SG


Over 8000 codes to choose from

Code can be changed in minutes

Easy to fit, no professional tools or help required

All fixings, instructions and templates supplied

Suitable for internal and external applications



10 YEAR

Spares and Accessories

AEB5000	Easi-T set of security escutcheons to suit Euro BS lock	BSS SSS
AGS5000	Easi-T architectural face plate screw	EB NP
AKE5200	Key blank to suit Easi-T 2 lever contract locks	
AKE5300/L	Key blanks Easi-T 3 lever contract locks left handed	
AKE5300/R	Key blanks Easi-T 3 lever contract locks right handed	
AKS5000B	Brass key blank for architectural lever locks	
AKS5000B/RIM	Brass key blank 106mm	
AKU5000S	Steel key blank to suit Easi-T universal mortice locks	
AMK5000	Metal box keep to suit contract Easi-T lock	NP
AMK5001	Metal box keep to suit contract tubular latch TLE	NP
AMK5002	Metal box keep to suit contract Easi-T flat latch	NP
AMK5003	Metal box keep to suit Easi-T architectural sashlock	NP
AMK5004	Metal box keep to suit Easi-T heavy duty tubular latch	NP
APB1000	Plastic box keep to suit contract sashlock	
APB1001	Plastic box keep to suit Easi-T heavy duty tubular latch	
APB1002	Plastic box keep to suit architectural sashlock	
ASH5000	Heavy spring to suit Easi-T architectural locks	

EUROSPEC

Cylinders




KM585549
TS 007:2014
+A2:2018

Selecting the correct cylinder...

Please note - not all cylinders available on next day delivery.

CYH 10 Pin Restricted Cylinders High Security

- 10 Pin cylinders with restricted keys for applications that require higher key security
- Available in PB, PC, SC and MB finishes with keying options KTD, KA and UMK
- Classroom cylinders and construction key facility available with this range

CYX 6 Pin British Standard Kitemarked Cylinders - High Security

- 6 Pin, 1 Star British Standard Kitemarked cylinders in PB, PC and SC finishes for applications that require high cylinder security and ease of key duplication
- KTD, KA and UMK options available

CYA 5 Pin Architectural Cylinders Standard Security

- 5 Pin architectural cylinders in PB, PC and SC finishes for applications that require an architectural finish and the ability to key to customers specific requirements
- KTD, KA or UMK options available

CYC 5 Pin Contract Cylinders Standard Security

- 5 Pin contract cylinders in NP finish
- Spring steel inserts to enhance security in the event of an attack
- Available keyed to differ in 3 popular sizes 60mm, 70mm and 80mm

All our cylinders are manufactured to the guidelines of BS EN 1303.

Guide to BS EN 1303:2015

EUROSPEC

The security of any door assembly is a combination of many factors including the door construction and physical environment surrounding the door. However, the cylinder is probably the most vulnerable element in the assembly and is therefore subject to severe requirements of resistance to physical attack and other aspects of security such as key control.

BS EN 1303:2015 UK non-designated version of the non-harmonised European standard entitled “Building hardware. Cylinders for locks. Requirements and test methods.” The standard specifies test methods and requirements to determine, category of use, durability, fire resistance, corrosion resistance, key related security, and attack resistance.

Corrosion and Temperature Resistance
Four grades of corrosion resistance and temperature requirement are identified:
Grade 0: No corrosion requirement; no temperature requirement;
Grade A: High corrosion resistance; no temperature requirement;
Grade B: No corrosion requirement; temperature requirement: from -25°C to + 65°C;
Grade C: High corrosion resistance; temperature requirement: from -25°C to + 65°C.
Note:
It shall be possible to operate the cylinder with its proper key using a maximum torque of 1,5 Nm after tested according to grade 3 (96 hrs) of EN 1670. This corrosion test shall apply to the functionality only. No distinction is made between the inside and the outside of cylinder and/or door.
It shall be possible to operate the cylinder with its proper key using a maximum torque of 1,5 Nm at both -25°C and + 65°C.

Attack Resistance
Five grades of resistance against drilling and mechanical attack are identified in accordance with Table 3

See requirement of key related security 4.8.6 a

Clause	Requirement	Test Clause	Parameter	Grade					Unit
				0	A	B	C	D	
4.9.2	Resistance to drilling	6.9.1	Time Net/Total	—	3/5	5/10	3/5	5/10	Min.
4.9.3	Resistance to attack by chisel	6.9.2	Blows	—	30	40	30	40	No
4.9.4	Resistance to attack by twisting	6.9.3	Twists	—	20	30	20	30	No
4.9.5	Resistance to attack by plug/ cylinder extraction	6.9.4	Force Net/Total	—	—	—	10 5/15	15 5/15	kN min
4.9.6	Torque resistance of plug/cylinder	6.9.5	Torque	—[a]	20	30	20	30	Nm

Door Mass
No Requirement.

1	6	0	B	0	C	5	D

Category of Use
The key shall not break under the applied torque of 2,5 Nm. After the test, the key shall be capable of being removed from the cylinder and re-used to operatethe same cylinder with a torque not exceeding 1,5 Nm.

Durability
Three grades are indentified according to the number of test cycles achieved:
Grade 4: 25,000 Cycles
Grade 5: 50,000 Cycles
Grade 6: 100,000 Cycles

Fire Resistance
Three grades of suitability for use on fire resistant/smoke controlled doors are identified:
Grade 0: Not approved for use on fire resistant/smoke control door assemblies;
Grade A: Suitable for use on smoke control door assemblies;
Grade B: Suitable for use on fire resistant and smoke control doors.
For more info see Annex A.

Safety
No requirement.

Tested before the durability test. a
Tested before and after the durability test. b
Rounded to the lower integer. c

Key Related Security
Six grades are identified in accordance with table 2.

Clause	Requirement	Test Clause	Parameter	Grade						Unit
				1	2	3	4	5	6	
4.8.1	Min. number of effective differs	6.8.1	—	100	300	15 000	30 000	30 000	100 000	No
4.8.2	Min. number of movable detainers	6.8.2	—	2	3	5	5	6	6	No
4.8.3	Max. number of identical steps[c]	6.8.3	—	100	70	60	60	60	50	%
	Max. number of identical adjacent steps			—	2	2	2	2	2	No
4.8.4	Direct coding on key	6.8.4	—	—	—	No	No	No	No	—
4.8.5	Operation of security mechanism (interpassing)	6.8.5	Torque	1,5[a]	1,5[a]	1,5[a]	1,5[b]	1,5[b]	1,5[b]	Nm
4.8.6	Torque resistance of plug/cylinder	6.8.6	Torque	2,5	5	15	15	15	15	Nm

Guide to TS007:2014 + A2:2018

What is TS 007:2014?

TS 007:2014 + A2:2018 is the latest Kitemarked security standard for replacement lock cylinders and protective door furniture.

Why TS 007:2014?

TS 007:2014 is a Technical Specification created for the industry in response to the growing concerns that domestic homes are under threat from attacks due to the readily available information on the internet.
Your cylinder at home needs to withstand 5 types of attack:

Drilling

Snapping

Plug Extraction

Picking

Bumping



What's different in TS 007:2014?

TS 007:2014 does not cover just basic forms of cylinder attack but also includes attack testing on the protective door furniture. It uses a star rating for both the cylinder and door furniture.

What does TS 007:2014 cover?

TS 007:2014 covers all aspects of attack tests on both cylinder and handles. It provides a mix and match option of door cylinders with protective door furniture when retrofitting and it allows the locksmith or security installer to achieve the required TS 007:2014 3 star rating.

Who needs TS 007:2014?

TS 007:2014 is aimed at the retrofit market UPVC and timber door market and anybody with a basic euro profile cylinder needs it. It is designed to offer similar levels of security found in complete door assemblies rated to PAS24 and complete lock assemblies rated to PAS and BS3621, 8621 and 10621.

How do I meet TS 007:2014 requirements?

Cylinders marked with 1 star + door furniture marked with 2 stars = 3 star rating.

How can I get my TS 007:2014 products?

Simply call or email Carlisle Brass and order your 1 star kitemarked MPx6 cylinders and 2 star kitemarked handles. Should you require keyed alike or master keyed cylinder options, just call our cylinder shop with your requirements and we will do the rest. **01228 511770** **workshop@carlislebrass.com**

★ + ★★ = ★★★



3 STAR SECURITY

BS EN 1303:2015

1	6	0	B	0	C	5	D

FD30/60

TS 007:2014 + A2:2018
KM 585549





MP10 Restricted 10 Pin Cylinders

Cylinders

Manufactured to achieve BS EN 1303 cylinder security grade 2*

Anti - pick

Anti - bump

Anti - drill

BK, PB, PC or SC finish

Euro profile

UK oval profile

Scandinavian oval profile

Universal rim cylinder

Padlock

Keyed to differ (KTD)

Keyed alike (KA)

Under master key (UMK)

Classroom function available (CR)


Construction key capabilities (CK)

The construction key is used during installation, the user key is used to re-code the cylinder and automatically exclude the construction key

Other cylinder sizes available to special order



A	B	C	D	E	Workshop KTD	KA	UMK
47	55	31	24	8	**CYG7PL047SC/KD**	**CYG7PL047SCKA**	**CYG7PL047SCUMK**
47	55	31	24	8	**CYG7PL047SC**		



Padlock
CYG7PL047SC

SC




MP10 Restricted 10 Pin Cylinders

A	B	C	Workshop KTD	KA	UMK
42	32	10	CYG71142/KD	CYG74142	CYG77142
46	36	10	CYG71146/KD	CYG74146	CYG77146
50	40	10	CYG71150/KD	CYG74150	CYG77150
55	45	10	CYG71155/KD	CYG74155	CYG77155

Euro Single Cylinder

BK PB PC SC






FD30/60 TIMBER · HIGH · 5 YEAR


Workshop KTD	KA	UMK
CYG73525/KD	CYG76525	CYG79525

Universal Rim Cylinder

BK PB PC SC








5 YEAR

KTD	A	B	C	Workshop KTD	KA	UMK
CYH71264	64	32	32	CYG71264/KD	CYG74264	CYG77264
CYH71270	70	35	35	CYG71270/KD	CYG74270	CYG77270
CYH71280	80	40	40	CYG71280/KD	CYG74280	CYG77280
	90	45	45	CYG71290/KD	CYG74290	CYG77290
	100	50	50	CYG712100/KD	CYG742100	CYG772100
	72	32	40	CYG7123240/KD	CYG7423240	CYG7723240
	82	32	50	CYG7123250/KD	CYG7423250	CYG7723250
	75	35	40	CYG7123540/KD	CYG7423540	CYG7723540
	80	40	40	CYG7123545/KD	CYG7423545	CYG7723545
	85	35	50	CYG7123550/KD	CYG7423550	CYG7723550
	90	35	55	CYG7123555/KD	CYG7423555	CYG7723555
	85	40	45	CYG7124045/KD	CYG7424045	CYG7724045
	90	40	50	CYG7124050/KD	CYG7424050	CYG7724050
	95	40	55	CYG7124055/KD	CYG7424055	CYG7724055
	100	40	60	CYG7124060/KD	CYG7424060	CYG7724060
	95	45	50	CYG7124550/KD	CYG7424550	CYG7724550
	100	45	55	CYG7124555/KD	CYG7424555	CYG7724555

Euro Double Cylinder

BK PB PC SC






FD30/60 TIMBER · HIGH · 5 YEAR

Euro Cylinder & Turn

BK PB PC SC

KTD	A	B	C	Workshop KTD	KA	UMK	
CYH71364	64	32	32	CYG71364/KD	CYG74364	CYG77364	BK PB PC SC
CYH71370	70	35	35	CYG71370/KD	CYG74370	CYG77370	BK PB PC SC
CYH71380	80	40	40	CYG71380/KD	CYG74380	CYG77380	BK PB PC SC
	90	45	45	CYG71390/KD	CYG74390	CYG77390	BK PB PC SC
	100	50	50	CYG713100/KD	CYG743100	CYG773100	BK PB PC SC
	72	32	40	CYG7133240/KD	CYG7433240	CYG7733240	PB PC SC
	80	35	45	CYG7133545/KD	CYG7433545	CYG7733545	BK PB PC SC
	72	40	32	CYG7134032/KD	CYG7434032	CYG7734032	PB PC SC
	90	40	50	CYG7134050/KD	CYG7434050	CYG7734050	BK PB PC SC
	100	40	60	CYG7134060/KD	CYG7434060	CYG7734060	BK PB PC SC
	80	45	35	CYG7134535/KD	CYG7434535	CYG7734535	BK PB PC SC
	95	45	50	CYG7134550/KD	CYG7434550	CYG7734550	PB PC SC
	100	45	55	CYG7134555/KD	CYG7434555	CYG7734555	PB PC SC
	90	50	40	CYG7135040/KD	CYG7435040	CYG7735040	BK PB PC SC
	95	50	45	CYG7135045/KD	CYG7435045	CYG7735045	PB PC SC
	100	55	45	CYG7135545/KD	CYG7435545	CYG7735545	PB PC SC
	100	60	40	CYG7136040/KD	CYG7436040	CYG7736040	BK PB PC SC






FD30/60 TIMBER · HIGH · 5 YEAR

Classroom Cylinder

PB PC SC

A	B	C	Workshop KTD	KA	UMK	
70	35	35	CYG71370CR/KD	CYG74370CR	CYG77370CR	PB PC SC
80	40	40	CYG71380CR/KD	CYG74380CR	CYG77380CR	PB PC SC





The Eurospec 10 Pin classroom cylinders have been designed to provide a simple and effective solution to classroom applications and can be ordered in 70mm or 80mm.

The main function of the classroom cylinder is to allow the key holder to lock or unlock the door at all times but allow a pupil to unlock the door from the inside in an emergency situation. The standard safety feature will ensure the door cannot be locked from the inside and the internal clutch mechanism will ensure a pupil cannot prevent a key holder from entering the room.

All classroom cylinders can be ordered keyed to differ, keyed alike or part of a master keyed system. The classroom cylinders can be ordered as (RH) clockwise or (LH) anti-clockwise unlocking to suit the door handing and in the unlikely event that the cylinder needs to be changed, a simple instruction sheet is included with each cylinder. A range of alternative thumbturns are also available.

FD30/60 TIMBER · HIGH · 5 YEAR

EUROSPEC
MP
X6

MPx6 BS Kitemarked 6 Pin Cylinders
1 Star Rated

Cylinders - Packaged in Blister Pack

BS Kitemarked KM 585549

BS EN 1303 cylinder security - grade 2 (Maximum grade)

TS 007:2014 + A2:2018 - 1 Star

Anti - pick

Anti - bump

Anti - drill

Anti - plug pull

Anti - twist

Break - off system

Internal hardened steel pins

PB, PC or SC finish

Euro profile

Standard rim cylinder

Threaded rim cylinder

Keyed to differ (KTD)

Keyed alike (KA)

Under master key (UMK)

N.B. Master keyed cylinders retain the kitemark status

Other cylinder sizes available to special order

Secured by Design (certain cylinders)


Secured by Design

SBD

Official Police Security Initiative

TM

TS 007:2014 +A2:2018
KM 585549



Keys

Hard wearing nickel silver keys

Large master keying capabilities (systems up to 1,000 doors)

Standard key section for ease of key duplication

Extended neck for use with security escutcheons

3 keys supplied with each cylinder

BS EN 1303 key security - grade 5




MPx6 1 Star British Standard 6 Pin Cylinders

A	B	C	Workshop KTD	KA	UMK
46	36	10	**CYF71146**	**CYF74146**	**CYF77146**
50	40	10	**CYF71150**	**CYF74150**	**CYF77150**

Euro Single Cylinder

PB PC SC





TS 007:2014 + A2:2018
KM 585549


Secured by Design

EN 1303:2015							
KM 585549 for TS 007:2014 + A2:2018							
1	6	0	B	0	C	5	D

Euro Double Cylinder

PB PC SC

KTD	A	B	C	Workshop KTD	KA	UMK
CYX71270	70	35	35	**CYF71270**	**CYF74270**	**CYF77270**
CYX71280	80	40	40	**CYF71280**	**CYF74280**	**CYF77280**
CYX71290	90	45	45	**CYF71290**	**CYF74290**	**CYF77290**
CYX712100	100	50	50	**CYF712100**	**CYF742100**	**CYF772100**
CYX712110	110	55	55	**CYF712110**	**CYF742110**	**CYF772110**
CYX7123540	75	35	40	**CYF7123540**	**CYF7423540**	**CYF7723540**
CYX7123545	80	35	45	**CYF7123545**	**CYF7423545**	**CYF7723545**
CYX7123550	85	35	50	**CYF7123550**	**CYF7423550**	**CYF7723550**
CYX7124045	85	40	45	**CYF7124045**	**CYF7424045**	**CYF7724045**
CYX7124050	90	40	50	**CYF7124050**	**CYF7424050**	**CYF7724050**
CYX7124060	100	40	60	**CYF7124060**	**CYF7424060**	**CYF7724060**
CYX7124550	95	45	50	**CYF7124550**	**CYF7424550**	**CYG7724550**





TS 007:2014 + A2:2018
KM 585549


Secured by Design

EN 1303:2015							
KM 585549 for TS 007:2014 + A2:2018							
1	6	0	B	0	C	5	D

Euro Cylinder & Turn

PB PC SC

KTD	A	B	C	Workshop KTD	KA	UMK	
CYX71370	70	35	35	CYF71370	CYF74370	CYF77370	PB PC SC
CYX71380	80	40	40	CYF71380	CYF74380	CYF77380	PB PC SC
CYX71390	90	45	45	CYF71390	CYF74390	CYF77390	PB PC SC
CYX713100	100	50	50	CYF713100	CYF743100	CYF773100	PB PC SC
CYX7133545	80	35	45	CYF7133545	CYF7433545	CYF7733545	PB PC SC
CYX7134060	100	40	60	CYF7134060	CYF7434060	CYF7734060	PB PC SC
CYX7134535	80	45	35	CYF7134535	CYF7434535	CYF7734535	PB PC SC
CYX7136040	100	60	40	CYF7136040	CYF7436040	CYF7736040	PB PC SC





TS 007:2014 + A2:2018
KM 585549


Secured by Design
Official Police Security Initiative


EN 1303:2015							
KM 585549 for TS 007:2014 + A2:2018							
1	6	0	B	0	C	5	D

Threaded Rim Cylinder

PB PC SC










KTD	KA	UMK
CYF73624	CYF76624	CYF79624

Standard Rim Cylinder

PB PC SC








KTD	KA	UMK
CYF73524	CYF76524	CYF79524



AEB1750
2 Star Security Escutcheon

PVD SSS





★ + ★★ = ★★★



3 STAR SECURITY

TS 007:2014 + A2:2018
KM 585549

Secured by Design

EN 1906:2012							
KM 585549 for TS 007:2014 + A2:2018							
1	6	-	B	-	3	-	-



CYA70470SC

MP5 5 Pin Cylinders






	Architectural
3 keys per cylinder	✓
Open section keys	✓
Brass keys (nickel plated)	✓
BK, PB, PC, SB or SC finish	✓
Euro profile	✓
UK oval profile	✓
Standard rim cylinder	✓
Threaded rim cylinder	✓
Padlock	✓
Keyed to differ (KTD)	✓
Keyed alike (KA)	✓
Under master key (UMK)	✓
Unique master keying	✓
Other cylinder sizes available to special order	✓
Classroom available 70 + 80mm	

Euro Single Cylinder

BK PB PC SC

KTD	A	B	C	Workshop KTD	KA	UMK	
CYA71140	40	30		CYB71140/KD	CYB74140	CYB77140	PB PC SC
CYA71145	45	35		CYB71145/KD	CYB74145	CYB77145	BK PB PC SC
CYA71150	50	40		CYB71150/KD	CYB74150	CYB77150	PB PC SC
	55	45		CYB71155/KD	CYB74155	CYB77155	PB PC SC
	60	50		CYB71160/KD	CYB74160	CYB77160	PB PC SC
	65	55		CYB71165/KD	CYB74165	CYB77165	PB PC SC
	70	60		CYB71170/KD	CYB74170	CYB77170	PB PC SC
	75	65		CYB71175/KD	CYB74175	CYB77175	SC






FD30/60 TIMBER · STANDARD · 5 YEAR

Euro Double Cylinder

BK PB PC SB SC

KTD	A	B	C	Workshop KTD	KA	UMK	
CYA71260	60	30	30	CYB71260/KD	CYB74260	CYB77260	PB PC SC
CYA71270	70	35	35	CYB71270/KD	CYB74270	CYB77270	BK PB PC SB SC
CYA71280	80	40	40	CYB71280/KD	CYB74280	CYB77280	BK PB PC SB SC
CYA71290	90	45	45	CYB71290/KD	CYB74290	CYB77290	PB PC SC
CYA712100	100	50	50	CYB712100/KD	CYB742100	CYB772100	PB PC SC
	110	55	55	CYB712110KD	CYB742110	CYB772110	PB PC SC
CYA7123050	80	30	50	CYB7123050/KD	CYB7423050	CYB7723050	PB PC SC
	100	30	70	CYB7123070/KD	CYB7423070	CYB7723070	PB PC SC
CYA7123545	80	35	45	CYB7123545/KD	CYB7423545	CYB7723545	PB PC SC
	90	35	55	CYB7123555/KD	CYB7423555	CYB7723555	PB PC SC
	85	40	45	CYB7124045/KD	CYB7424045	CYB7724045	PB PC SC
CYA7124050	90	40	50	CYB7124050/KD	CYB7424050	CYB7724050	PB PC SC
	95	40	55	CYB7124055/KD	CYB7424055	CYB7724055	PB PC SC
CYA7124060	100	40	60	CYB7124060/KD	CYB7424060	CYB7724060	PB PC SC
CYA7124550	95	45	50	CYB7124550/KD	CYB7424550	CYB7724550	PB PC SC
	100	45	55	CYB7124555/KD	CYB7424555	CYB7724555	PB PC SC






FD30/60 TIMBER · STANDARD · 5 YEAR

BK PB PC SB SC

KTD	A	B	C	Workshop KTD	KA	UMK	
CYA71360	60	30	30	CYB71360/KD	CYB74360	CYB77360	PB PC SC
CYA71370	70	35	35	CYB71370/KD	CYB74370	CYB77370	BK PB PC SB SC
	70	35	35	CYB71370CR/KD	CYB74370CR	CYB77370CR	PB PC SC
	100	70	30	CYB7137030/KD	CYB7437030	CYB7737030	PB PC SC
CYA71380	80	40	40	CYB71380/KD	CYB74380	CYB77380	BK PB PC SB SC
	80	40	40	CYB71380CR/KD	CYB74380CR	CYB77380CR	PB PC SC
CYA71390	90	45	45	CYB71390/KD	CYB74390	CYB77390	PB PC SB SC
CYA713100	100	50	50	CYB713100/KD	CYB743100	CYB773100	PB PC SC
	110	55	55	CYB713110/KD	CYB743110	CYB773110	PB PC SC
	70	30	40	CYB7133040/KD	CYB7433040	CYB7733040	PB PC SC
	80	30	50	CYB7133050/KD	CYB7433050	CYB773050	PB PC SC
	100	30	70	CYB7133070/KD	CYB7433070	CYB7733070	PB PC SC
	75	35	40	CYB7133540/KD	CYB7433540	CYB7733540	PB PC SC
	80	35	45	CYB7133545/KD	CYB7433545	CYB7733545	PB PC SC
	90	35	55	CYB7133555/KD	CYB7433555	CYB7733555	PB PC SC
CYA7134030	70	40	30	CYB7134030/KD	CYB7434030	CYB7734030	PB PC SC
	75	40	35	CYB7134035/KD	CYB7434035	CYB7734035	PB PC SC
	85	40	45	CYB7134045/KD	CYB7434045	CYB7734045	PB PC SC
	90	40	50	CYB7134050/KD	CYB7434050	CYB7734050	PB PC SC
CYA7134535	80	45	35	CYB7134535/KD	CYB7434535	CYB7734535	PB PC SC
	85	45	40	CYB7134540/KD	CYB7434540	CYB7734540	PB PC SC
	80	50	30	CYB7135030/KD	CYB7435030	CYB7735030	PB PC SC
	90	50	40	CYB7135040/KD	CYB7435040	CYB7735040	PB PC SC
	90	55	35	CYB7135535/KD	CYB7435535	CYB7735535	PB PC SC
	100	55	45	CYB7135545/KD	CYB7435545	CYB7735545	PB PC SC
CYA7134060	100	40	60	CYB7134060/KD	CYB7434060	CYB7734060	PB PC SC
CYA7136040	100	60	40	CYB7136040/KD	CYB7436040	CYB7736040	PB PC SC






FD30/60 TIMBER · STANDARD · 5 YEAR


Workshop KTD **KA** **UMK**
CYB73620/KD **CYB76620** **CYB79620**

Threaded Rim Cylinder

PB PC SC









FD30/60 TIMBER · STANDARD · 5 YEAR


Workshop KTD **KA** **UMK**
CYB73520/KD **CYB76520** **CYB79520**

Standard Rim Cylinder

PB PC SC









FD30/60 TIMBER · STANDARD · 5 YEAR

Oval Double Cylinder

PB SC








KTD	A	B	C	KA	UMK
CYA72270	70	35	35	CYB75270	CYB78270


STANDARD · 5 YEAR

Oval Cylinder & Turn

SC








KTD	A	B	C	KA	UMK
CYA72370	70	35	35	CYB75370	CYB78370

STANDARD · 5 YEAR

Euro Single Thumbturn Only

PB PC SB SC






KTD	A	B	C
CYA70445	45	35	10

FD30/60 TIMBER · STANDARD · 5 YEAR

Euro Bathroom Cylinder & Turn

PB PC SB SC





KTD	A	B	C
CYA70470	70	35	35

FD30/60 TIMBER · STANDARD · 5 YEAR



Contract 5 Pin Cylinders

Cylinders

5 pin mechanism

Spring steel inserts for enhanced protection against attack

3 keys per cylinder

NP finish

Euro profile

Keyed to differ



Keys

Open key section


Standard round headed keys



Euro Double Cylinder

NP






KTD	A	B	C
CYC71260	60	30	30
CYC71270	70	35	35
CYC71280	80	40	40

Euro Cylinder & Turn

NP






KTD	A	B	C
CYC71360	60	30	30
CYC71370	70	35	35
CYC71380	80	40	40


CYZ70006
Standard Thumbturn

PB PC SC











CYZ70007
Large Thumbturn

BK PB PC SC











CYZ70008
Round Thumbturn

BK PB PC SC











CYZ70009
Large Thumbturn with Grip

BK PB PC SC











CYZ70011
Tall Semi-Circular Thumbturn

BK PB PC SC










CYZ70012
Peanut Shaped Thumbturn

BK PB PC SC








CYZ70016
Shaped Disabled Thumbturn

BK PB PC SC







CYZ70002
19mm key ring



CYZ70004
M5x65mm fixing screw for profile cylinders

EB NP



CYZ70040
Fixing screw for rim cylinders



CYZ70050
Steel backplate for rim cylinder



CYZ75061
Spare cam for 10 pin rim cylinder



CYZ70060
Tail for 5/6 pin rim cylinder



CYZ75060
Tail for 10 pin rim cylinder



CYZ7500DNS
10 Pin Differ Key

CYZ75000NS
10 Pin Stocksuite Master Key



CYZ78001NS
MPx6 6 Pin Cylinder Keyblank



CYZ70001/6
6 Pin Cylinder Keyblank to suit
British Standard Cylinder Locks



CYZ70001
5 Pin Cylinder Keyblank

CYZ70000
5 Pin Stock Suite Master Key



CYZ74001
5 Pin Cylinder Keyblank - Contract









Security Cards are supplied with new MK suites.

This security card is retained by the owner of the cylinder or master key system and must be produced to the distributor with any orders for additional keys or cylinders.

The owner card contains either the key number or master key system reference number in addition to all distributor details.

EUROSPEC

Outdoor Security



- **Assorted types to suit varying tastes and requirements**
- **Including combination, water-proof and armoured padlocks**



CYPLB3080SS/BP

Brass Padlocks

- Hardened steel shackle
- Double locking shackle
- Solid brass body
- Supplied with 3 brass keys
- Available keyed alike
- Master keyed options

ABS Waterproof Padlocks

- Suitable for external use
- Hardened steel shackle
- Double locking shackle
- ABS thermoplastic shell
- Supplied with 3 brass keys
- Available keyed alike in pairs

Armoured Shutter Padlock

- Suitable for external use
- Hardened steel rolling shackle
- Double locking shackle
- Zinc plated steel clad brass body
- Supplied with 3 brass keys
- Keyed alike options

Combination Padlocks

- Ideal for lockers or luggage
- Chrome plated shackle
- Solid brass body
- Simple to use resettable combinations

Laminated Steel Padlocks

- Hardened steel shackle
- Double locking shackle
- Zinc plate laminated steel body
- Supplied with 3 brass keys
- Available keyed alike in pairs


Stainless Steel Padlocks

- External use
- Hardened steel shackle
- Double locking shackle
- Weather resistant stainless steel body
- Supplied with 3 brass keys

Heavy Duty Security Padlock

- ABS covered steel body
- 11mm hardened steel shackle
- Pick, drill and bump resistant
- Removable shackle
- Supplied with 3 high security keys






Brass Padlock - Standard Shackle

SB

Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPL1040SB/BP	38	31.3	21.8	19.5	6.3	3	1
CYPL1050SB/BP	50	40.8	29	26	8.9	3	1
Blister Packed Keyed Alike							
CYPL1450SB/BP	50	40.8	29	26	8.9	3	2

10 YEAR






Brass Padlock - Long Shackle

SB

Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPL1051SB/BP	50	48.8	74.7	26	8.9	3	1

10 YEAR





Laminated Steel Padlock - Standard Shackle


ZP

Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPL2040BZP/BP	40	33	24	20.5	6.1	2	1
CYPL2050BZP/BP	50	37.5	27.5	24.5	8.8	3	1

10 YEAR

ABS Waterproof Padlock - Standard Shackle






Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPL2050ABS/BP	59	44	23	22.5	10.5	4	1

G304 Stainless Steel Padlock - Standard Shackle






Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPL3030SSS/BP	30	29	18	15	5	4	1
CYPL3040SSS/BP	40	35	22	21	6	4	1
CYPL3050SSS/BP	50	43	28	26	8	5	1
CYPL3060SSS/BP	60	52	34	31	10	5	1

G304 Stainless Steel Padlock - Closed Shackle





Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPLD3070SS/BP	70	70	18	22	9.5	5	1



CYPLD3070SS/BP




CYPLA65SC

Armoured Steel Brass Padlock - Closed Shackle

SS






Blister Packed to Differ	A	B	C	D	E	Grade	Pack Qty
CYPLB3080SS/BP	80	58	25	30	11	5	1

10 YEAR

Combination Padlock - Side Wheel

SB






Blister Packed	A	B	C	D	E	Grade	Pack Qty
CYPLC1030SB/BP	28.5	41.2	26.8	12.4	5	2	1

10 YEAR

Heavy Duty Combination Padlock - Bottom Wheel

SB






Blister Packed	A	B	C	D	E	Grade	Pack Qty
CYPLC1050SB/BP	52.8	41.4	29.7	25.5	7.9	3	1

10 YEAR

65mm Heavy Duty Security Padlock - Closed Shackle

SC







Carded	A	B	C	D	E	Grade	Pack Qty
CYPLA65SC	65	80	19	16	11	5	1

10 YEAR

IPB150EXB/BP
Brenton Padbolt 150mm
IPB200EXB/BP
Brenton Padbolt 200mm

EXB







	A	B	C	D	E	F
IPB150	45	173	48	32	35	16
IPB200	45	224	48	32	35	16

IPB100BZP/BP
Brenton Padbolt 100mm
IPB150BZP/BP
Brenton Padbolt 150mm
IPB200BZP/BP
Brenton Padbolt 200mm

BZP






	A	B	C	D	E	F
IPB100	45	122	48	32	35	16
IPB150	45	173	48	32	35	16
IPB200	45	224	48	32	35	16

ISH076BZP/BP
Safety Hasp 3”
ISH114BZP/BP
Safety Hasp 4.5”
ISH150BZP/BP
Safety Hasp 6”

BZP





	A	B	C	D	E	F	G	H
ISH076	30	26	76	30	29	2	9	26
ISH114	38	58	114	40	38	2	9	26
ISH150	38	58	150	40	38	2	9	26



Eurolite's Euroseal outdoor collection is for gardens, workshops or commercial applications. With features such as IP66 rated level of protection, socket enclosures featuring hinged and lockable covers plus multiple knock outs for easy entry points.

EUROSPEC

Panic and Emergency Exit Hardware



Contract

- Suitable for single and double doors
- Dogging device as standard
- Easi-reverse latch
- Top tripper device on bolts

Push Pads

- Double handed
- Narrowstyle
- Pullman-type latch



XDL5760SV

Guide to BS EN 1125:2008

BS EN 1125:2008 UK designated version of the harmonised European standard entitled “Building hardware. Panic exit devices operated by a horizontal bar, for use on escape routes. Requirements and test methods.” To ensure the panic device allow safe and effective escape through a doorway with minimum effort and without prior knowledge of the device.This applies to public buildings, places of entertainment, shops etc. The emphasis for products covered by this standard is on safe exit rather than security.

Digit 5 - Safety
Grade 1: All panic exit devices have a critical safety function.

Digit 6 - Corrosion Resistance
Grade 3: 96 hours (high resistance).
Grade 4: 240 hours (very high resistance).

Digit 1 - Category of Use
Grade 3: high frequency of use where there is little inventive to exercise care, i.e. where there is a chance of an accident occurring and of misuse.

Digit 7 - Security
Grade 2: panic exit devices are primarily for the operation of a door and the security requirements are secondary to those of safety.

Additional specific tests may be carried out to prove a higher level of security. The panic exit device will be deemed to conform to this European Standard, provided that all of the requirements of this European Standard are met.

3	7	6	B	1	4	2	2	A	A

Digit 2 - Durability
Grade 6: 100,000 cycles
Grade 7: 200,000 cycles

Digit 3 - Door Mass
Grade 5: up to 100 kg
Grade 6: up to 200 kg
Grade 7: over 200 kg

Digit 8 - Projection of Horizontal Bar
Grade 1: projection of up to 150 mm (large projection).
Grade 2: projection up to 100 mm (standard projection).

Digit 9 - Type of Horizontal Bar Operation
Type A:
panic exit device with “push-bar” operation.
Type B:
panic exit device with “touch-bar” operation.

Digit 4 - Suitability for use on fire/smoke doors
Grade 0: Not approved for use on fire/smoke door assemblies.
Grade A: Suitable for use on smoke door assemblies.
Grade B: Suitable for use on fire and smoke door assemblies based on a test in accordance with EN 1634-1.
Full requirement details can be found in Annex B.

Digit 10 - Field of door application
Category A: single door, double door; active or inactive leaf.
Category B: single door only.
Category C: double door, inactive leaf only.

Guide to BS EN 179:2008

BS EN 179:2008 UK designated version of the harmonised European standard entitled “Building hardware. Emergency exit devices operated by a lever handle or push pad, for use on escape routes. Requirements and test methods.” Covering devices to be used in emergency situations where people are familiar with the emergency exit and its hardware and therefore a panic situation is most unlikely to develop. Devices operated be a lever handle or push pad may therefore be used.

Digit 5 - Safety
Grade 1: All emergency exit devices have a critical safety function.

Digit 6 - Corrosion Resistance
Grade 3: 96 hours (high resistance).
Grade 4: 240 hours (very high resistance).

Digit 1 - Category of Use
Grade 3: high frequency of use where there is little inventive to exercise care, i.e. where there is a chance of an accident occurring and of misuse.

Digit 7 - Security
Grade 2: 1000 N
Grade 3: 2000 N
Grade 4: 3000 N
Grade 5: 5000 N

Additional specific tests may be carried out to prove a higher level of security. The emergency exit device will be deemed to conform to this European Standard, provided that all the requirements of this European Standard are met.

3	7	6	B	1	4	2	2	A	A

Digit 2 - Durability
Grade 6: 100,000 cycles
Grade 7: 200,000 cycles

Digit 3 - Door Mass
Grade 5: up to 100 kg
Grade 6: up to 200 kg
Grade 7: over 200 kg

Digit 8 - Projection of Horizontal Bar
Grade 1: projection of up to 150 mm (large projection).
Grade 2: projection up to 100 mm (standard projection).

Grade 1 does not apply to Type A operation.

Digit 9 - Type of Horizontal Bar Operation
Type A: emergency exit device with “lever handle” operation.
Type B: emergency exit device with “push pad” operation.

Digit 4 - Suitability for use on fire/smoke doors
Grade 0: Not approved for use on fire/smoke door assemblies.
Grade A: Suitable for use on smoke door assemblies.
Grade B: Suitable for use on fire and smoke door assemblies based on a test in accordance with EN 1634-1.

Full requirement details can be found in Annex B.


Digit 10 - Field of door application
Category A: outwardly opening single exit door, double exit door; active or inactive leaf.

Category B: outwardly opening single exit door only.

Category C: outwardly opening double exit door, inactive leaf only.

Category D: inwardly opening single exit door only.

Certain emergency exit devices are restricted to particular doors within this broad characterisation. Refer to installation instructions for specific application.



XDL5760SV
760mm Pushbar panic latch
with dogging function c/w strike

XDB5760SV
760mm Pushbar panic bolt
c/w vertical rods

XCA5000SV
Spare Pushbar to suit
doors up to 1200mm

SV

Suitable for single
and double doors

Dogging device as standard

Easi-reverse latch

Top tripper device on bolts


APPROVED PRODUCT
CF719

EN 1125:2008									
2812 - CPR - AAA010									
3	7	6	B	1	4	2	2	A	A

XIA5002SV
Push Pad Latch

SV






APPROVED PRODUCT
CF719

EN 179:2008									
2812 - CPR - ABB018									
3	7	6	B	1	4	2	2	B	B






XIA5003SV
External Locking Attachment c/w 5 pin cylinder

SV

Listed on Certifire certificate CF719 as an approved accessory only.
Approved for use with XDL5760 Push Bar Panic Latch, XIA5002 and XSA5002 Push Pads.





XSA5002SV
Narrow Style Push Pad


SV


APPROVED PRODUCT
CF719

XSA5002 EN 179:2008									
2812 - CPR - ABB028									
3	7	6	B	1	4	2	2	B	A









XSA5003SV
Lever Operated External Locking Attachment c/w 10 pin cylinder

For use with XDB5760 use XSA5033K/SV

XSA5033K/SV
Replacement T handle for XSA5003

SV

XSA5003SV Listed on Certifire certificate CF719 as an approved accessory only.
Approved for use with XDL5760 Push Bar Panic Latch, XIA5002 and XSA5002 Push Pads.

EUROSPEC

Intumescent Fire Protection and Acoustic Sealing Systems



- **Acoustic seals form an effective barrier against the outside climate, noise, light, fire, smoke and insects**
- **Cost effective solution for part E and M of the latest UK building regulations, relating to disability, access and energy conservation**



Self Adhesive Intumescent Fire Seals

- Rapid high pressure multi directional expansion
- Mineral based: safe to handle, containing no fibrous material or harmful chemicals
- Unaffected by moisture, humidity, atmospheric pollution and other common industrial and household chemical substances
- Laboratory ageing tests indicate a life expectancy in excess of 100 years
- Supplied with a self adhesive backing for ease of application
- Identification on each product ensures full traceability

Drop Down Seals

- High quality scissor action to accommodate uneven floors unlike weaker systems which can bend if the door is slammed
- Fully adjustable seal to take up to a 14mm drop
- Easy maintenance with a “slide in slide out” seal
- Operationally tested to 200,000 cycles
- Fully tested with and without use of threshold plates, also tested straight down to carpet
- Seal drops on hinge side before lock side
- Galvanized steel flat springs and reinforced actuators

Intumescent Packs

Material	Initial Expanding Deg -C	Main Body Expending Deg -C	Free Expansion Rate	Density
Intercalated graphite 0.8mm sheet	> -180°C	550°C	Multi Directional X 40 Volume	1.2g/cm3


One pack suitable for both FD30 and FD60 applications, unless otherwise stated.
Successfully included within BS EN 1634-1:2014.

Finger Protection

According to the RoSPA, the Royal Society for Prevention of Accidents, over 30,000 children in the UK require hospital treatment every year after trapping their fingers in doors. More than 1,500 of these children need surgery, sometimes requiring plastic/reconstructive surgical operations. Nasty accidents of this type can easily be prevented using any of the products from our finger protection range.

APPROVED PRODUCT CF846





CB140-25
2100mm x 10mm x 4mm
Self Adhesive White Fire Door Seal
25 Pack

W

CB100-25
Brown


BROWN

FDP104W
1050mm x 10mm x 4mm
Self Adhesive White Fire Door Seal
5 Pack

W

APPROVED PRODUCT CF846





CB145-25
2100mm x 10mm x 4mm
Self Adhesive
White Fire and Smoke Door Seal
25 Pack

W

CB125-25
Brown

BROWN

FDPS104W
1050mm x 10mm x 4mm
Self Adhesive
White Fire and Smoke Door Seal
5 Pack


W

FDPS104B
Brown

BROWN

APPROVED PRODUCT CF846





CB120-25
2100mm x 15mm x 4mm
Self Adhesive White Fire Door Seal
25 Pack

W

CB110-25
Brown

BROWN

FDP154W
1050mm x 15mm x 4mm
Self Adhesive White Fire Door Seal
5 Pack


W

FDP154B
Brown

BROWN

APPROVED PRODUCT CF846





CB115-25
2100mm x 15mm x 4mm
Self Adhesive
White Fire and Smoke Door Seal
25 Pack

W

CB130-25
Brown

BROWN


FDPS154W
1050mm x 15mm x 4mm
Self Adhesive
White Fire and Smoke Door Seal
5 Pack


W

FDPS154B
Brown

BROWN

APPROVED PRODUCT CF846






CB170-25
2100mm x 20mm x 4mm
Self Adhesive
White Fire and Smoke Door Seal
25 Pack

W

CB175-25
Brown

BROWN









ES1204
TOP 37 Rebated model for timber doors
730mm 37dB Rw 5 Pack

SAA

ES1205
830mm


ES1206
930mm

ES1207
1030mm


ES1208
1130mm

Prefitted screws for quick cost effective fixing •
Seal drops on hinge side before lock side •
Seal removable to assist installation/replacement •
14mm maximum drop •
Galvanised steel flat springs and reinforced actuators •
2 fin high quality 'V' zero class PVC rubber coextruded •
seal and carrier, self extinguishing, in aluminium body









ES1231
APPLIQUE 37 Surface mounted for retro fitting
on timber door sets 630mm 37dB Rw 5 Pack

SAA

ES1232
730mm


ES1233
830mm

ES1234
930mm


ES1235
1030mm

Screw fix (screws supplied) •
Can be fitted to inside (lock side using bumper provided) •
or outside of the door (non lock side)
Seal drops on hinge side before lock side •
14mm maximum drop •
Galvanised steel flat springs and reinforced actuators •
4 fin high quality 'V' zero class PVC •
rubber seal, self extinguishing









ES1222
ACOUSTIC PLUS 51 Rebated model for timber doors
730mm 51dB Rw 5 Pack

SAA

ES1223
830mm

ES1224
930mm

ES1225
1030mm

Prefitted screws for quick cost effective fixing •
Seal drops on hinge side before lock side •
Seal removable to assist installation/replacement •
14mm maximum drop •
alvanised steel flat springs and reinforced actuators •
Sound insulating seal, high quality 'V' zero class •
PVC rubber, self extinguishing, in aluminium body

ES1271



Universal UK sashlock pack c/w strike plate with cut down serrations to fit 3.0” and 2.5” case sizes S/A. Suits architectural sash locks

ES1272



Universal UK flat latch pack c/w strike plate S/A. Suits FLL

ES1273



Universal UK deadlock pack c/w strike plate with cut down serrations to fit 3.0” and 2.5” case sizes S/A. Suits architectural dead locks

ES1274




Universal DIN lock fire pack c/w strike plate to suit Easi-T lock dimensions and able to work with 55mm and 60nn backset follower centres S/A Suits din modular locks

ES1275



Fire brigade lock pack c/w strike plate. Suits LFB2

ES1276



Residential bathroom/sashlock fire pack c/w strike plates S/A Suits BAE and LSE

ES1283



Tubular Latch Set and Deadbolt, c/w strike plate to suit 2.5”and 3” backset

Material	Initial Expanding Deg -C	Main Body Expending Deg -C	Free Expansion Rate	Density
Intercalated graphite 0.8mm sheet	> -180°C	550°C	Multi Directional X 40 Volume	1.2g/cm3

One pack suitable for both FD30 and FD60 applications, unless otherwise stated.
Successfully included within BS EN 1634-1:2014.

Self Adhesive Intumescent Hinge Packs

INT1102



100 x 36mm intumescent hinge, 4 pack

INT1433



100 x 30mm intumescent hinge liner, 4 pack

INT1433/300B/R



100 x 30mm intumescent radius hinge liner, 300 bulk pack

INT1433/300B/S



100 x 30mm intumescent hinge liner, 300 bulk pack

INT1443



100 x 40mm intumescent hinge liner, 4 pack
Only suitable for FD60

ES1130



Concealed hinge fire pack S/A. Suits CI001130. FD30 only

ES1131



Concealed hinge fire pack S/A. Suits CI001131

ES1230



Concealed hinge fire pack S/A. Suits CI001230. FD30 only

Material	Initial Expanding Deg -C	Main Body Expending Deg -C	Free Expansion Rate	Density
Intercalated graphite 0.8mm sheet	> -180°C	550°C	Multi Directional X 40 Volume	1.2g/cm3

One pack suitable for both FD30 and FD60 applications, unless otherwise stated.
Successfully included within BS EN 1634-1:2014.

INTAA45

New




Universal CB Chain Closer Kit. To suit AA45 (FD30)

INT2024




Intumescent pack to suit DCC2024CF (FD30)

INT2024/60



Intumescent pack to suit DCC2024 (FD60)

INT2500



Intumescent pack for double action floor spring. Suits DCFS150


INT1008



Intumescent pack for lever action flush bolt. Suits FBT1008

Material	Initial Expanding Deg -C	Main Body Expending Deg -C	Free Expansion Rate	Density
Intercalated graphite 0.8mm sheet	> -180°C	550°C	Multi Directional X 40 Volume	1.2g/cm3

One pack suitable for both FD30 and FD60 applications, unless otherwise stated.
Successfully included within BS EN 1634-1:2014.



Little Fingers Slimline Finger Protector

ES800
Opening side 120° white

ES801
Hinge knuckle side 105° white

W

ES802
Opening side 120° brown

ES803
Hinge knuckle side 105° brown

BROWN

Slimline design - once fitted it is hardly noticeable, only projects 30mm from door face •
Opens up to 180° •
1.95 metre lengths •
Easy to install, no specialist tools or equipment required. Fixing screws provided •
Supplied with high performance self-adhesive tape to aid easy fitting •
Easy to clean and requires no maintenance •
Suitable for areas of heavy pedestrian traffic •
Improves acoustic and draft proofing performance •
Easily cut to length for shorter doors •

10 YEAR



Little Fingers Slimline Heavy Duty Finger Protector

ES805
Opening side 180° white

ES806
Hinge knuckle side 105° white

W


ES807
Opening side 180° brown


ES808
Hinge knuckle side 105° brown

BROWN

Easy to install, no specialist tools or equipment required •
Low maintenance •
Suitable for butt-hinged or pivot doors •
1.95 metre lengths •
Opens up to 180° •
Left or right handed opening doors •
Front and rear types •

10 YEAR






ES400
ES401
ES402
ES403
ES404
Air Transfer Vent


SV

	A	B	C
ES400	150	150	42
ES401	150	300	42
ES402	300	300	42
ES403	112	225	42
ES404	225	225	42

FD30/60 TIMBER · 10 YEAR

Face Plate Cover for Air Transfer Vent





ES420
To match ES400

ES421
To match ES401

ES422
To match ES402

ES423
To match ES403

ES424
To match ES404


SV

	A	B	C
ES420	197	200	7.5
ES421	197	346	7.5
ES422	340	345	7.5
ES423	160	270	7.5
ES424	270	270	7.5

10 YEAR

Intumescent Letterbox





ES300
ES304

PB

ES301
ES305

CP

ES302
ES306

GOLD

ES303
ES307

SAA

ES308
ES309

SSS

	A	B	C	D	E
ES300	56	272	238	40-80	70
ES301	56	272	238	40-80	70
ES302	56	272	238	40-80	70
ES303	56	272	238	40-80	70
ES304	56	305	274	40-80	70
ES305	56	305	274	40-80	70
ES306	56	305	274	40-80	70
ES307	56	305	274	40-80	70
ES308	56	272	238	40-80	70
ES309	56	305	274	40-80	70

37 dB Rw · SMOKE · FD30 TIMBER · 10 YEAR


Metals and Finishes

Keeping any metal clean is important. Dust, which is usually chemical active, and moisture, which is often acid, are principal natural hazards. Simple but regular cleaning is more successful than severe sporadic treatment.



Black Antique

Using a soft cloth, apply a light oil to the entire surface and buff to dry.



Pewter

Occasional light wash with soapy water, dry thoroughly and buff lightly to remove any water marks.



Brass (Not Lacquered)

Brass is an alloy of copper and zinc, with copper being the main component. Copper reacts to the atmosphere by producing a natual oxidation (patina) of it's surface which when completely covered, resists further attack from the atmosphere. Patina is often a dark green colour, however, can also display different shades. Occasional light wash with soapy water, dry thoroughly - this will still allow the natural patina to remain. If you prefer a fresh brass look, occasional use of Brasso.



Lacquered Finishes

Regular dusting is required. Occasional light wash with soapy water, dry thoroughly and buff lightly to remove any water marks.



Plated Finishes

Regular dusting is required. Occasional light wash with soapy water, dry thoroughly and buff lightly to remove any water marks.



Stainless Steel

Regular dusting is required. Occasional light wash with soapy water, dry thoroughly and buff lightly. When fitted externally, use GT85 PTFE (or similar) spray on a soft cloth to clean any dirt/ contaminents, or discolouration.



PVD

Regular dusting is required. Occasional light wash with soapy water, dry thoroughly and buff lightly to remove any water marks.



Door Hardware

All items of door hardware will require regular cleaning for aesthetics, however, the following should be carried out to maintain the correct mechanical operation of the product(s).



Hinges, Locks & Latches, Door Closers and Exit Hardware

After 20,000 operations, lubricate using GT85 PTFE solution or similar. Repeat after each additional 20,000 operations. Ensure all fixings are secure, the product is free from obstruction and check for correct operation.



CEAM Concealed Hinges

Lubricate the hinges, using a dry PTFE spray when required (once every two years as a minimum). Check all fixings and adjust as necessary.



M78CP

Key to Finishes



AB Antique Brass



ABB Antique Burnished Brass



ABIC Antique Brass/Ivory Crackle Glaze



ABS Blue Nylon



ACC Acrylic Clear Chrome



ANT Anthracite



AS Antique Steel



ASMC Antique Steel/Midnight Blue Crackle Glaze



BA Black Antique



BB Brushed Black



BK Black



BL Black



BLACK Black



BLK Black



BLK/WHT Black & White



BN Black Nickel



BNP Black Nickel Plated



BR Bronze



BROWN Brown



BSS Bright Stainless Steel



BSS/SSS Bright Stainless Steel/Satin Stainless Steel



BZP Bright Zinc Plated



COP Copper



COP/WHT Copper & White



CP Polished Chrome



CP/BLK Polished Chrome & Black



CPMC Polsihed Chrome & Midnight Blue Crackle Glaze



CP/MSC Polished Chrome/Matt Satin Chrome



CPSC Polished Chrome/Satin Chrome



CPSN Polished Chrome/Satin Nickel



CTB Clear Translucent Brass



CTC Clear Translucent Chrome



DB Dark Bronze



EB Electro Brassed



EXB Extruded Black



FB Florentine Bronze



FBIC Florentine Bronze/Ivory Crackle Glaze



GAA Gold Anodised Aluminium



GALV Galvanised



GM Gun Metal



GN Green



GOLD Gold



ICFB Ivory Crackle Glaze/Florentine Bronze



JAP Black Japaned



MB Matt Black



MBRZ Matt Bronze



MCCP Midnight Blue Crackle/Polished Chrome



MSN Matt Satin Nickel



NIK00 Nickel Plated



NP Nickel Plated



PAA Polished Anodised Aluminium



PB Polished Brass



PC Polished Chrome



PCB Powder Coat Black



PCW Porcelain White



PE Pewter



PLW Plain White/Polished Brass



PLWCP Plain White/Polished Chrome



PN Polished Nickel



PNP Polished Nickel Plated



PNSN Polished Nickel/Satin Nickel



POL/LAC Polished/Lacquered



PS Polished Stainless



PT Pewter



PVD Stainless Brass



PVD BLACK PVD Black



PWCP White Porcelain/Polished Chrome



PWH White Porcelain



PWSC White Porcelain/Satin Chrome



SAA Satin Anodised Aluminium



SB Satin Brass



SBPB Satin Brass/Polished Brass



SC Satin Chrome



SC/BLK Satin Chrome/Black



SCCP Satin Chrome/Polished Chrome



SCO Satin Copper



SCOL Self Colour



SCP Satin Chrome Plated



SG Silver Grey



SN Satin Nickel



SNCP Satin Nickel/Polished Chrome



SNP Satin Nickel Plated SS - Stainless Steel



SNSS Satin Nickel/Stainless Steel



SPVD Satin Stainless Brass



SS Stainless Steel



SSCP Stainless Steel/Polished Chrome



SSE Stainless Steel Effect



SSS Satin Stainless Steel



SSSC Satin Stainless Steel/Satin Chrome



SV Silver



VCH00 Stainless Steel Plated



VNO Matt Black



W White



WH White



WOSC Wood Oak/Satin Chrome



ZP Zinc Plate

Ceam Finish Guide

CEAM FINISH	=	CARLISLE BRASS FINISH
 Nichelato		 Polished Nickel
 Verniciato Nero Opaco		 Matt Black
 Champagne		 Satin Nickel
 Bronzato		 Matt Bronze
 Bronzo Spazzolato		 Antique Brass
 Ottonato		 Polished Brass
 Ottonato Satinado Galvanise		 Satin Brass
 Verniciato Argento		 Silver
 Nichel Nero		 Black Nickel

Key to Symbols

GUARANTEES

2 Year Electrical | 2 Year Mechanical | 5 Year Mechanical | 10 Year Mechanical | 25 Year Mechanical

BS 8300-2:2018 Design of an accessible and inclusive built environment. Part 2: Buildings - code of practice, is a guidance document to support building regulations document “Approved Document M. Public buildings (England & Wales) need to comply with the regulations, therefore, “All Inclusive” door hardware will need to meet, where possible, the guidelines of BS 8300-2. (These guidelines relate to, clear opening widths, Threshold heights, Door opening forces, Handle heights & dimensions, Lock case dimensions, and Light Reflectance Values (LRVs)).

CE MARKING Certification required by the “Construction Products Regulation (CPR) 2011” for products being sold in EU. The CE mark on a product indicates that the product has been successfully 3rd party conformity assessment by an EU27 Notified Body. It is the manufacturer’s declaration that the product complies with all essential requirements relating to the relevant European Harmonised Standard for that product type. Since January 2022, CE marking has not been recognised in Great Britain (England, Scotland, & Wales), but products carrying CE can still be sold if they also carry UKCA marking. Northern Ireland (whilst the Northern Ireland Protocol remains) will still align with EU rules for CE marking. (Any product being placed on the market there from Great Britain must carry CE mark, along with UKCA mark (or UKNI mark)).

UKCA (UK Conformity Assessed) certification required by the “Construction Products (Amendment etc.) (EU Exit) Regulations 2020” for products being placed on the market in Great Britain (England, Scotland and Wales). It applies to most goods which previously required CE marking, and many of the testing and accreditation requirements are similar, however for UKCA, the product complies with all essential requirements relating to the relevant UK Designated Standard for that product type.

APPROVED PRODUCT
CFXXX

CERTIFIRE An independent 3rd party scheme providing high quality, voluntary, product conformity for the passive fire sector. Certifire is product certification at a higher level than CE and UKCA. Products must be officially sample selected by Warringtonfire, for all testing and a comprehensive field of application document based on carefully chosen tests. Designed to give confidence to specifiers, enforcement authorities and building owners/occupiers, the Certifire scheme is recognised by regulatory authorities both in the UK and overseas.

BS 3621

BSI KITEMARK ™ The world’s premier symbol of trust, integrity and quality. Manufacturers having this associated with their product or service will reassure customers and specifiers alike that they have satisfied the most rigorous of quality processes.

TS 007:2014
KM 585549

TS 007:2014 Technical schedule entitled “Enhanced security performance requirements for replacement cylinders and/or associated hardware.” Covers both cylinders and protective door furniture, including security handles and security escutcheons. It specifies a minimum level of security requirement to defend against the opportunist burglar.

BS EN 1634 European Fire Safety Standard entitled “Fire resistance and smoke tests for door and shutter assemblies, openable windows and elements of building hardware. Part 1: Fire resistance test for door and shutter assemblies and openable windows.” Fire evidence for individual items for door hardware means they are suitable for consideration for use on a fire door, it does not mean that the product can be fitted to every fire door. Any evidence gained must show that the hardware did not affect the integrity of the fire door-set in which it was tested with.

FD30 TIMBER
30 minute fire doors

FD60 TIMBER
60 minute fire doors

FD30/60 TIMBER
30/60 minute fire doors

FD30/60/120 TIMBER
30/60/120 minute fire doors

FD120 STEEL
120 minute fire doors

FD240 STEEL
240 minute fire doors

FD120/240 STEEL
120/240 minute fire doors

BS EN 179 UK designated version of the harmonised European standard, requirements and testing methods covering panic exit devices operated by a lever handle or push pad.

BS EN 1125 UK designated version of the harmonised European standard, requirements and testing methods covering panic exit devices operated by a horizontal bar.

BS EN 1154 UK designated version of the harmonised European standard, requirements and testing methods covering controlled door closing devices.

BS EN 1155 UK designated version of the harmonised European standard, requirements and testing methods covering electronically powered hold open devices.

BS EN 1303 UK non-designated version of the non-harmonised European standard, requirements and testing methods covering cylinders for locks.

BS EN 1670 British/European standard entitled “Building hardware – Corrosion resistance. Requirements and test methods” The standard provides a method of classification of corrosion resistance of building hardware based on performance in a neutral salt spray test (EN ISO 9227).

BS EN 1906 UK non-designated version of the non-harmonised European standard, requirements and testing methods covering lever handles and knob furniture.

BS EN 1935 UK designated version of the harmonised European standard, requirements and testing methods covering single axis hinges.

BS EN 12209 UK designated version of the harmonised European standard, requirements and testing methods covering single axis hinges, locks, latches and locking plates.

SPECIAL ORDER
Special order products are available by request only, a lead time is generally associated with these products, please contact customer services for more details, 01228 511030.

SECURED BY DESIGN The official police security initiative that works to improve the security of buildings and their immediate surroundings, to provide safe places to live, work, shop and visit. The product-based accreditation scheme “the Police Preferred Specification” provides a recognised standard for all security products that can deter and reduce crime. Places an obligation on a door or window fabricator to test and or certificate their products, and meet the requirements of Secured by Design i.e. 3rd party certification. Ensures that any changes in crime offending methods are considered and or introduced into product development. Secured by Design award is recognition that the product has successfully passed the standard/test elements nominated by the police service. Secured by Design does not sell or provide any guarantees in respect of the product, it is the attack test standard(s) that Secured by Design support.

CYLINDER FEATURES AND BENEFITS

- Anti-Drill
- Break-Off System
- Anti-Plug Pull
- Anti-Pick
- Anti-Bump

INTUMESCENT FEATURES AND BENEFITS

- Acoustically Tested 35 dB Rw
- Acoustically Tested 37 dB Rw
- Acoustically Tested 39 dB Rw
- Acoustically Tested 51 dB Rw
- Smoke Control

CYLINDER SECURITY LEVELS

- High Security
- Standard Security

MATERIAL

- Grade 304 Stainless Steel
- Grade 316 Stainless Steel

Product Index

A

Accessories 130 - 141
Acoustic Seal 410
Aluminium Collection 274 - 285
ART Deco 80 - 82

B

Ball / Thrust Bearing Hinges 292 - 300, 303
Ball Catches 189, 357
Barrell Bolt 140, 269, 398
Bathroom Accessories 192 - 199
Bathroom Bolt 138
Bathroom Locks 343, 347, 354
Bell Pushes 95, 117, 272
Black Antique Range 88 - 105
British Standard Locks 332 - 334

C

Cabin Hook 134, 269
Cabinet Accessories 144, 189
Cabinet Hardware 142 - 191
Cable Tidy 190
Casement Fasteners 97 - 99, 120 - 121, 123
Casement Pins 125, 202
Casement Stays 97 - 99, 120 - 122, 126
Ceam Hinges 190, 304 - 309
Centre Door Knobs 92, 113 -114, 273
Cylinder Night Latch 344, 358 - 359
Concealed Door Closer 326
Cupboard Handles 151, 153, 155, 177 - 189, 269
Cupboard Knobs 147 - 150, 152, 155, 156, 165 - 175
Cupboard Pulls 158 - 163
Cylinder Accessories 387 - 389
Cylinder Pulls 95, 117, 263, 281
Cylinders 362 - 389

D

Deadbolts 344, 349 - 350
Din Locks / Latches 335 - 340
Disabled Toilet Handle 282
Door Chain / Guard 95, 115 - 116
Door Controls 310 - 327
Door Knockers 96 - 97, 114 - 115, 273
Door Stops 105, 135 - 136, 267 - 268, 279, 283, 303
Door Studs 96 - 97
Door Viewers 115, 272
Dust Sockets 136 - 137, 268

E

Easy Keep Latch 139
Escutcheons 13, 21 - 22, 25, 37 - 38, 43, 49, 55, 68 - 69, 92 - 94, 117, 132, 210, 214, 223, 227, 231, 236, 277, 282
Espagnolette Bolts 139
Espagnolette Fasteners 124
European Collection 18 - 25, 75
External Door Furniture 106 - 117

F

Fanlight Window Furniture 126
Finger Plates 77-79, 101, 258 - 259, 278
Fire & Smoke Seals 409
Fire Brigade Lock 360
Flat / Upright Latch 345, 352, 355
Floor Spring 326
Flush Bolts 136, 268
Flush Pulls 16 - 17, 133, 141, 162 - 163, 263 - 264, 279
Forend / Strike Fixing Packs 328 - 337, 341 - 343, 345, 348 - 350

G

Gate Latch 105
Grade 4 BSEN1906 206 - 211
Grade 316 Stainless Steel 212 - 215

H

Handrail Brackets 135, 266 - 267
Hasp & Staple 398
Hat & Coat Hooks 101, 105, 134 - 135, 265 - 266, 280, 283
Harmonise Collection 144, 145, 149 - 157
High Specification Hinges 287 - 303
Hinge Bolt 303
Hinge Front 104
Hinge Guards 414

I

Intumescent Packs 411 - 413

K

Key Safe 361
Kickplates 259
Kitchen / Cabinet Hinges 190 - 191

L

Letter Plates / Tidy 94 - 95, 111 - 112, 273, 415
Letters 116, 261 - 262
Lever on Backplate 14 - 15, 39, 44 - 45, 50 - 51, 56 - 59, 90 - 91, 241 - 245, 280, 284
Lever on Rose 10,12, 20 - 22, 24, 25, 30 - 37, 42 - 43, 48 - 49, 54 - 55, 209, 214, 218 - 222, 226 - 227, 230, 234 - 235, 276, 280
Locks & Latches 328 - 361
Locks & Latches Accessories 361

M

Magnetic Catches 189
Manital Range 6 -17
Mechanical Locks 361
Mortice Deadlocks 341 - 342, 353, 355
Mortice Knobs 60 - 66, 91 - 92, 214, 227, 235
Mortice Sashlocks 341 - 343, 346, 353, 356

MP10 Cylinders 369 - 371
MP5 Architectural Cylinders 379 - 383
MP5 Contract Cylinders 385 - 386
MPx6 Cylinders 373 - 375
Multipoint Handles 90, 108 - 110

N

Numerals 96, 116, 261 - 262

O

Outdoor Security 390 - 399
Overhead Door Closers 314 - 324

P

Padlocks 369, 393 - 397
Panic Hardware 400 - 405
Parliament Hinges 298, 302
Piano Hinges 87
Pivot Set 303
Pull Handle Fixings / Accessories 254 - 255, 276, 281
Pull Handles 70 - 77, 99 - 100, 246 - 253, 276, 281

R

Rebate Set 328 - 337, 341 - 343, 347 - 348, 350 - 356
Residential Hinges 84 - 87
Rim Knobs 66, 92
Rim Latch / Locks 357
Rising Butt Hinges 302

S

Sash Fasteners 126 - 127
Sash Lifts 128-129
Sash Pulls 128
Sash Stop 125
Security Bolt 138, 358
Signs 260, 277
Sliding Door 16 - 17
Spares & Accessories 200 - 203, 215
Special Cylinders 383
Stainless Steel Accessories 256 - 269
Stainless Steel External Door Furniture 270 - 273
Stainless Steel Levers on Backplate 238 - 245
Stainless Steel Levers on Rose 216 - 237
Stainless Steel Pull Handles 246 - 255
Surface Bolts 101 - 103, 140
SZC Range 40 - 45
SZM Range 28 - 35, 37 - 39, 49, 75
SZR Range 46 - 51

T

Taylor Spindles 202
T-hinges 104
Thumb Latch 101, 105
Traditional Handles 52 - 59
Tubular Latches 347 - 348, 350 - 352
Turn & Releases 10,13, 21 - 23, 25, 38, 43, 49, 55, 68 - 69, 103, 133, 202, 210, 214, 223, 227, 231, 236, 277, 282

V

Vents 141, 415

W

Wall Magnet 325
Washered / Butt Hinges 86 - 87, 104, 302
Window Fittings 118 - 129
Window Locks 125

Z

Zin Range 35 - 37

A

AA0 13
AA1 13
AA12 13
AA122 136
AA12L 13
AA133BA 103, 133
AA145 55,69
AA20 136
AA21 135
AA22 136
AA23 135
AA25 134
AA26 134
AA27 134
AA3 13
AA31 117
AA32 133
AA33 133
AA33BA 103
AA345 55, 69, 138
AA35 138
AA36 72
AA38 134
AA39 127
AA4 132
AA40 126
AA40LCK 126
AA41 127
AA42 129
AA42R 129
AA42R1 129
AA45 326
AA46 139
AA52 111
AA53 111
AA54 111
AA55 95, 111
AA56 111
AA61 134
AA62 134
AA63 134
AA64 134
AA65 134
AA73 122
AA75 115
AA76 115
AA77 115
AA79 136
AA80 140
AA810 140
AA812 140
AA813 136, 140
AA818 140
AA824 140
AA84 135
AA85 135
AA86 135
AA90 72
AA91 72
AA92 72
AA95 76
AA96 128
AA97 128
ABH1000ZP 202
AC020 62
AC050 66
AC055 112
ADR011 82
ADR011Y 82
ADR012 82
ADR013 82
ADR021 82
ADR022 82
ADR023 82
ADR501B 82, 167
ADR502C 82, 179
AEB1750 377
AEB5000 361
AGS1000H 203
AGS5000 203, 361
AGW1000 203
AHB1000G316 303
AKE5200 361
AKE5300/L 361
AKE5300/R 361
AKS5000B 361
AKS5000B/RIM 361
AKSFB1 360
AKSFB2 360
AKU5000S 361
ALB1001 203
ALB1001/L 203
ALP5038 215, 335-337
ALS1002H 203, 215
ALS5100 202
AMK5000 - AMK5004 361
AP104L 133
AP7M 203
APB1000 - APB1002 361
AQ1 12
AQ11 13
AQ12 13
AQ133 69
AQ1NP 110
AQ1NP92 110
AQ2 12
AQ25 135
AQ3 12
AQ30 117
AQ31 117
AQ39 127
AQ4 12
AQ40 117
AQ41 68, 117
AQ42 129
AQ43 127
AQ45 132
AQ46 138
AQ47 138
AQ50 129
AQ81 140
AQ82 140
AQ82EX 140
AQ83 140
AQ84 140
AQ90 133,163
AQ91 128
AQ92 128
AQ93 128
ARB5105 332
ARB5110 332
ARB5205 332
ARB5305 333, 334
ARB5405 333, 334
ARD5205 341, 342
ARDS5005 335-337
ARE5005 353-356
ARF8105 345
ARS5105 341, 343, 352
ART5105 347, 348, 350
ART54A 16
ART54AQ 16
ART55B 17
ART55BQ 16
ART56 17
ART56Q 17
ARTSY40 10
ASH5000 202, 361
ASP5038 335
ASS1019 201
ASS1030 201
ASS5100 215, 335-337
ATS1000 202
AZ20 136
AZ21 135
AZ22 135

B

B12 55, 69
BAE5025 354
BAE5030 354
BAS5025 343
BAS5030 343
BB3204 140
BB3206 140
BB3208 140
BB3806 140
BB3808 140
BBF1019SS/SQ 255
BBF109 - BBF1030/2 255
BBT1080 - BBT1200 269
BBT1080CR - BBT1200CR 269
BP40 144
BP76 144
BP168 144
BP200 144
BP501 155
BP502 155
BP700 153
BP701 152
BP702 152
BP703 152
BP710 151
BP711 150
BP712 150
BP713 150

BP720A 156
BP750 149
BR35 138
BTL1 - BTL4 351
BTL25 351
BTL30 351

C

C47 161
CAB1100 - CAB1200 269
CB100-25 409
CB110-25 409
CB115-25 409
CB120-25 409
CB125-25 409
CB130-25 409
CB140-25 409
CB145-25 409
CB170-25 409
CB175-25 409
CDC85/R 326
CDG003 322
CDG025 317
CDG420 321
CEB001 23
CEB001Q 22
CEB003 23
CEB003Q 22
CEB004 23
CEB004Q 22
CEB010Q 22
CEB050Q 22
CEB060Q 22
CEB120 23
CEB130 23
CEN1433/13 293
CEN1443/13 293
CFD1150 - CFD1600 254
CH30A 171
CH6 172
CI000929 190
CI001129 308
CI001130 308
CI001131 309
CI001230 309
CL155SGVCB 361
CPD1096 - CPD1128 269
CPM1096 - CPM1128 269
CPRB1170 243
CPRE1170 243
CPRE1170/72 243
CPRP1170 243
CPRT1170 243
CPRT1170/78 243
CPRTL1170 243
CPRU1170 243
CSB1006 231
CSD1150 - CSD1600 254
CSE1005 236
CSE1006 231
CSK1058 235
CSL1120 234
CSL1121/6 230
CSL1127/6 230
CSL1134 234
CSL1160 234
CSL1190 234
CSL1190/6 230
CSL1191 234
CSL1192 235
CSL1192/6 230
CSL1193 235
CSL1194 235
CSL1194/6 230
CSLP1162B 244
CSLP1162E 244
CSLP1162P 244
CSLP1162T 244
CSLP1164B 244
CSLP1164E 244
CSLP1164P 244
CSLP1164T 244
CSLP1167B 245
CSLP1167E 245
CSLP1167P 245
CSLP1167T 245
CSLP1190 242
CSLP1191 242
CSP1005 236
CSP1006 231
CSR1005 201, 255
CST1015 236
CST1018 231
CST1025 236
CST1028 231
CSU1005 236
CYA70445 383
CYA70470 383
CYA71140 - CYA71150 380
CYA7123050 - CYA7124550 380
CYA71260 - CYA712100 380
CYA7134030 - CYA7136040 381
CYA71360 - CYA713100 381
CYA72270 382
CYA72370 382
CYB71140 - CYB71175 380
CYB7123050 - CYB7124555 380
CYB71260 - CYB712110 380
CYB7133040 - CYB7136040 381
CYB71360 - CYB713110 381
CYB73520 382
CYB73620 382
CYB74140 - CYB74175 380
CYB7423050 - CYB7424555 380
CYB74260 - CYB742110 380
CYB7433040 - CYB7436040 381
CYB74360 - CYB743110 381
CYB75270 382
CYB75370 382
CYB76520 382
CYB76620 382
CYB77140 - CYB77175 380
CYB7723050 - CYB7724555 380
CYB77260 - CYB772110 380
CYB7733040 - CYB7736040 381
CYF71370 - CYF713100 375
CYF73524 375
CYF73624 375
CYF74146 - CYF74150 374
CYF7423540 - CYF7424060 374
CYF74270 - CYF742110 374
CYF7433545 - CYF7436040 375
CYF74370 - CYF743100 375
CYF76524 375
CYF76624 375
CYF77146 - CYF77150 374
CYF7723540 - CYF7724060 374
CYF77270 - CYF772110 374
CYF7733545 - CYF7736040 375
CYF77370 - CYF773100 375
CYF79524 375
CYF79624 375
CYG71142 - CYG71155 370
CYG7123240 - CYG7124555 370
CYG71264 - CYG712100 370
CYG7133240 - CYG7134555 371
CYG71364 - CYH713100 371
CYG71370CR 371
CYG71380CR 371
CYG73525 370
CYG74142 - CYG74155 370
CYG7423240 - CYG7424555 370
CYG74264 - CYG742100 370
CYG7433240 - CYG7434555 371
CYG74364 - CYG743100 371
CYG74370CR 371
CYG74380CR 371
CYG76525 370
CYG77142 - CYG77155 370
CYG7723240 - CYG7724555 370
CYG77264 - CYG772100 370
CYG7733240 - CYG7734555 371
CYG77364 - CYG773100 371
CYG77370CR 371
CYG77380CR 371
CYG79525 370
CYG7PL047SC KD/KA/UMK 369
CYH71264 - CYH71280 370
CYH71364 - CHY71380 371
CYPL1040 - CYPL1050 393
CYPL1051 393
CYPL1450 393
CYPL2040 - CYPL2050 393
CYPL2050 394
CYPL3030 - CYPL3060 394
CYPLA65 397
CYPLB3080 397
CYPLC1030 397
CYPLC1050 397
CYPLD3070 394
CYX7123540 - CYX7124060 374
CYX71270 - CYX712110 374
CYX71370 - CYX713100 375
CYX733545 - CYX7136040 375
CYZ70000 389
CYZ70001 389
CYZ70001/6 389

CYZ70002 388
CYZ70004 388
CYZ70006 387
CYZ70007 387
CYZ70008 387
CYZ70009 387
CYZ70011 387
CYZ70012 388
CYZ70016 388
CYZ70040 388
CYZ70050 388
CYZ70060 389
CYZ74001 389
CYZ7500 389
CYZ75060 389
CYZ75061 389
CYZ78001 389

D

DCC2024CF 314
DCC2024SM 315
DCCEM3024 324
DCEM2004 325
DCF2003 320
DCFS150/EN3 326
DCS2024 318
DCS2026BC 316
DCT2024 319
DEM100F/SV 325
DEM100S/SV 325
DK1 68
DK12 68
DK13 68
DK32WOSC 62
DK34ICFB 62
DK34MC 62
DK34PW 63
DK35C 63
DK36C 63
DK37C 64
DK39C 63
DK42 126, 132
DK47 167
DK48C 168
DK49 168
DK7 126
DK8 126
DL0060EPSSS 335
DL16 -DL18 57
DL167 - DL168 57
DL180 - DL182 58
DL190 - DL192 58
DL20 78
DL219 112
DL270 - DL272 57
DL290 - D292 58
DL30 - DL31 56
DL340-DL342 59
DL380 - DL382 58
DL410 - DL412 59
DL450 - DL452 59
DL47 168
DL5025 - DL5050 350
DL54 - DL55 56
DL56 54
DL611 76
DL64 - DL65 56
DL66 54
DLD5030 350
DLE0055EP 338
DLE0055L 338
DLE7255EP 339
DLE7255NL 339
DLE7855WC 340
DLS0060LSSS 335
DLS7260EPSSS 336
DLS7260ESCSSS 337
DLS7260NLASSS 336
DLS7860WC/8/SSS 337
DLS7860WCSSS 337
DPS1008 268
DSB8225 358
DSB8225L 358
DSF1030 267
DSF1031 267
DSF1032 267
DSF1430 267
DSF2020PB 136
DSF3020CP 136
DSF4032 279
DSF5020SC 136
DSF9030 283
DSF9032 283
DSK8000B 358
DSK8000L 358
DSW1015 268
DSW1016 268
DSW1017 268
DSW1415 268
DSW6001 279
DSW9015 283

E

EBH1 - EBH3 87
ECP1000 263
ECP9000 281
EDB5025 - EDB5030 333
EDB5025/CT - EBD5030/CT 334
EDE5025 353
EDE5030 353
EDS5025 342
EDS5030 342
EL11 - EL13 15
EL21- EL23 14
EL31 - EL33 14
ES1130 308, 412
ES1131 309, 412
ES1204 - ES1208 410
ES1222 - ES1225 410
ES1230 309, 412
ES1231 - ES1235 410
ES12713 332-334, 341, 343, 346, 347, 352, 356, 411
ES1272 344, 345, 411
ES1273 332-334, 341, 342, 411
ES1274 335-340, 411
ES1275 360, 411
ES1276 353-356, 411
ES1283 347-352, 411
ES300 - ES309 415
ES34 139
ES35 139
ES400 - ES404 415
ES420 - ES424 415
ES800 - ES803 414
ES805 - ES808 414
ESB5025 - ESB5030 333
ESB5025/CT - ESB5030/CT 334
ESE4005 277
ESE5025 353
ESE5030 353
ESE9005 282
ESK008 361
ESP9005 282
ESS5025 343
ESS5030 343
EST4005 277
EST9005 282
EST9025 282
EST9625 282
ESU9005 282
EUL001 25
EUL002 25
EUL004 25
EUL010 24
EUL020 24
EUL030 24
EUL040 24
EUL050 24
EUL060 25
EUL070 25
EUP050 73

F

FBT1008 268
FDP104 409
FDP154 409
FDPS104 409
FDPS154 409
FG1 58
FG10 79
FG1S 58
FG1WC 58
FG1Y 58
FG2 58
FG26L 58
FG27 58
FG27WC 58
FG2WC 58
FG3 55
FG4 66
FH5 20
FIX4000 200
FIX9005 281
FIX9113 200
FIXCSL 200
FIXSSL 200
FLD8025 344
FLD8030 344

FLL5025 345
FLL5030 345
FLL8025 345
FLL8030 345
FOX4019 276
FPA1301 - FPA1302 260
FPH1000 263
FPH1001 163, 264
FPH1002 163, 264
FPH1003 163, 264
FPH1004 163, 264
FPH1180 264
FPH4100 279
FPP1300 - FPP1650 258
FPP1301 258
FPP1302 259
FPP1351 258
FPP1352 259
FPP43002 278
FPP43500 - FPP46500 278
FPP43502 278
FRP50 141
FRP63 141
FSF5004 341, 343
FSF5007 341, 342
FSF5008 345
FSF5009 348, 350
FSF5010 349, 350
FSF5012 332
FSF5013 332
FSF5015 335
FSF5016 335
FSF5017 336, 337
FSF5019 334
FSF5020 334
FSF5029 333
FSF5030 333
FSF5031 336
FSF5032 337
FTD1044 163
FTD1068B 184
FTD1078B 175
FTD1230B 175
FTD1240 184
FTD1265 174
FTD1270 169
FTD1275A 169
FTD2010 187
FTD2035 187
FTD2040 186
FTD2080 184
FTD2095A 170
FTD2095E 184
FTD230 188
FTD2500 182
FTD2525 172
FTD2550 181
FTD255A 173
FTD270A 187
FTD272B 186
FTD273 181
FTD280B 186
FTD3015 162
FTD302 160
FTD3065 185
FTD3150 184
FTD3160 185
FTD3165 181
FTD3170 186
FTD337 171
FTD343 187
FTD3440 188
FTD345B 171
FTD346 171
FTD3550 182
FTD3565 170
FTD3570 173
FTD380 187
FTD401 178
FTD402 179
FTD4020A 173
FTD4025 173
FTD403 178
FTD4030 170
FTD4045A 172
FTD410 185
FTD4215 179
FTD4220 186
FTD4225 183
FTD425 172
FTD429A 173
FTD430 172
FTD444 185
FTD445 178
FTD450 188
FTD460 185
FTD470 183
FTD4750 182
FTD480 183
FTD485 180
FTD495 180
FTD505 188
FTD515 174
FTD520 189
FTD521 169
FTD523 170
FTD524 171
FTD525B 174
FTD529 179
FTD535A 174
FTD5515 161
FTD5520 162
FTD555 162
FTD557 161
FTD558 161
FTD559 161
FTD585 175
FTD585A 175
FTD600R 167
FTD605R 183
FTD620 175
FTD630A 175
FTD670 169
FTD685 181
FTD690 169
FTD700 177
FTD701 165
FTD702 165
FTD703 165
FTD710 177
FTD711 165
FTD712 165
FTD713 165
FTD720 167
FTD751 158
FTD770C 168
FTD790 168
FTD800 190
FTD805D 190
FTD810 190
FTD815 189
FTD835 189
FTD840 189
FTD850 189
FTD855 190
FTD922D 183
FTD927C 179
FTD929A 170
FTD935 162, 180

G

GI5 12

H

H2N1102/13 296
H2N1103/13 296
H2N1121/14 292
H2N1424 - H2N1446 298
H2N1900 303
H2N1950 303
H3N1207/14 292
H4.100.35.10 191
H4.100.35.20 191
H4.100.35.30 191
H4.170.35.10 191
HBS1038 267
HBS1050 267
HCH1010 265
HCH1011 265
HCH1012 265
HCH1013 265
HCH1014 265
HCH1015 266
HCH1016 266
HCH1017 266
HCH1018 266
HCH9012 283
HCH9013 283
HDPBW21 86
HDPBW4 86
HDPBW61 86
HDPBW8 86
HDSSW2 86
HDSSW5 86
HDSW1 86
HDSW2 86
HDSW20 86
HDSW3 86

HIN1322 303
HIN1322/7 300
HIN13225/11 299
HIN14252/11 299
HIN14322/11 298
HIN14325/13 297
HIN1433/13 293
HIN1433HT/13 295
HIN1433P/13 294
HIN1433SEC/13 295
HIN2424 302
HIN3424 302
HINFP1 87, 104
HINFP4 87, 104
HIP1332 302
HIW13215 302
HL4 141
HL5 141
HL6 141
HM4 141
HM5 141
HRB1000/P62 - P85 266
HSD3 86
HSD4 86

I

IN5 21
INT1008 268, 413
INT1102 296, 412
INT1433 292-300, 412
INT1433/300B/R 412
INT1433/300B/S 412
INT2024 314, 413
INT2024/60 314, 413
INT2500 413
INTAA45 413
INTAA77 115
IPB100 - IPB200 398
ISH076 398
ISH114 398
ISH150 398

K

KPP1590 - KPP1915 259

L

LCP1000 344
LDB5525 - LDB5530 332
LDE5325 355
LDE5330 355
LDS5325 341
LDS5330 341
LDS5525 341
LDS5530 341
LET10100A 261
LET1050A 261
LET1090A - LET1090C 262
LF1006LH/RH 98
LF34LH/RH 98
LF5101 99
LF5103 99
LF5113 91
LF5114 91
LF5115 91
LF5116 91
LF5117 91
LF5118 91
LF5121 104
LF5122 104
LF5123 104
LF5130 105
LF5260LH/RH 100
LF5266 100
LF5501 90
LF5501Y 90
LF5502 90
LF5503 90
LF5504 90
LF5505 90
LF5506 90
LF5507 91
LF5507Y 91
LF5508 91
LF5509 91
LF55101 101
LF55102 96
LF55103 97
LF5515 104
LF5516 - LH5518 90
LF5519 104
LF5524 94
LF5525 94
LF5526 101
LF5527 105
LF5528 103
LF5530 101
LF5531 94
LF5532 93
LF5533 93
LF5534 95
LF5535 101
LF5536 95
LF5537 98
LF5538 94
LF5539 93
LF5539U 92
LF5540 98
LF5541 99
LF5542 99
LF5543 95
LF5544 97
LF5545 97
LF5546 93
LF5547 105
LF5548 105
LF55490 96
LF55491 96
LF55492 96
LF55493 96
LF55494 96
LF55495 96
LF55496 96
LF55497 96
LF55498 96
LF5549R 92
LF5550 92
LF5563 103
LF5574 100
LF5575 100
LF5590 97
LF5591 96
LF5592 96
LF5594 91
LF5595 92
LF56NP92 90
LFB1 360
LFB2 360
LIP9001 284
LRS4000 276
LRS4001 276
LRS9000 280
LS1003B 203
LSB5525 - LSB5530 332
LSE5225/REB 356
LSE5325 356
LSE5330 356
LSS4414 341
LSS5325 341
LSS5330 341
LSS5530 341
LW02 199
LW05 199
LW07 199
LW17 199
LW21 199
LW24 199
LX03 195
LX05 196
LX07 195
LX13 195
LX14 196
LX21 195
LX22 195
LX25 196

M

M1000 68
M1001 64
M1001R 66
M1002 79
M1003 - M1005 167
M140NP 110
M140NP92 110
M219 113
M220 114
M30 - M31 56
M32 54
M34 64
M35 65
M35C 65
M35RS 66
M35US 65
M36 112
M37 114
M38B - M38S 115
M39 78
M39F 79
M40 117
M41 132
M42 132

M43 114
M44 120
M45 114
M47 166
M48 64
M51 113
M60 113
M61 113
M67 - M68 57
M73 120
M78 111
M86NP 108
M86NP92 108
MCN5025 344
MCN5030 344
MK001 65
MS5 21

N

N0 - N8 116
NA - ND 116
NPH1 - NPH3 87
NUM10100 - NUM10108 261
NUM10171 - NUM10178 262
NUM10500 - NUM10508 261

O

OCP1000 263

P

P4.100.35.00 191
P4.100.35.02 191
P4.100.35.A00 191
PAC1225 - PAC1600 249
PAD1150 -PAD1450 249
PAD4150 - PAD4300 276
PAD9150 - PAD9300 281
PAM1300 250
PAT1225 - PAT1300 250
PBC1300 249
PBD1300 249
PBT1300 250
PCC1450 - PCC1600 249
PCD1450 - PCD11800 249
PCG1350SSS-B-B 249
PCM1450 250
PCP1000 263
PCT1450 - PCT11800 250
PCTS1350 250
PF100R 76
PF101L 76
PF102 77
PF103ER 76
PF104EL 76
PF105E 77
PF106 77
PF107 78
PF108 72
PF109AL 77
PF109AR 77
PF110 78
PFD1225 - PFD1300 249
PFD9150 - PFD9450 281
PFPH1000 162
PFT1225 - PFT1300 250
PH160B 73
PH170 73
PL4 141
PLB9001 284
PLE9001 284
PLP9001 284
PLT9001 284
PLU9001 284
PLW 54
PLWCP 54

Q

QE001 20
QE003 20
QT004 20

R

RBH1433LEF / RIG 302
RCA5511 357
RCB8260 358
RCB8260L 358
RCN8160 359
RCN8240 358
RCN8240L 358
RCN8260 359
RCN8260L 359
RCN8340 359
RCN8360 359
RCP1000 263
RDE8043 357
RE001 21
RE003 21
RE004 21
RLE8043 357
RSE8053 357
RSE8064 357
RSL5030 342

S

SAA21 - SAA22 280
SAA28 280
SAA60 - SAA61 280
SBF1016 -SBF1030 255
SBF80BOL 203
SCH14325/13 297
SCP10 201
SCP8 201
SDB5010 349
SDG4001 116
SEX1011 - SEX1022 260
SEX4011 - SEX4018 277
SL1 - SL2 111
SP104 133, 202
SP104L 202
SP18 200
SP21 202
SP22 202
SP25 203
SP44A 202
SP45 203
SP47 203
SP4M 202
SP6T 202
SP75 203
SP7L140S 203
SP8 200
SP81 202
SP82 202
SP8L 200
SPB10 201
SPB75 200
SPB8 201
SPGS 203
SPLFSPRINGLH / RH 202
SPS 200
SPS85CP 200
SPS85SN 200
SPSCP 200
SPSSC 200
SS6 201
SSE1405 227
SSK1062 227
SSL1401 226
SSL1402 226
SSL1403 226
SSL1404 226
SSL1405 226
SSL1406 227
SSM1415 - SSM1460 253
SSP1405 227
SSR1405SSS/DUO 254
SST1415 227
SW102SSS 214
SW105-ISSS 214
SW107SSS 214
SW123 214
SW4102 210
SW4123 209
SW4123X/SSS/G304 209
SW4125 209
SW4150 209
SWE1000 272
SWE1010 272
SWE1011 272
SWE1020 273
SWE1030 272
SWE1036D 273
SWE1040 273
SWE1050 273
SWKNR1058 214
SWL1006DUO 218
SWL1009DUO 218
SWL1010DUO 218
SWL102 223
SWL103 223
SWL1116 218
SWL1118 218
SWL1120 219
SWL1121 219
SWL1122 219
SWL1127 219
SWL1131 219
SWL1132 220
SWL1133 220
SWL1134 220
SWL1135 220
SWL1160 220

SWL1161 221
SWL1165 221
SWL1168 221
SWL1169 221
SWL1190 221
SWL1192 222
SWL1194 222
SWL1196 222
SWL191 222
SWLP1134/300 - 600 253
SWLP123 241
SWOB 241
SWOE 241
SWOE/72 241
SWOP 241
SWOT-I 241
SWOT-I/78 241
SWP1160/600 253
SWP1169/300 - 600 252
SWR1136 201
SWR1137 223, 254
SWT1016 223
SWT1025 223
SWT4105-I 210
SWT4107-I 210
SX5 10
SZ5004 38
SZC001 43
SZC003 43
SZC004 43
SZC010 42
SZC011 - SZC013 44
SZC020 42
SZC021 - SZC023 44
SZC030 42
SZC031 - SZC033 44
SZC040 42
SZC041- SZC043 44
SZC050 42
SZC051 - SZC053 45
SZC340 43
SZM000 37
SZM001 37, 49
SZM001SQ 38
SZM003 37, 49
SZM003SQ 38
SZM004 38, 49
SZM004SQ 38
SZM014 32
SZM025 32
SZM044 39
SZM044YCP 39
SZM045 39
SZM046 39
SZM110 32
SZM130 32
SZM160 32
SZM170 30
SZM210 33
SZM210SQ 33
SZM220 33
SZM241 39
SZM241Y 39
SZM242 39
SZM243 39
SZM250 34
SZM270 30
SZM310 31
SZM370 34
SZM371 39
SZM371Y 39
SZM372 39
SZM373 39
SZM380 35
SZMR 38, 201
SZMRSQ 38, 201
SZR001 49
SZR002 49
SZR004 49
SZR010 48
SZR011 50
SZR011Y 50
SZR012 50
SZR013 50
SZR020 48
SZR021 50
SZR021Y 50
SZR022 50
SZR023 50
SZR030 48
SZR031 50
SZR031Y 50
SZR032 50
SZR033 50
SZR040 48
SZR041 50
SZR041Y 50
SZR042 50
SZR043 50
SZR050 48
SZR051 51
SZR051Y 51
SZR052 51
SZR053 51
SZR060 49
SZR061 51
SZR061Y 51
SZR062 51
SZR063 51
SZS01NP92 109
SZS03NP92LH / RH 109
SZS44S 121
SZS73 121

T

TC5 20
TL1 -TL4 352
TL7A 352
TL9A 351
TLD5025 - TLD5050 349
TLD5830 - TLD5850 349
TLS5025 - TLS5050 348
TLS8030 347

U

ULE5025 355
ULE5030 355
ULS5025 352
ULS5030 352
URBS5030 347
URES5030 346
URLS5330 346

V

V1005 123
V1005LCK 123
V1006LCK 123
V1007LC 123
V1008LH / RH 124

W

WF11 120
WF12 120
WF13 189
WF14 125, 202
WF15 125, 202
WF16 120
WF17 125
WF18 125
WF21 121
WF22 121
WF23 121
WF24 121
WF25 124
WFKEY/4MMCP 124
WSB8125 358

X

XCA5000 404
XDB5760 404
XDL5760 404
XIA5002 404
XIA5003 405
XSA5002 405
XSA5003 405
XSA5033K 405

Z

ZIN3003 35
ZIN3111 35
ZIN3112 35
ZIN3115 35
ZIN3116 36
ZIN3121 36
ZIN3129 36
ZIN3130 36
ZIN3131 36
ZIN3139 37



CREDIT CONTROL

01228 815307

MARKETING

01228 511030

MASTER KEY

01254 274140

TECHNICAL & SPECIFICATION

01254 274176

PURCHASING

01228 815301

CYLINDER SHOP

01254 274145

ACCOUNT ASSOCIATES

01254 274199

CUSTOMER SERVICE

01228 511030

IT HELPDESK

01228 587758

SCAN ME

Any questions? Contact us

Give us a call or send an email and we'll get back to you with answers as soon as possible

carlislebrass.com/sustainability

Follow our sustainability journey

The paper used to create this catalogue is both FSC® certified and Carbon Balanced (WLT - World Land Trust accredited). Sterling are a ISO 14001 accredited company who use 100% vegetable based inks.

- **Re-using heat generated by the presses to heat the factory during winter**
- **Reduction of chemicals and water used on all presses**
- **Solar panels on the factory roof that save electricity and regenerate power**


FSC www.fsc.org MIX Paper from responsible sources FSC® C017574

sterling®

CARBON BALANCED PAPER WORLD LAND TRUST™

DISCLAIMER - At the time of publication all information was correct. We reserve the right to make technical changes.

- All sizes are in millimetres unless otherwise specified.





MIDDLETON HARDWARE LTD.
Unit 23, Fenlake Business Centre
Fengate, Peterborough
PE1 5BQ

TEL: 01733 892298
E-MAIL: sales.middleton@btconnect.com
www.middletonhardware.co.uk